

THE WORLD'S GREATEST BOOKSHOP

FOYLES
★ ★ FOR BOOKS ★ ★

FAMED CENTRE FOR

Medical Books

It's remarkable how many prominent doctors, writers, artists, scientists, actors, editors, and businessmen have told us how much they admire this bookshop.

They visit us first as students and their loyalty continues throughout the years. We, for our part, do all we can to deserve their friendship.

We pride ourselves on being a very good bookshop.

119-125 CHARING CROSS ROAD, LONDON W.C.2

Gerrard 5660 (20 lines)



Open 9—6 (including Saturdays)

Nearest Station : Tottenham Court Road

THE
FLORENCE NIGHTINGALE HOSPITAL
for Gentlewomen

19 Lisson Grove, London, N.W.1

Telephone: Paddington 2341

**FOR EDUCATED WOMEN OF LIMITED MEANS AND
THOSE OF THE PROFESSIONAL CLASSES**

NEITHER CONTROLLED NOR SUPPORTED BY THE STATE, THIS HOSPITAL offers EVERY FACILITY to PHYSICIANS and SURGEONS, with private accommodation for their patients, at a cost of 8 or 11 guineas for a private room; 4 guineas for cubicle.

For further particulars apply to the Secretary.

Introducing...

·NOV-ALOCOL·

an IMPROVED antacid preparation

with greater acid-binding power

IN hyperacidity and peptic ulcer, the power of aluminium hydroxide to provide reliable buffering is well recognized.

In 'NOV-ALOCOL' aluminium hydroxide of improved acid-binding power is combined with magnesium hydroxide in such proportion that the mixture is neither astringent nor laxative.

'NOV-ALOCOL' provides *prompt* relief because its magnesium hydroxide content immediately acts on the excess acid already in the patient's stomach, while the buffering action of the aluminium hydroxide simultaneously provides protection against subsequent acid secretion.

'NOV-ALOCOL' is *safe*: in the dosage recommended, namely two tablets before or after meals according to the lesion, it will induce neither systemic alkalosis nor acid rebound.

Each tablet contains :

Aluminium hydroxide	0.375 g.
Magnesium hydroxide	0.125 g.
Excipient and flavouring	q.s

PACKS : Bottle of 50.

Dispensing Packs of 250 and 500 (P.T. exempt).

N.H.S. Basic Price of 50 Tablets is 1/5½.

Sample and literature on request

A. WANDER LIMITED

42 Upper Grosvenor St., Grosvenor Sq., London W.1.



**Iron
your patients
can tolerate...**

Rarical

TRADE MARK

iron-calcium tablets

a unique new compound —
iron plus calcium in a single molecule

TOLERATED no stomach upset, constipation
or diarrhoea
phosphate-free — no leg cramps

EFFECTIVE more haemoglobin in less time


EASY TO TAKE white, uncoated, tasteless tablets
may be swallowed, chewed, or
crushed and suspended in fluids

Each tablet contains: iron, 25mg; calcium, 85mg.
LITERATURE ON REQUEST



Ortho Pharmaceutical Limited
High Wycombe, England





Now is the season

of gamps and damp

of ills and chills and

crowded waiting rooms

Now is the time

for 'S-mez'—the best

and cheapest sulphonamide

for routine use

'S-MEZ' *is short for 'Sulphamezathine'*

Trade Mark

Sulphadimidine B.P.


IMPERIAL CHEMICAL INDUSTRIES LIMITED
PHARMACEUTICALS DIVISION

WILMSLOW CHESHIRE

Ph. 790



For a
brighter
outlook
after
illness
or
operation



Think of your patients who need a tonic. Then think of Minadex. Its carefully balanced mineral-vitamin formula helps to restore the body to a healthy condition. Its appetizing orange flavour appeals alike to adults and children. After illness or operation make sure your patients benefit from Minadex - they'll all feel the better for it.

MINADEX

TRADE MARK

MINERAL - VITAMIN TONIC

In 6 fl. oz., 12 fl. oz., bottles and 80-oz. winchesters

*Composed of vitamins A & D,
iron, copper and glycerophosphates of calcium,
potassium, sodium
and manganese*



GLAXO LABORATORIES LTD., GREENFORD, MIDDLESEX BYRON 3434
Subsidiary Companies or Agents in most countries

*** Authoritative Opinion**

✓ **on 'ROMILAR'**
dextromethorphan
Cough Suppressant

- * No side-effects
- * Maintains its efficiency over long periods
- * Does not induce addiction
- * Does not prevent expectoration
- * Does not alter the consistency of the sputum
- * Has no analgesic action

Lancet, 1956, i, 563

Packings : 'Romilar' syrup in bottles of 100 c.c. and 500 c.c.

'Romilar' tablets in packings of 20, 100 and 200.

Also available.

'Romilar' expectorans syrup in bottles of 100 c.c. and 500 c.c.

ROCHE PRODUCTS LIMITED
15 MANCHESTER SQUARE, LONDON, W.1.

Butterworth Publications

CANCER

Edited by RONALD W. RAVEN, O.B.E. (Mil.), T.D., F.R.C.S. In Six Volumes and Index Volume (with bibliography). Profusely illustrated. 85s. net per volume, carriage and packing extra.

This great work, the first of its size and scope, covers the widest possible in range. The first volume takes in every aspect of research into causation, while the second volume, appearing this month, deals exhaustively with the pathology of malignant tumours in relation to every site of the body, with a special section devoted to a study of the disease as manifested in childhood.

MEDICAL NEGLIGENCE

being the Law of Negligence in Relation to the Medical Profession and Hospitals

By The Right Hon. LORD NATHAN, P.C., a Solicitor of the Supreme Court, Chairman of the Board of Governors of Westminster Hospital, with the collaboration of ANTHONY R. BARROWCLOUGH, B.A., of the Inner Temple, Barrister-at-Law. 35s. net, by post 1s. 3d. extra.

An objective and comprehensive statement of the law relating to the liability of medical practitioners and medical institutions for professional negligence, providing in an eminently readable form guidance for hospital administrators and members of the medical and nursing profession on the nature of their professional responsibilities and the risks which affect them in the course of their work.

MODERN TRENDS IN GASTRO-ENTEROLOGY

Second Series. Edited by F. AVERY JONES, M.D., F.R.C.P. Pp. xviii+417+index. 153 illustrations. 3 colour plates. 78s. 6d. net, by post 2s. extra.

This new book is the joint work of physicians and surgeons, anatomists and radiologists, who concentrate attention on the many advances of the past five years. It represents much of advanced thought and experience in this common ground of medicine and surgery, and must demand the attention of all medical men engaged in the field of gastro-enterology. Its practical value cannot be over-estimated.

MODERN TRENDS IN ENDOCRINOLOGY

Edited by HAROLD GARDINER-HILL, M.D., F.R.C.P. Pp. viii+298+index. 15 illustrations. 1 colour plate. 65s. net, by post 1s. 9d. extra.

This work covers the results of the vast amount of research which has gone into endocrinology over the past ten years, presenting the broadest outlook and emphasizing the modern approach. It will be of immense value to physicians, endocrinologists, postgraduates and everyone whose work demands a completely up-to-date knowledge of today's trends in endocrinology.

Full details and Illustrated Catalogue on application

BUTTERWORTHS, 88 KINGSWAY, LONDON, W.C.2

SHOWROOM: 11 - 12 BELL YARD, TEMPLE BAR, W.C.2



Higher levels

... even faster

WITH THE NEW IMPROVED PENICILLIN-V

'V-CIL-K' brand penicillin-V potassium is a new and readily soluble form of penicillin-V giving faster and higher blood levels. Fasting levels have in fact been shown to be even higher than those obtained with parenteral penicillin G in the same dosage.

'V-CIL-K', the oral penicillin with the parenteral penicillin response, is a major advance in penicillin therapy. The average dose is 125 mg. four times daily increased in severe infections. The cost is identical with that of penicillin-V.

'V-CIL-K'
PENICILLIN V POTASSIUM

Lilly

Available as tablets of 125 mg. and 250 mg.

ELI LILLY & COMPANY LTD • BASINGSTOKE • ENGLAND

FOR SOUND SLEEP AND CLEAR AWAKENING

Doriden

(α -phenyl- α -ethyl glutarimide)

A General Purpose Non-Barbiturate Hypnotic

RAPID ACTION (20-30 MINUTES)

OF MEDIUM DURATION (4-6 HOURS)

*Tablets containing 0.25g. Doriden are available
in bottles of 25, 100 and 500*

C I B A

'Doriden' is a registered trade mark. Reg. user

CIBA LABORATORIES LIMITED, HORSHAM, SUSSEX

Telephone: Horsham 4321 Telegrams: Cibalabs, Horsham

CONTACT

DERMATITIS

& ECZEMA

**Healing and protection
with one ointment**

'Cobadex' the new B.D.H. preparation of hydrocortisone B.P.C. in a water repellent base is particularly indicated in the non-exudative stage of contact dermatitis and eczema.

It enables the anti-inflammatory healing action of hydrocortisone to proceed while protecting the lesions from the primary irritant.

new **'Cobadex'**

TRADE MARK

O I N T M E N T

Hydrocortisone B.P.C., 1 per cent, in a water repellent base.

*Basic N.H.S. price, tube of
10 grammes—10/-
Purchase Tax extra*

Descriptive literature and
specimen packings are
available on request.

MEDICAL DEPT.

THE BRITISH DRUG HOUSES LTD. LONDON N.1

ABSTRACTS OF WORLD MEDICINE

A monthly journal of informative abstracts—dealing in each issue with a comprehensive range of subjects.

COMPREHENSIVE A single journal which will keep you informed of developments in every part of the world throughout the whole field of medicine.

SELECTIVE Bringing you, from over 1,600 medical periodicals, the significant contributions to the sum of medical knowledge and experience.

EASY TO USE The Abstracts are grouped in sections which bring together material collected from widely differing sources. They contain sufficient material to give a bird's-eye view of work done and results achieved.

AUTHORITATIVE Some 400 abstracters, each an expert in his field, work under the guidance of an experienced editorial staff.

ANNUAL SUBSCRIPTION (12 ISSUES) £4 4s.

A specimen copy may be obtained free from the Publishing Manager

BRITISH MEDICAL ASSOCIATION

B.M.A. House, Tavistock Square, London, W.C.1

E. & S. LIVINGSTONE, LTD.

TEXTBOOK OF MEDICAL TREATMENT

Edited by D. M. DUNLOP, M.D., F.R.C.P., SIR STANLEY DAVIDSON, M.D., F.R.C.P., and STANLEY ALSTEAD, M.D., F.R.C.P., P.R.F.P.S.G.
Seventh Edition 944 pages 33 illustrations 55s.

THE CLINICAL APPLICATION OF HORMONE ASSAY

By JOHN A. LORAINE, M.B., Ph.D., M.R.C.P.Ed.
378 pages 66 illustrations 30s.

NON-VENEREAL SYPHILIS

A Sociological and Medical Study of Bejel
By E. HERNDON HUDSON, M.D., D.T.M. & H., F.A.C.P.
212 pages 106 illustrations 30s.

A HANDBOOK ON DISEASES OF CHILDREN


Including Dietetics and the Common Fevers
By BRUCE WILLIAMSON, M.D., F.R.C.P.
Eighth Edition 495 pages 145 illustrations 27s. 6d.

COMBINED TEXTBOOK OF OBSTETRICS AND GYNAECOLOGY

Edited by DUGALD BAIRD, M.D., F.R.C.O.G.
Sixth Edition 948 pages 633 illustrations 95s.

New 1958 catalogue available on request

TEVIOT PLACE, EDINBURGH



Combat the peptic ulcer triad with *Collubarb* tablets

Each active constituent in COLLUBARB has a specific function in the treatment of dyspepsia, hyperacidity and peptic ulceration, and provides effective symptomatic relief.

HYPERCHLORHYDRIA Aluminium Hydroxide 5 gr. (320 mg.)


ANXIETY TENSION Phenobarbitone $\frac{1}{4}$ gr. (16 mg.)

HYPERMOTILITY Atropine Sulphate 1/500 gr. (0.13 mg.)

Presentation Cartons of 24 and 100 (film wrapped)
Containers of 500



EVANS MEDICAL SUPPLIES LTD., LIVERPOOL & LONDON



Ames

ROUTINE URINE TESTS

—Reliable, quick, no external heating—

For **ALBUMIN** _____ ***ALTEST**
reagent tablets

For **BLOOD** _____ ***OCULTEST**
reagent tablets

For **GLUCOSE** _____ ***CLINISTIX**
reagent strips

For **BILIRUBIN** _____ ***ICTOTEST**
reagent tablets

For **KETONES** _____ ***ACETEST**
reagent tablets

... and, of course, for reliable estimation of

SUGAR _____ ***CLINITEST**
reagent tablets

Range of six simplified urine tests for General Practitioners, hospitals, clinics and laboratories.

Please write for illustrated leaflet and references.

'Acetest' and 'Clinitest' are available under the N.H.S. on Form E.C.10

** Trade Marks*



AMES COMPANY (LONDON) LTD

NUFFIELD HOUSE, PICCADILLY, LONDON, W1 • Telephone: REGent 5321

Aspirin Sensitivity?

Constipation, gastric irritation, allergy and other undesirable side effects may follow the use of analgesics based on the aspirin-codeine-phenacetin formula.

Panadol does not contain any of these substances but has the single active ingredient N-acetyl-p-aminophenol. It does not cause gastric irritation or constipation and may safely be given to patients with peptic ulcer and to those who are intolerant of other analgesics.

Medical literature is available on request.



Panadol

PANADOL is a registered trade mark.

Tablets: 0.5 G., N-acetyl-p-aminophenol. In cartons of 20, in bottles of 100 and 500, and in tins of 2500.

Basic N.H.S. cost of continuous treatment (2 tabs. t.i.d.) for one week 3/5.

Bayer Products Limited

Neville House, Kingston-on-Thames, Surrey.

Associated exporting company: Winthrop Products Ltd.

B
A
Y
E
R

“IMPROVED THERAPY FOR PEPTIC ULCER”

Extract from the American Journal of Gastroenterology (1957), 28, 439.

“The medication investigated is known as Roter tablets . . . The dosage employed in the treatment of gastric or duodenal ulcer was 2 tablets, taken three times a day with tepid water immediately after meals . . . this therapy is applicable to ambulatory patients.”

SUMMARY

“In a series of 155 cases of peptic ulcer treated with . . . (Roter) tablets for three to six weeks, there was immediate relief of pain in 92 per cent of cases and roentgenological healing of the ulcer in 81 per cent. The average weight gain was 7.9 lbs. and occult blood disappeared from the stools in all of the six cases in which it was found.

“The benefit provided by the medication is attributed to the minute particulation of the bismuth subnitrate, produced by a special process of trituration in association with a synergistic antacid combination.

“The special features of this medication are immediate and prolonged relief of pain, correction of gastric hyperacidity, absence of side reactions, effectiveness for ambulatory patients, and early healing of the ulcer in most cases.

“There was no acid rebound in therapeutic dosage and no adverse effects were reported.”



ROTTER

PACKINGS: Tins of 40, 120, 640 and dispensing size 720
(P.T. exempt). Basic N.H.S. price: 1/- for 10 tablets.


ROTTER may be prescribed on E.C.10 forms. Literature and samples on request.

F.A.I.R. LABORATORIES LTD · TWICKENHAM · MIDDLESEX

New

Dosulfin[®]

a long-acting
mixed Sulphonamide
with the following
advantages



Long dosage intervals

Undisturbed nights

Low dosage

Further details on request

Availability

Tablets 0.75 g.
Containers of
12 and 100

Syrup 10%
(with measure)


Bottles 50 ml.

Ⓢ Regd. Trade Mark

**Dosulfin consists of
equal parts of
Sulphaproxyline and
Sulphamerazine**

**Geigy Pharmaceutical Company Ltd.
Manchester 23**

PH. 121a



MANUFACTURED BY
MAY & BAKER LTD

'Stemetil'

trade mark

brand

PROCHLORPERAZINE MALEATE

'Stemetil' is advocated for the prevention of attacks of migraine or to lessen their frequency or severity; for this purpose it is given continuously in a low dosage. It may also be used, in a higher dosage, at the prodromal stage, with a view to aborting the attack or relieving the symptoms. Choice of these two methods of use will depend on the frequency of the attacks. The drug is of prophylactic use in those cases wherein attacks of true migraine are induced by emotional upsets such as travelling or excitement. This is not to be confused with headache of psychogenic origin which is not true migraine and appears to be resistant to the drug. 'Stemetil' is also indicated in labyrinthine disorders including Ménière's syndrome, giddiness of other origins (except when due to streptomycin), and vomiting. Possible applications in psychiatry are being studied.

Detailed information is available on request.

PRESENTATIONS:

Tablets of 5 mg. Suppositories of 25 mg.

DISTRIBUTORS:
PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

The esters of NICOTINIC, SALICYLIC and p-AMINOBENZOIC acids bring relief to cases of arthritis and rheumatism



"Thank you, doctor"


IN CASES of soft-tissue rheumatism, and arthritic disorders, many doctors are tending more and more to regard Transvasin as an indispensable adjuvant to treatment.

For Transvasin is composed of the esters of nicotinic, salicylic and p-aminobenzoic acids. These esters readily pass the skin barrier in therapeutic quantities, and so enable an effective concentration of drugs to be built up where they are needed.*

Transvasin not only induces vasodilation of the skin with a superficial erythema, but also brings about a deep hyperaemia of the underlying tissues. It is non-irritant and can be safely used on delicate skins.

It is now being widely prescribed, with successful clinical results. Since a very small quantity is sufficient for each application, the cost of treatment is extremely low.

**Therapeutische Umschau*
1952, 8, 143.




In 1 oz. tubes, basic
N.H.S. price in the
U.K. 2/6 plus P.T. May be
prescribed on Form E.C.10.

Tetrahydrofurfuryl salicylate.....	14%
Ethyl nicotinate.....	2%
n-Hexyl nicotinate.....	2%
Ethyl p-aminobenzoate.....	2%
Water-miscible cream base ad.....	100%

LLOYD-HAMOL LTD

11 WATERLOO PLACE, LONDON, S.W.1. TELEPHONE WHITEHALL 8684/5/6

Transvasin is the registered trade mark of Lloyd-Hamol Ltd.



SUPPLIES OF THIS FOLDER ARE AVAILABLE FREE OF CHARGE

"Reducing Your Weight" is a new and easily followed guide to diet for weight reduction, and includes some simple advice and a varied menu. The folder is designed for handing to the patient, whose name may be written in a space provided on the cover.

Quantities of this folder are available free of charge to medical practitioners. For a supply, or a specimen copy, write to the Energen Dietary Service at the address below.

The Energen Dietary Service, staffed by qualified dietitians and under medical supervision, offers information and practical assistance in all dietary and nutritional problems. All services are free of charge, and practitioners are invited to apply for details.

Available in the U.K. only

The Physician in Charge

ENERGEN DIETARY SERVICE

25a Bryanston Sq., London, W.1. Tel: AMBassador 9332

THE COLLEGE OF GENERAL PRACTITIONERS

**14 Black Friars Lane, Queen Victoria Street,
London, E.C.4.**

Associateship

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration within two years of qualification.)

Membership

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must:—(1) be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

Entrance Fees and Subscriptions

Associates make an annual subscription of £2 2s. 0d. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. 0d. and make an annual subscription of £3 3s. 0d.

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 54 Sloane Street, London, S.W.1.