
NEW ACTION against moniliasis

SPOROSTACIN

TRADE MARK

CHLORDANTOIN CREAM

SOOTHING · ODOURLESS · NON-STAINING · CHEMICALLY DIFFERENT



EXCEPTIONAL FUNGICIDAL ACTIVITY

The unique molecular structure of the active agent penetrates the fatty barrier of the fungous cell membrane.

Active Ingredients: Chlordantoin 1.0% w/w Benzalkonium chloride 0.05% w/w

OUTSTANDING CLINICAL RESULTS

This new compound offers: simplicity — patient acceptance —rapid relief of symptoms—high percentage of culture-free cures. (Lopan.B., Am. J. Obst. & Gynec. 78:1320,1959)

product of gynæcological research

Ortho Pharmaceutical Limited Saunderton · Buckinghamshire



Fentazin

FENTAZIN 2mg. t.i.d. A WEEK'S TREATMENT COSTS 1/5



THE OUTCAST

'The fairest things in life are Death and Birth And of these two the fairer thing is death. Ode to the Setting Sun Francis Thompson Was Francis Thompson a depressive? One strongly suspects so. Certainly he was a mystic and predisposed to bouts of severe melancholy. He saw himself as an outcast, alone—he felt that life was not worth living; he was preoccupied with death. Many of your patients may show just such a morbid thought-pattern. For these modern-day sufferers effective therapy is possible: the treatment is NARDIL.

IN MILD TO MODERATE DEPRESSION

NARDIL is safe and is effective at low dosage levels. Toxic effects on blood or liver are extremely rare. NARDIL acts quickly. Response is usually seen within the first weeks or even days of 'treatment. NARDIL provides reliable treatment for depressives—often the problem patients of a busy practice.

NARDIL

Trade Mark

Brand of phenelzine

IN GENERAL PRACTICE

Available in bottles of 100 and 500 sugar-coated tablets each containing 15 mg. phenelzine.

Nardil is known in some countries as 'Nardelzine'

(trade mark)

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE. Tel: EASTLEIGH \$131

In coronary artery disease


- with or without angina

PERITRATE INCREASES MYOCARDIAL BLOOD FLOW AND OXYGEN SUPPLY

A single oral dose increases myocardial blood flow to normal or near-normal range

PERITRATE IS SAFE

- * because it has a gradual onset of action.
- * causes no significant change in blood-pressure, cardiac output or pulse rate.
- * rarely produces headache or gastro-intestinal upset, and can therefore be used in coronary artery diseases whether the patient has anging or not.



Peritrate is available as

PERITRATE S.A. DOSAGE: 1 tablet on rising and 1 tablet twelve hours later.


or if q.i.d. therapy is preferred

PERITRATE (10 mg.) DOSAGE: 2 tablets before each meal and at bedtime.

and where the disease is aggravated by emotional stress

PERIFENIL (Peritrate with Nardil) DOSAGE: 1 tablet before each meal and at bedtime.

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE. TELEPHONE: EASTLEIGH 3131




Whenever inflammation complicates haemorrhoids ANUSOL-HC (containing hydrocortisone) is the specific treatment. ANUSOL-HC speedily controls inflammation, as well as treating the haemorrhoids, at a cost that is relatively low for a corticosteroid. It does not contain a local anaesthetic that may mask a more serious condition: it is easily inserted: and there are no side effects. After the inflammation and pruritus have been controlled. ANUSOL PLAIN is recommended for effective continuation therapy.

a week ago
she couldn't
do this...

ANUSOL-HC
put her back
on the job

ANUSOL-HC: Boxes of 12 suppositories. 10G. Tubes of Ointment. ANUSOL (PLAIN): Boxes of 12 and 100 Suppositories. 1 oz. Tubes of Ointment.

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE. TELEPHONE: EASTLEIGH 3131



one tablet in the evening

Tedral S.A. for sustained relief of symptoms of bronchial asthma and chronic bronchitis

The value of this combination of ephedrine, theophylline and phenobarbitone has been well established for many years. Now, with new Tedral S.A., it is available as a sustained-action tablet which is effective for twelve hours.

A Tedral S.A. tablet taken in the morning ensures day-long medication; a Tedral S.A. tablet taken at night minimises sleep disturbances and the need for emergency therapy. Bottles of 100 and 500 tablets. Each tablet contains 48 mg. ephedrine, 180 mg. theophylline, 25 mg. phenobarbitone.



If you had to say to yourself:

THIS

Howseriously would you suffer financially? Be sure of an income when you are unable to work due to an illness or accident with an Insurance Policy from your profession's own insurance society—

THE MEDICAL SICKNESS SOCIETY

IS

We offer Sickness and Accident Insurance Policies which are specially designed to meet your requirements and cannot be cancelled by us because of heavy claims.

SERIOUS

Long-Term, Non-Cancellable, Profit-Sharing SICKNESS & ACCIDENT Insurance.

LIFE ASSURANCES—Whole life, Endowment, Family Income, Educational and Children's Deferred Policies.

PENSION POLICIES—and Special Policies for Students and Newly Qualified Practitioners.

BUYING A CAR? When buying a car why not ask for details of the Special Hire Purchase Scheme of our subsidiary company:—

MEDICAL SICKNESS FINANCE CORPORATION LIMITED,

7-10 CHANDOS ST., CAVENDISH SQ., LONDON W.I. Telephone: Museum 1686 Write for particulars to the General Manager and Actuary

THE MEDICAL SICKNESS ANNUITY AND LIFE ASSURANCE SOCIETY LIMITED

7-10 CHANDOS STREET, CAVENDISH SQUARE. LONDON, W.I.

Telephone: MUSeum 1686 (15 lines)

'Sulphatriad'

against common infections



'Penitriad'

prate mark

TR. SULPHONAMIDE PENTCHEIN, V-K

Two established products combining high antibacterial activity with a minimal risk of side-effects.



M&B brand Medical Products


MANUFACTURED BY

MAY & BAKER LTD

DISTRIBUTORS

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LITD DAGENHAM

MA9794




SAFE, SOUND SLEEP TRICLORYL

tablets

the palatable improvement on chloral hydrate

Tricloryl provides all the desirable sleep promoting effects of chloral hydrate. Like chloral hydrate Tricloryl acts by being converted in the body into trichlorethanol. It differs from chloral hydrate however in being much more palatable, unlikely to cause gastric irritation and in being able to be presented as tablets.

With the same wide margin of safety as chloral hydrate Tricloryl is suitable for patients of all ages. It produces the same quiet, sound 'physiological' sleep from which the patient can be easily and completely aroused if necessary. On awakening the patient is refreshed and free from any 'hangover' effect. Habituation is rare.



With the introduction of Tricloryl there is at last a really satisfactory way of providing the 'chloral hydrate' effect which is so desirable in many cases of sleeplessness.

TRICLORYL

Bottles of 20, 100 and 500 tablets each containing 0.5 gram monosodium triclofos.

DOSAGE:

for sleep, usually 2 tablets for sedation, $\frac{1}{2}$ to 1 tablet as needed.



the name Tricloryl is a Glaxo trade mark

GLAXO LABORATORIES LIMITEI

in the treatment of peptic ulcer

ROTER

has <u>particular</u> advantages





ROTER achieves a high cure rate and often gives effective control of even refractory chronic cases which have resisted other treatments.

ROTER in many cases obviates the need for hospitalization or surgical intervention.

ROTER helps patients to keep ambulant and sympton-free with a minimum of medication and with few, if any, dietary restrictions.

ROTER in general practice enables the physician to take adequate care of his gastric cases without frequent or prolonged supervision.

ROTER has no known side effects.

ROTER requires no supplementary medication such as sedatives or anti-spasmodics.

ROTER shows a saving in cost when compared with conventional methods of treatment.

REFERENCES

Therapie der Gegenwart, 1953, 3, 108 Gazz. Med. Ital., 1954, 113, 343 Die Medizinische,1955, 4, 163 British Medical Journal, 1955, 2, 827 C.R.S. Biol. 1956, 150, 1019 Am J. Gastroenterology, 1957, 28, 439 Wiener Med. W., 1958, 108, 218 Arztliche Praxis, 1958, 10, 766 Journal Lancet, 1960, 80, 37

FORMULA

Each Roter tablet contains:

Bismuth Subnitrate Roter (350 mg.), Magnesium Carbonate (400 mg.), Sodium Bicarbonate (200 mg.) and Cortex Rhamni Frangulae (25 mg.).

PACKINGS OF ROTER TABLETS

Tins of 40 and 120, also dispensing sizes, 360 and 720 (P.T. exempt). Basic N.H.S price: Under 1/- for 10 tablets.

ROTER TABLETS are in Category "S". Literature on Request.

F. A. I.R. LABORATORIES LTD . TWICKENHAM . MIDDLESEX

SPECIALIST JOURNALS-

BRITISH MEDICAL **JOURNAL**

the leading medical Journal and the most widely read

+

Published weekly

Subscription £9 9s. p.a.

ABSTRACTS OF WORLD MEDICINE
Monthly. Subscription £4 4s. p.a.

BRITISH JOURNAL OF OPHTHALMOLOGY Monthly. Subscription £6 p.a.

ARCHIVES OF DISEASE IN CHILDHOOD Bi-monthly. Subscription £A 4s. p.a.

BRITISH HEART JOURNAL Bi-monthly. Subscription £4 4s. p.a

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

Bi-monthly. Subscription £6 6s. p.a. JOURNAL OF CLINICAL PATHOLOGY Bi-monthly. Subscription £4 4s. p.a.

ANNALS OF THE RHEUMATIC DISEASES

BRITISH JOURNAL OF INDUSTRIAL MEDICINE BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

BRITISH JOURNAL OF VENEREAL DISEASES

JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY

MEDICAL AND BIOLOGICAL ILLUSTRATION

Published quarterly, Subscription £3 p.a.

OPHTHALMIC LITERATURE

Subscription £4 4s. p.a.
or combined with British Journal of Ophthalmology £9 p.a.

RRITISH MEDICAL ASSOCIATION

New Books

Bigger's Handbook of Bacteriology

By F. S. Stewart, M.D., F.R.C.P.I.

Specifically designed to meet the require-Specifically designed to meet the requirements of postgraduate students and general practitioners who have need to refer to a clinical bacteriological textbook. It gives particular emphasis to general principles and to those aspects of bacteriology which are of importance to the study of clinical and preventative medicine.

8th Ed. 648 pages. 75 illus. 45s. postage 2s. 6d.

Practical Electrocardiography

By Henry J. L. Marriott, M.D.

This book emphasises the simplicities rather than the complexities of the electrocardiogram. It gives only those electrocardio-gram it gives only those electrophysiologic concepts that make everyday interpretations more intelligible without overburdening the reader with unnecessary detail. It covers all diagnostically important electrocardiographic patterns and they are well ill-internal. patterns and they are well illustrated

3rd Ed. 250 pages. 200 illus. 44s. postage 2s. 6d.

Muscles Alive

(Their Function Revealed by Electromyography) By J. V. Basmajian, M.D.

Electromyography is a method of recording muscular movement by the use of electrical impulses. This technique reveals the function of muscles and shows what a muscle actually does at any moment during various movements and postures. It also shows the co-ordination between different muscles. 278 pages. 126 illus. 68s. postage 3s.

Gynaecologic Cancer By James A. Corscaden, P.H.B., M.D.

The third edition of this book discusses proven methods of diagnosis and treatment of gynaecologic cancer and explains in detail advances of the past 10 years. 3rd Ed. 585 pages. 117 illus. 96s. postage 3s

Aids to the Diagnosis and Treatment of Diseases of Children

By E. M. B. Allen, M.D., F.R.C.P., a I. J. Carre, M.A., M.D., M.R.C.P., D.C.H.

A new 11th edition of one of the oldest titles in the very popular Students Aids' Series, providing a small concise volume on the diseases of children and their treatment. Of great use to the student and qualified practitioner. 11th Ed. 366 pages. 15s. postage 1s.

Baillière, Tindall and Cox


Even in psoriasis...

'DRENISON'*

occlusive dressings has proved highly successful in the treatment of resistant dermatoses—even in psoriasis.

'Drenison' cream or ointment is applied to the area which is then covered with thin flexible plastic sheeting.

This technique facilitates penetration into the skin and hastens recovery. 'Drenison' with Neomycin is also available, for use where infection is present.





COMBINED-ACTION THERAPY FOR PEPTIC ULCERATION

GELUSIL LAC combines antacids with low-fat, high-protein milk solids. The antacids* are those recommended in the current British National Formulary. GELUSIL LAC is a natural up-to-date development from 'Gelusil'. It makes the treatment of peptic ulceration simpler for the patient.

GELUSIL LAC is easily and quickly prepared by pouring the contents of a sachet or one dessertspoonful (8 G.) into quarter of a tumbler of water and stirring.

Indications: Peptic ulceration; hyperacidity; hiatus hernia; oesophagitis; heartburn of

pregnancy.

Presentation: One-dose sachets, supplied in cartons of 10 sachets of 8 G. each. Also available in dispensing tins of 200 G.

Dosage: I sachet or one dessertspoonful (8 G.) to be mixed with quarter of a tumbler of water and taken as required.

*Formula: Each 8G. sachet contains: magnesium trisilicate 1.0 G., aluminium hydroxide 0.5 G., low-fat milk solids 6.5 G.


And for those who favour tablet treatment

GELUSIL TABLETS

adsorb more excess stomach acid than any other tablet



Gelusil Antacid Tablets: GELUSIL is not only very effective, it is economical as well. Basic NHS cost for 50 tablets is as little as 1/6d. The GELUSIL formula, aluminium hydroxide 0.25 G. and magnesium trisilicate 0.5 G. is neither laxative nor constipating.



ergotamine alone is **not** enough



To combat an incipient attack of migraine, oral ergotamine alone is inadequate. It needs the potentiating effect of caffeine. Above all, it needs a rapidly acting anti-emetic to counter its main defect as well as the vomiting resulting from migraine itself.

'Migril' contains every one of the necessary ingredients — ergotamine tartrate, caffeine, and the proven antiemetic cyclizine hydrochloride.

'Migril', the ever-present companion of thousands of migraine sufferers, is their reliable insurance against an attack.

'MIGRIL'

FROOTAMINE COMPOSIND

masters migraine



BURROUGHS WELLCOME & CO. LONDON (The Wellcome Foundation Ltd.)

Rinurel relieves sinus headache and the symptoms of the common cold, thus enabling the patient to continue normal activity with a minimum of discomfort to himself and others. Rinurel provides analgesic, antipyretic, antihistaminic and decongestant effects and can be expected to control symptoms whether they arise from infection, allergy, or both.


Rinurel gives prompt, lasting relief from pain and discomfort without rebound congestion, gastric disturbance or constipation.


Dosage: Two tablets initially followed by one every four hours.

Prophylactically one tablet every four hours.

Rinurel

William R. Warner & Co. Ltd., Eastleigh, Hampshire. *Telephone:* Eastleigh 3131





Within the last two years a number of reports have been published on the effects of dichlorphenamide (DARANIDE) in chronic respiratory insufficiency.

Most of these reports are abstracted and collated in the booklet, A Guide to the Treatment of Respiratory Insufficiency with 'Daranide', which also gives full information on administration, dosage and precautions.

A copy of the booklet is available on request.

Daranide' is supplied as tablets (yellow, half-scored), 50 mg. each.

^{&#}x27;Daranide' is a regd. trademark.



ABSTRACTS of WORLD MEDICINE

The selective abstracting journal

Concise

Readable Accurate

Covering the whole field

of clinical medicine and many allied subjects in each monthly issue.

Published every month

The current subscription rate is £4 4s. a year; it will be increased to £6 6s. from 1st January, 1963, subscriptions for the calendar year 1963 will therefore be charged at the new rate.

The Subscription Manager,
ABSTRACTS OF WORLD MEDICINE,
B.M.A. House, Tavistock Square, London, W.C.1.

ORDER YOUR SUBSCRIPTION NOW




TRANSVASIN RELIEVES MUSCLE SPASM

Inuscle spasm caused by physical injury or rheumatic lesions is rapidly relieved by the application of Transvasin. The esters of nicotinic, salicylic and p-amino benzoic acids penetrate the skin and are concentrated at the point of injury. Transvasin is an effective and economical therapy.

Transvasin contains ethyl and n-hexyl nicotinate, ethyl p-aminobenzoate, 2% each and tetrahydrofurfuryl salicylate 14%. The N.H.S. price of the 30g. tube is 2/6d and the cost of an average application of the cream is under 1d.


LLOYD-HAMOL LIMITED (H)
11 WATERLOO PLACE, LONDON S.W.1



Taken during convalescence after influenza and other debilitating illnesses, METATONE* restores appetite and speeds the return to full activity. METATONE* is a pleasantly-flavoured tonic, combining the appetite-promoting substances vitamin B1 and strychnine with mineral glycerophosphates. Supplied in 8, 16 and 80 ft. ozs.

* Trade Mark

PARKE-DAVIS



ALDOMET...

METHYLDOPA

a new and completely different

antihypertensive agent with significant advantages

ALDOMET is indicated in all degrees of hypertension and has significant advantages both for the physician and the patient.

ALDOMET reduces both standing and lying blood pressure.

Diurnal blood pressure variations rarely occur. By adjustment of dosage, morning hypotension can be prevented without sacrificing control of afternoon blood pressure.

Exertional hypotension rarely occurs.

When an effective dosage is attained, ALDOMET produces a smooth, maximal effect in most patients in 12 to 24 hours.

Dosage is simple, flexible and easily established.

The duration of action is short and hypertensive rebound does not occur on stopping treatment.

There is a general lack of severe side effects.

ALDOMET is a first choice for the treatment of all cases of essential hypertension.

ALDOMET is an original discovery of the Merck Sharp & Dohme Research Laboratories and is made in England by



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

ALDOMET is available as yellow, film-coated tablets containing 250 mg. methyldopa. Detailed information on dosage, administration, indications, precautions and bibliography is available on request.

See also Lancet: 10th Feb., p 300; 14th Apr., pp 759, 763; Brit. med. J.: 2nd Jun., p 1549; 16th Jun., p 1676; 21st Jul., p 156 (1962)



He'll be on his feet sooner with ANABOLEX

ANABOLEX* promotes return of appetite, increased weight and a sense of well-being

Convalescence can be shortened by the administration of ANABOLEX. Protein metabolism is stimulated; the patients feels better, eats better and gains weight. ANABOLEX is safe for adults and children. It is indicated for all patients in negative nitrogen balance. Presentation: Tablets each containing 25 mg. androstanolone in vials of 25, 100 and 250. Dose: The maintenance dose of Anabolex is 2-3 tablets daily and, based on the new reduced NHS price, costs 1/11d a day. Samples and literature will gladly be sent on request.

*the non-virilizing protein anabolic compound



rates by 25-50%*

Prolonged and expensive treatment of chronic ulcers may be avoided by the use of Cicatrin, the leading amino-acid/antibiotic preparation for topical application.

Further evidence of the efficacy of Cicatrin is provided by a recent controlled clinical trial to evaluate the influence of various topical applications on the healing rates of stasis ulcers. This trial shows that Cicatrin with its combination of selected amino-acids and antiblotics accelerates the healing rates by 25-50%.

It is also significant that in one group where the main difference between the two preparations was that one contained amino-acids and antibiotics (Cicatrin) and the other antibiotics only, the healing time in the Cicatrin treated group was shortened considerably both in bed rest and ambulatory cases.

PRESENTATION: POWDER/CREAM
15 gramme . . Basic N.H.S. cost 6/- + P.T.
5 gramme . . Basic N.H.S. cost 3/- + P.T.
FORMULA: Each gramme contains:Neomycin Sulphate 5 mg. Zinc Bacitracin 250 units.
di-Threonine 1 mg. I-Cysteine 2 mg. Glycine 10 mg.

CALMIC

* Scot. Med. J., 1961,6:85

CALMIC LIMITED · CREWE · CHESHIRE · Telephone: Crewe 3251 (7 lines) LONDON: 2 Mansfield Street, W.1. Tel : Langham 8038/9



Benylin Expectorant

In the treatment of colds, bronchitis and bronchial irritations, BENYLIN EXPECTORANT,* a raspberry-flavoured syrup containing BENADRYL* (diphenhydramine hydrochloride, B.P.), effectively relieves upper respiratory congestion, eases cough and soothes sore, irritated throats.

Benylin Expectorant is supplied in bottles of 4, 16 and 80 fl. ozs.

*TRADE MARK

PARKE-DAVIS

HOUNSLOW, MIDDLESEX. TEL HOUNSLOW 2361

For all sufferers from insomnia not due to pain CARBRITAL* can provide sleep of natural duration and depth. Combined in this preparation are a quick-acting hypnotic (pentobarbitons sodium), and a mild longer-acting sedative (carbromal). Thus, CARRETAL brings about rapid onset of sleep and sustains it for several hours, yet leaves the patient free from undesirable residual depression on awakening

CARBRITAL

in all types of insomnia



KAPSBALS: In bottles of 25 and 259 kapesals, each containing pentobarbitone sodium (1½ grs) and carbromal (4 grs).


ELIXIR: In bottles of 4, 16 and 30 ft. ozs. Each fluid drachm (one teaspoonful) represents pentobarbitone sodium (½ gr) and carbromal (½ gr).

*TRADE MARK

PARKE-DAVIS



IN RHEUMATOID ARTHRITIS



DECADRON reduces joint swelling and tenderness, pain on movement and morning stiffness in many cases of rheumatoid arthritis, frequently within 24 hours. In addition to restoring function, treatment with DECADRON may bring a natural sense of well-being, often an advantage in transferring patients to DECADRON from other corticosteroids. Patients often lose the depression inherent in rheumatic disease, and gain relief from fatigue and lassitude.


DEXAMETHASONE

DECADRON is supplied as yellow, half-scored tablets containing 0.5 mg. dexamethasone and blue, half-scored tablets containing 0.75 mg. (DECADRON-75). Also available is Injection DECADRON Phosphate, supplied in 2 ml. vials containing, per ml., 4 mg. dexamethasone 21-phosphate, as the sodium salt. Detailed information on dosage, administration, indications, precautions and bibliography is available on request.



When your patients with anxiety states over-react to the stresses of everyday living, Moditen will help them to regain their poise

SQUIBB



DAY-LONG CONTROL WITH A SINGLE DOSE

THE ROYAL LONDON HOMOEOPATHIC HOSPITAL

Great Ormond Street and Queen Square, London, W.C.1.

Course of instruction in the Principles and Practice of Homoeopathy for Medical Practitioners and Senior Students of Medicine

These lectures, which commence on the 5th October, 1962, are given under the auspices of the Homoeopathic Research and Educational Trust, and deal with the subjects required for examination for the Diploma of the Faculty of Homoeopathy.

Fee for registered medical practitioners, £10 10s. per session. Medical students admitted without charge.

Scholarships and Grants to enable Doctors to attend this Course are offered by The Homoeopathic Research and Educational Trust.

Full particulars can be optained on application to the Dean of the Education Course at the Hospital.

CARD INDEX PUBLICATIONS

The College's card index publications are on sale to non-members of the College and many hospitals are now using the Obstetric Record Card. Members and associates may like to be reminded of the prices of these cards and may wish to draw the attention of non-members and their local hospital, to them, as it is thought that there may be many who would find them useful.

The cards can be obtained from:

The Secretary, the College of General Practitioners, 41 Cadogan Gardens, London, S.W.3, at the following prices (including postage):

Obstetric record card Summary card 12s. 6d. a hundred 12s. 6d. a hundred Menstruation chart 16s. 0d. a hundred

Copies of some back numbers of the *Journal* are available at cost price, also copies of "Report of A Symposium on Accident Management" at 6s. "Report of a Symposium on The First Year of Life" at 3s., the pamphlet "The Health Visitor and The Family Doctor" at 1s. post free and "Training for General Practice" at 1s. 6d., post free from:

The Journal Office, Prospect House, Dartmouth.

THE COLLEGE OF GENERAL PRACTITIONERS 41 Cadogan Gardens, London, S.W.3

Associateship

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration within two years of qualification.)

Membership

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must:—(1) Be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

Entrance Fees and Subscriptions

Associates make an annual subscription of £2 2s. 0d. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. 0d. and make an annual subscription of £5 5s. 0d.

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 41 Cadogan Gardens,

London, S.W.3. Tel. No. Sloane 8333.