



***Ensuring
adequate
cough
sedation..
..at
all
ages***



Ethnine is rapidly replacing Linctus Codeinæ in the treatment of unproductive cough in children, adults and elderly patients.

The advantages of Ethnine are in its effectiveness with low toxicity, and its freedom from side-effects such as constipation and digestive upset.

The sedative action of Ethnine is particularly useful when it is desired to ensure a restful night's sleep uninterrupted by paroxysms of coughing.

ETHNINE

Supplied in bottles of
4 and 80 fluid ounces

Less toxic than
codeine

Higher anti-tussive
factor than
codeine

Less constipating
than morphine
or codeine

containing
PHOLCODINE

ALLEN & HANBURY LTD LONDON E 2

Announcing

PENICILLIN-V, LILLY

the completely new oral penicillin in capsule form

Stable in presence of gastric acid.

FULLY EFFECTIVE ORALLY

Higher and more prolonged blood levels
than with any other oral penicillin.

HIGH DOSAGE UNNECESSARY

Comparable with parenteral penicillin.

AVERAGE ADULT DOSE: 1 capsule
three times daily.

‘PULVULES’ PENICILLIN-V, LILLY,
each containing 125 mg. (200,000 units)
supplied in bottles of 12 and 100.

Lilly
TRADE MARK

ELI LILLY AND COMPANY LIMITED
BASINGSTOKE · ENGLAND



DISCRIMINATE use of nasal
decongestants for the symptomatic
relief of catarrhal conditions of the upper
respiratory tract is now firmly established in modern therapy.
The choice of preparation is important—the aim being to
combine maximal efficiency with safety. FENOX has
been formulated to meet the basic requirements
of the ideal nasal decongestant.

*Basic N.H.S. Price $\frac{1}{2}$ fl. oz.
Dropper Bottle 1/8*

FORMULA: *Phenylephrin Hydrochlor. 0.25%.
Naphazolin. nit. 0.025%. Chlorbutol. 0.5%.*

FENOX
NASAL DROPS



Patients' directions pads and detailed literature on request.

BOOTS PURE DRUG CO. LTD, NOTTINGHAM ENGLAND

S227

NEW NON-BARBITURATE HYPNOTIC

Doriden

α -phenyl- α -ethyl glutarimide

SAFE ROUTINE TREATMENT FOR

Insomnia

RAPID ACTION, MEDIUM DURATION

FREE FROM "HANGOVER" EFFECTS

Tablets of 0.25 g. in bottles of 25, 100 and 500

C I B A

'Doriden' is a registered trade mark. Reg. user

CIBA LABORATORIES LIMITED, HORSHAM, SUSSEX

Telephone : Horsham 1234 Telegrams : Cibalabs, Horsham

**for threadworm
and roundworm
infestation**



'ENTACYL'

TRADE MARK

Suspension containing 300 mg. Piperazine adipate
(Brit. Pat. Appn. No. 29123/53) in each half teaspoonful.
Bottle of 8 fl. oz. 12/-

Tablets each containing 300 mg. Piperazine adipate.
Bottles of 25 at 3/- and 100 at 10/- BASIC N.H.S. PRICES.

DOSAGE : 1 tablet (*or half teaspoonful*) per year of age
per day up to the age of six years. Over six years of
age 2 tablets (*or one teaspoonful*) three times a day.
This dosage should be administered for one week.

*Pads of instruction leaflets intended to be
handed to patients undergoing treatment with
Entacyl are available on request.*

THE BRITISH DRUG HOUSES LTD. (MEDICAL DEPARTMENT) LONDON N. 1

ENT/M/557

NEW

Butterworth Books

PAEDIATRICS FOR THE PRACTITIONER

Edited by WILFRID GAISFORD, M.D., M.Sc., F.R.C.P., and REGINALD LIGHTWOOD, M.D., F.R.C.P., D.P.H.

In three volumes and Index volume. Fully illustrated. £13 10s. net per set
"These volumes, well produced and liberally illustrated, should prove of great value to general practitioners in this important and satisfying field of medicine." *The Lancet.*

MODERN TRENDS IN OBSTETRICS AND GYNAECOLOGY

Second Series. Edited by KENNETH BOWES, M.D., M.S.(Lond.), M.B., Ch.B.(L'pool), F.R.C.S., F.R.C.O.G.

Pp. xv+394+Index. 176 Illustrations. 60s. net
This new volume, since it covers a new range by a virtually fresh range of contributors, may be regarded as a complementary work to the First Series and reflects the main trends of to-day's advances.

POSTGRADUATE OBSTETRICS AND GYNAECOLOGY

Second Edition. By F. J. BROWNE, M.D.(Aberd.), D.Sc., F.R.C.S.(Edin.), F.R.C.O.G., and J. C. McCLURE BROWNE, B.Sc., M.B., B.S. (London), F.R.C.S.(Edin.), F.R.C.O.G.

Pp. x+688+Index. 142 illustrations. 70s. net
Brought entirely up to date and revised throughout, the new Edition will, like its famous predecessor, gain an assured place among the standard textbooks of post-graduate study.

MODERN TRENDS IN PSYCHOSOMATIC MEDICINE

Edited by DESMOND O'NEILL, M.C., M.D., M.R.C.P., D.P.M.

Pp. xi+375+Index. 29 illustrations. 55s. net
"Written by a large group of acknowledged experts in their own specialities, this book is authoritative and completely free from bias; it is completely up-to-date, for much of the work reported between its covers is still in progress . . . This book should be read by everybody in medicine." *Postgraduate Medical Journal.*

MODERN TRENDS IN OPHTHALMOLOGY (Third Series)

Edited by ARNOLD SORSBY, M.D., F.R.C.S.

Pp. xiv+331+Index. 111 illustrations, 3 colour plates. 65s. net
" . . . this volume, excellently produced and well illustrated and indexed, will go a long way in helping to keep the ophthalmologist abreast of the times and in touch with the modern trends of his speciality." *British Medical Journal.*

MODERN TRENDS IN BLOOD DISEASES

Edited by JOHN F. WILKINSON, M.D., M.Sc., Ph.D., F.R.C.P., F.R.I.C.

Pp. vi+341+Index. 92 illustrations, 2 colour plates. 65s. net
" . . . essential to the physician interested in diseases of the blood and of great importance to laboratory haematologists and general physicians." *Medicine Illustrated.*

BRITISH PRACTICE IN RADIOTHERAPY

Under the General Editorship of SIR ERNEST ROCK CARLING, LL.D., F.R.C.S., F.R.C.P., F.F.R., B. W. WINDEYER, M.B., B.S., D.Sc., F.R.C.S., F.R.A.C.S., F.F.R., and D. W. SMITHERS, M.D., F.R.C.P., F.F.R.

Pp. xii+516+Index. 142 illustrations. 85s. net
"This is a book which demands the careful study of all those who are engaged in the treatment of malignant disease or have to advise on its treatment. It supplies a record of achievement of which our country may well be proud and it points the way to further advance. We congratulate the editors on a volume which every medical man may read with advantage and which every expert will study with enthusiasm." *British Medical Journal.*

88 KINGSWAY, LONDON, W.C.2

Showroom : 11-12 Bell Yard, Temple Bar, London, W.C.2.

**WESTERN PROVIDENT ASSOCIATION
for Hospital and Nursing Home Services Ltd.**

(Mutual, non-profit)

President:

THE DUKE OF BEAUFORT, K.G., G.C.V.O., P.C.

Secretary:

JOHN DODD. B.COM., A.C.I.I.

The Benefits include

MAINTENANCE GRANTS up to 20 guineas a week for ten weeks, PLUS supplementary Cash Grant of 3 guineas a week if an in-patient in Hospital or registered Nursing Home.

OPERATION FEES—up to £80 per operation without limit as to the number of operations in any one treatment year.

CONSULTATION FEES, X-ray, Radiotherapy, Physiotherapy, etc., including private treatment in Consultants' rooms.

HOME NURSING by qualified nurses, up to 10 guineas a week for five weeks.

SUBSCRIPTIONS RANGE

from £3 5s. 0d. to £13 13s. 0d. a year for family cover—no additional subscriptions for dependants. Increased benefits for single persons without dependants.

Special Scheme for members of the Medical Profession who wish to cover themselves and their dependants for maintenance fees in hospitals and nursing homes and for the cost of special treatments, but who do not wish to make provision for consultants', specialists' and surgeons' fees.

For full details, please complete this Coupon and post in a three-halfpenny stamped envelope to:

W.P.A., ROYAL LONDON HOUSE, QUEEN CHARLOTTE STREET,
BRISTOL, 1. Telephone No. Bristol 2-3495.

Name

Address

(block letters please)

"MIOTROL" = P
TRADE MARK

Tablets containing:—

Methyl Testosterone 2.5 mg.

Ethinyl Oestradiol 0.005 mg.

Phenobarbitone 16.0 mg. ($\frac{1}{2}$ gr.)

**A synergistic combination of androgen
and oestrogen with phenobarbitone.**

Specifically designed for control of symptoms
associated with menopausal disturbances,
premenstrual migraine and tension,
dysmenorrhoea.

Literature forwarded on request.

AN **OXOID** PRODUCT


OXO LTD.

(Medical Dept.)

THAMES HOUSE, LONDON, E.C.4

Telephone: CENTral 9781

The right diet at your fingertips



This filing box, designed for the consulting room desk, contains an indexed supply of diet cards for 16 different conditions. The cards are planned to include specimen daily menus which facilitate the patient's co-operation and save the doctor's time. This is one of the services offered free of charge to the medical profession by the Energen Dietary Service.

In special cases, clinical considerations often necessitate the preparation of a diet which takes into account the individual requirements of the patient. On receipt of appropriate information from the practitioner, such diets can be specially constructed and sent through the post; or a consultation can be arranged with a senior dietitian.

The Energen Dietary Service is staffed by fully qualified dietitians, under close medical supervision. It offers independent information and assistance to the medical profession in all dietary and nutritional matters.

*Requests for the diet card filing box,
or other inquiries should be addressed to:*

THE PHYSICIAN IN CHARGE, ENERGEN DIETARY SERVICE,
25A BRYANSTON SQUARE, LONDON, W.1
TELEPHONE: AMBASSADOR 9332

ENERGEN DIETARY SERVICE

Introducing

'Distaquaine' V

trade mark

brand

IN 'DISTAQUAINE' V TABLETS*, DC(B)L introduce a new *acid-stable* form of penicillin which, for the first time, puts oral penicillin therapy on a firm basis comparable with parenteral administration.

Unaffected by the gastric acid of the individual patient, the new preparation produces consistent and reliable blood levels and thus extends significantly the use of oral penicillin therapy to a large number of serious infections.

**Phenoxymethylpenicillin*

Reliable ORAL Penicillin


'DISTAQUAINE' V TABLETS offer the following advantages over existing oral penicillin preparations:

- * UNAFFECTED BY GASTRIC ACIDITY
- * BETTER ABSORBED
- * CONSISTENT AND PROLONGED BLOOD LEVELS

Distributed by:

ALLEN & HANBURYS LTD. BRITISH DRUG HOUSES LTD.
BURROUGHS WELLCOME & CO.
EVANS MEDICAL SUPPLIES LTD.
IMPERIAL CHEMICAL (PHARMACEUTICALS) LTD.

'Distaquaine', a trade mark, is the property of the manufacturers.



The solid line indicates the effect when 'DISTAQUAINE' V tablets are taken before meals: the dotted line when they are taken after meals: the three curves in each case represent the effect of 1, 2 & 4 tablets respectively.

Detailed literature will be gladly sent on request

THE DISTILLERS COMPANY (Biochemicals) Limited

BB/3514

DEVONSHIRE HOUSE, PICCADILLY, LONDON, W.1

Packs: 60 mg. tablets (Bottles of 30)


Transvasin

brings the esters of **NICOTINIC ACID**
SALICYLIC ACID
p-AMINO BENZOIC ACID

to the focal point of
soft tissue rheumatism



The esters in Transvasin, a new preparation developed by Hamol S.A., our Swiss associates, readily pass the skin barrier in therapeutic quantities and enable an effective concentration of the drugs to be built up where they are needed.* Transvasin not only induces vasodilation of the skin with a superficial erythema, but also brings about a deep hyperaemia of the underlying tissues. It is non-irritant, and can be safely used on delicate skins. It is now being widely prescribed, with successful clinical results. Since a very small quantity is sufficient for each application, the cost of treatment is extremely low.



Transvasin is available in 1 oz. tubes, basic price 2/6 plus 7½d. P.T., and is not advertised to the public. Samples and literature will be gladly sent on application.

<i>Salicylic acid tetrahydrofurfuryl-ester</i>	14%
<i>Nicotinic acid ethyl-ester</i>	2%
<i>Nicotinic acid n-hexyl-ester</i>	2%
<i>p-Aminobenzoic acid ethyl-ester</i>	2%
<i>Water-miscible cream base ad</i>	100%

* *Therapeutische Umschau VIII, 1952, 10, 143*

LLOYD-HAMOL LTD., 11 WATERLOO PLACE, LONDON, S.W.1 WHITEHALL 8654/5/6

Transvasin is the registered trade mark of Lloyd-Hamol Ltd

A Superior Buffered Analgesic

'ALASIL' Tablets—the improved form of salicylate medication — provide the efficient analgesia expected from their content of aspirin. Their superior acceptability derives from their content of a reliable buffer which minimizes the tendency to gastric irritation sometimes caused by the use of aspirin alone.

Advantages

'Alasil' is an advanced sedative and antipyretic; it does not tend to induce gastric irritation; because of its high tolerability, it may be used for long-term administration even to those with sensitive stomachs, and to children.

Composition

'Alasil' Tablets contain the recognized antacid corrective, 'Alocol' (Colloidal Aluminium Hydroxide), which permits their sedative principle, acetylsalicylic acid, to exert its action with minimal risk of side-effects.

Indications

Symptomatic pain generally; rheumatism, fibrositis, lumbago, headache, dysmenorrhoea; dental pain.

Packs & Prices

To Pharmacists (*P.T. exempt for dispensing*)

Standard size: 1000 in 250 bottles, 30/8

'Juvenile' size: 375, 6/6; 750, 11/3; 1500, 21/6

Alasil



Sample and literature on request to
A. Wander Ltd., 42 Upper Grosvenor St., London W.1 M.391

ALASIL JUVENILE TABLETS

Alasil 'Juvenile' Tablets specially sized for children, and neither coloured nor flavoured, are packed in tubes bearing dosage-for-age instructions.



* **Penicillin levels x 10!**

'Benemid' increases penicillin plasma levels by up to 10 times. The combination of the new drug 'Benemid' with potassium penicillin G in 'PENBENEMID' provides a *convenient oral dosage form* giving penicillin levels which are

- (1) **COMPARABLE** to those obtained with intramuscular penicillin and
- (2) **SUPERIOR** to those obtained with other oral penicillin preparations.

The oral penicillin of choice . . .

* **'Penbenemid'-250**

TABLETS — 'BENEMID' WITH POTASSIUM PENICILLIN G

'Penbenemid'-250 Tablets have an increased penicillin content. The inclusion of 'Benemid' ensures sustained blood levels hitherto unobtainable by the oral route.


Each tablet contains 250,000 units Potassium Penicillin G with 0.25 G. 'Benemid'. Supplied in bottles of 12 tablets.

* **The ONLY oral penicillin preparation giving blood levels comparable to those obtainable with intramuscular penicillin**

Literature gladly sent on request.

MERCK-SHARP & DOHME LIMITED, HODDESDON, HERTS

'Benemid' and 'Penbenemid' are Registered Trade Marks.



Most peptic ulcer sufferers are apprehensive of the night.

Without the use of narcotics, Roter therapy frequently overcomes this distressing fear.

Roter tablets at once provide reduced acid secretion and a protective covering for damaged mucous membrane. Healing is thus accelerated with the subsequent relief from pain.

For your chronic gastric and duodenal ulcer patients, Roter tablets may well afford a return to almost normal living. Literature and a full trial supply will be gladly sent on request.



★ Published clinical report confirms efficiency of Roter. Vide "*British Medical Journal*," 1st January, 1955.

ROTER IN PEPTIC ULCER

Packings : Tins of 40, 120, 840 ;
and dispensing size, 720 (P.T. Free).
Prescribable on N.H.S. form B.C.10

F.A.I.R. LABORATORIES LIMITED

179 HEATH ROAD, TWICKENHAM, MIDDLESEX

Telephone : POPesgrove 2028

THE JAMES MACKENZIE LECTURE

OF THE COLLEGE OF GENERAL PRACTITIONERS
1955

GEOFFREY OSBORN BARBER

O.B.E., M.A., M.B., B.Chir. (Camb.)

will deliver the second James Mackenzie Lecture on

MEDICAL EDUCATION AND THE GENERAL PRACTITIONER

IN THE GREAT HALL, B.M.A. HOUSE,
TAVISTOCK SQUARE, LONDON, W.C.1,

on

NOVEMBER 19, 1955, AT 11.30 A.M.

VISITORS WILL BE WELCOME

Important Books

AN ATLAS OF REGIONAL DERMATOLOGY

By G. H. PERCIVAL, M.D., Ph.D., F.R.C.P., D.P.H.
and T. C. DODDS, F.I.M.L.T., F.I.B.P., F.R.P.S. £5
272 pages. 479 illustrations in full colour.

NURSING CARE OF THE NEWLY BORN INFANT

By W. S. CRAIG, B.Sc., M.D., F.R.C.P.,
F.R.S.E. 480 pages. 272 illus. 35s.

PEPTIC ULCER

By C. F. W. ILLINGWORTH, C.B.E.
M.D., Ch.M., F.R.C.S.E. 296 pages.
95 illustrations. 42s.

AMPHETAMINE IN CLINICAL MEDICINE. ACTIONS AND USES

By W. R. BETT, M.R.C.S., L.R.C.P.,
F.R.S.L., LEONARD H. HOWELLS,
B.Sc., M.D., F.R.C.P., and A. D.
MACDONALD, M.A., M.D., M.Sc.
86 pages. 7s. 6d.

PSYCHOLOGICAL MEDICINE

A Short Introduction to Psychiatry
Fourth Edition. By DESMOND
CURRAN, M.B., F.R.C.P., D.P.M., and
MAURICE PARTRIDGE, D.M. D.P.M.
416 pages. 21 illustrations. 21s.

EAR, NOSE AND THROAT DISEASES FOR THE GENERAL PRACTITIONER

By WILLIAM MCKENZIE, F.R.C.S.
144 pages. 9s.

AN APPROACH TO GENERAL PRACTICE

By R. J. F. H. PINSENT, M.A., M.D.
176 pages. 12s.

E. & S. LIVINGSTONE LTD., EDINBURGH
