

to contribute to the health and wealth of the nation.

And what happens when we seek good-quality primary care? The questions generated by the symptom are answered. We are reassured that we are responding appropriately, doing 'everything possible' (*restoring order*) including: doing nothing; watching and waiting; having tests; and being seen at the hospital.

So, my attempt to summarise the aim of general practice?

To restore order to the chaos of symptoms so people can contribute to the health and wealth of their nation.

Alastair Hay,

GP, Professor of Primary Care, and NIHR Senior Investigator, Centre for Academic Primary Care, Bristol Medical School: Population Health Sciences, Bristol.
Email: Alastair.Hay@bristol.ac.uk

Competing interests

I have no conflicts of interest to declare. I receive funding from the National Institute for Health Research (NIHR) as a Senior Investigator (NIHR 200151) and I have shamelessly espoused the notion of contributing to the health and wealth of the nation from the NIHR.

REFERENCES

- Shah R, Ahluwalia S, Spicer J. A crisis of identity: what is the essence of general practice? *Br J Gen Pract* 2021; DOI: <https://doi.org/10.3399/bjgp21X715745>.
- Salisbury C, Lay-Flurrie S, Bankhead CR, et al. Measuring the complexity of general practice consultations: a Delphi and cross-sectional study in English primary care. *Br J Gen Pract* 2021; DOI: <https://doi.org/10.3399/BJGP.2020.0486>.
- Sivarajasingam V. General practice after COVID-19: lessons learned. *Br J Gen Pract* 2021; DOI: <https://doi.org/10.3399/bjgp21X716009>.
- Misselbrook D. General practice after COVID-19: an introduction to our special series. *Br J Gen Pract* 2021; DOI: <https://doi.org/10.3399/bjgp21X715973>.
- Heath I. Role of fear in overdiagnosis and overtreatment — an essay by Iona Heath. *BMJ* 2014; **349**: g6123.
- Starfield B. Is primary care essential? *Lancet* 1994; **344**(8930): 1129–1133.
- Heath I. *The Mystery of General Practice*. London: Nuffield Trust, 1995.
- Balint E. A portrait of Michael Balint: the development of his ideas on the use of the drug 'doctor'. *Int J Psychiatry Med* 1974; **5**(3): 211–222.
- Mainous AG 3rd, Baker R, Love MM, et al. Continuity of care and trust in one's physician:

evidence from primary care in the United States and the United Kingdom. *Fam Med* 2001; **33**(1): 22–27.

- Ridd MJ, Lewis G, Peters TJ, et al. Patient–doctor depth-of-relationship scale: development and validation. *Ann Fam Med* 2011; **9**(6): 538–545.
- Senior T. The Frankenstein consultation model. *Br J Gen Pract* 2021; DOI: <https://doi.org/10.3399/bjgp21X715889>.
- Hart JT. The inverse care law. *Lancet* 1971; **1**(7696): 405–412.
- Hobbs FDR, Bankhead C, Mukhtar T, et al. Clinical workload in UK primary care: a retrospective analysis of 100 million consultations in England, 2007–14. *Lancet* 2016; **387**(10035): 2323–2330.
- NHS England. *The NHS Long Term Plan*. 2019. <https://www.longtermplan.nhs.uk/publication/nhs-long-term-plan> (accessed 8 Jul 2021).
- Baker R. Implications of Harold Shipman for general practice. *Postgrad Med J* 2004; **80**(944): 303–306; discussion 307–308.
- Greenhalgh T, Choon Huat Koh G, Car J. Covid-19: a remote assessment in primary care. *BMJ* 2020; **368**: m1182.

DOI: <https://doi.org/10.3399/bjgp21X716525>

relationship-based care rather than directly advocating for relational continuity.

Patients who may not want, or be able, to see the same clinician want continuity in its other forms. Continuity encompasses more than seeing the same clinician. Models of continuity such as Haggerty's describe several aspects of continuity, including clinicians having access to appropriate information (informational continuity) and patients being treated in a joined-up coherent manner (management continuity).² Patients expect informational and management continuity when being treated in the NHS. Common sense would suggest that a lack of information and a coherent management strategy between clinicians would lead to poor outcomes. However, there is little in-depth research looking at this or how the various forms of continuity, including relational continuity, interact to produce outcomes. While the addition of Sidaway *et al*'s theory to the continuity literature should be welcomed, future research should seek to understand how other forms of continuity influence outcomes. This understanding is needed to optimise outcomes in primary care as it is, rather than how we would like it to be.

Patrick BM Burch,

GP and THIS Institute PhD Fellow, University of Manchester, Manchester.
Email: patrick.burch@manchester.ac.uk

REFERENCES

- Sidaway-Lee K, Pereira Gray D, Harding A, Evans P. What mechanisms could link GP relational continuity to patient outcomes? *Br J Gen Pract* 2021; DOI: <https://doi.org/10.3399/bjgp21X716093>.
- Haggerty JL, Reid RJ, Freeman GK, et al. Continuity of care: a multidisciplinary review. *BMJ* 2003; **327**(7425): 1219–1221.

DOI: <https://doi.org/10.3399/bjgp21X716537>

'You don't know what you've got till it's gone': UK primary care on the global stage

The last few weeks have been filled with despair at the lack of understanding of everyday pressures in UK general practice by NHS England and the media. Despite being responsible for delivering a world-leading vaccination programme, managing