FOR ALL YOUR PERSONAL **INSURANCES-**THE SPECIALLY DESIGNED INSURANCE POLICIES OF THE MEDICAL SICKNESS SOCIETY-

The Insurance Society that belongs to the Medical and Dental professions

Permanent Sickness and Accident Insurance Whole Life
and Endowment Assurance Family Income Benefit
☐ Educational Assurance ☐ Children's Deferred Policies
☐ Personal Pension Policies ☐ The Combined Policy
☐ The Foundation Policy
For full particulars please write to the General Manager and Actuary

For full particulars please write to the General Manager and Actuery
THE MEDICAL SICKNESS ANNUITY & LIFE ASSURANCE SOCIETY LTD,
7-10 Chandos Street, Cavendish Square, London, W.1. Tel.: MUSeum 1686

When hypertensive complications threaten

'Nefrolan'


enables the physician to improve the patient's prognosis.

A product of May & Baker Research Whether symptom less or not, hypertension can be effectively 'reated with 'Nefrolan'* brand of clorexolone without fear of inducing distressir g side-effects. Thus, by reducing high blood pressure to a safe level, the development of its serious and often irreversible complications is prevented. Where a more profound anti-hypertensive effect is required, 'Nefrolan' may be given in conjunction with reduced doses of more potent hypotensive agents. This minimises any resultant side-effects of the more potent drug.

As with all anti-hypertensive agents, however, the administration of 'Nefrolan' should not be initiated prior to a full clinical investigation.

At high dosage levels, 'Nefroian' is also an effective oral diuretic.

Available as tablets of 10 mg. for hypotensive use 25 mg. for diuresis and more severe hypertension.





'.... the use of Pentovis orally was effective in relieving the symptoms of senile vaginitis. In the series (30 patients) there was no evidence that the drug had any unpleasant side effects or produced withdrawal bleeding. Pentovis therefore merits further use, as it seems to be a valuable preparation in the treatment of a distressing and difficult condition.'

Ulster med. J. (1964), 33, 62,

- 'Before the present series, all cases of senile cervicitis or vaginitis or both (in my wards) were treated by vaginal pessaries containing 0.1 mg. oestrone (B. P. C.) daily. No oral treatment was given. There is no doubt that the results with Pentovis are better, in that more effective and quicker improvement is obtained.'
- J. Endocr. (1964), 29, 209.



PENTOVIS

Biopsies before and after treatment repeatedly showed that, while Pentovis has a beneficial effect on vaginal epithelium, endometrial changes do not take place and therefore withdrawal bleeding does not occur.

Pentovis provides oral treatment for

Atrophic vaginitis Kraurosis vulvae and related conditions

the selective oral oestrogen for the postmenopausal patient

The side effects common to other oestrogens with multiple sites of action have not been seen with Pentovis. Nausea and gastric disturbances are very uncommon. Subjectively, patients usually feel better when taking Pentovis. There are no objections to raising the dose, but this is ordinarily unnecessary.

Pentovis

Dosage: One 0.25 mg. capsule twice daily for fourteen days. This course may be repeated, if necessary.

necessary.
Packages: Pentovis
(Quinestradol) is available in
bottles of 30 and 250 capsules.
The Basic NHS cost of 25
capsules is 8/5d.
Full clinical information
available on request.
William R Warner & Co Ltd
Eastleigh Hampshire England

Telephone Eastleigh 3131



Relax with a GUINNESS

RADIOLOGY FOR GENERAL PRACTITIONERS AND MEDICAL STUDENTS

By DAVID SUTTON

In medicine as in other scientific disciplines the gap between the specialist and general practitioner is ever widening and there is a constant need for simple expositions of specialist fields for the reader requiring basic knowledge. This book provides a survey of modern diagnostic radiology for the medical non-specialist.

96 pages. 86 illustrations. 12s. 6d

THE ART OF GENERAL PRACTICE

By DAVID C. MORRELL

This monograph, written for the benefit of the newcomer, summarises some of the problems which the author encountered during his first few years in general practice and the solutions which he has worked out over the years.

132 pages.

CLINICAL DIAGNOSIS IN LABOUR

Second Edition. By R. H. J. HAMLIN

Early diagnosis in abnormality in childbirth is of prime importance and the author describes how these abnormalities can be recognised quickly and the course of action which should be adopted to counteract them.

190 pages.

40 illustrations.

20s.

12s. 6d.

Catalogue Sent on Request

E. & S. LIVINGSTONE LTD.,
TEVIOT PLACE, EDINBURGH

TO-DAY'S DRUGS

Published in December, 1964

This book is based on a series of review articles which were printed in the "To-day's Drugs" section of the BRITISH MEDICAL JOURNAL between January 1963 and May 1964. These articles have been edited and brought completely up to date so as to form an authoritative and practical guide to modern therapeutics. The book is designed to cover the drug treatment of those common conditions which are met with in general and hospital practice. There are important sections dealing with antibiotic therapy, cardiovascular conditions, rheumatic disorders, oral contraceptives, and the special problems involved in paediatric and geriatric prescribing. Special attention has been paid to the precautions which should be taken in using these drugs and their toxic and side-effects. This book should be of value to all doctors concerned in the day-to-day treatment of patients.

Demy Octavo

Price 30s. net. (postage 2s. 6d. extra)

400 pages



The most up-to-date book of its kind

The Publishing Manager, BRITISH MEDICAL JOURNAL, BMA House, Tavistock Square, London, W.C.1 or through any leading bookseller

Butterworths Medical Dictionary

Edited by Sir Arthur Salisbury MacNalty

First published in 1961 (as the British Medical Dictionary, under the imprint of the Caxton Publishing Company), it was revised in 1963, and the current revised edition includes the 1965 supplement, bringing the Dictionary into line with new developments and terminology in diseases and drugs. It is the only British medical dictionary of its scope now available and, because of its clarity of style and authoritativeness, has already proved invaluable not only to the medical profession but to lawyers, the police and journalists among many others.

"... produced with a dignity appropriate to a major work of reference but also so skilfully arranged and printed that it is a pleasure to consult ... Its 1,680 pages are packed with useful and fascinating information."

The Lancet (from a leading article)
1680 pages £10

Pathology of the Aged

Edited by Basil Kiemander, M.B., B.SC., M.R.C.P., D.M.R.E., M.C.PATH.

Based on an extensive autopsy of patients over the age of 70 years, this book clearly defines the disease processes to be found in old age. As there is no other book exclusively devoted to this subject, this work will be of great value and interest to the majority of pathologists and all whose work is concerned with geriatric problems.

342 pages illus. 77s. 6d.

Physical Medicine in Paediatrics

By Florence McKeown, M.D., F.C.PATH.

A reference book for paediatricians, general practitioners and all who are concerned with the physical welfare of children. The eleven contributions from eminent paediatricians cover the main principles involved in diagnostic and therapeutic work in this area of physical medicine.

239 pages illus. 65s.

BUTTERWORTHS 88 Kingsway, London, W.C.2

BRANDED CARPETS

WILTONS · AXMINSTERS · TUFTED · ORIENTALS

TO 30% DISCOUNT

- All makes available with full Manufacturers Guarantees.
- No imperfect goods sold
 Free delivery in the U.K.
- Expert fitting service available most areas.

£100,000 carpets on display at our London Showrooms open 9.30 to 5.30 Mon. to Fri. 9.00 to 12 noon Sats.

DODSON-BULL CARPET CO

Showrooms: 2-4 Little Britain, London E.C.1 (Nr. St. Pauls.)

Offices: 37a Aldersgate St., London, E.C.1 Tel: MON 7171 (10 lines)

BUYING

A CAR

THEN GET DETAILS OF THE EXCELLENT TERMS OFFERED BY YOUR PROFESSION'S OWN HIRE-PURCHASE COMPANY

Send the coupon below to:

THE MEDICAL SICKNESS FINANCE CORPORATION 7-10 CHANDOS STREET, CAVENDISH SQUARE, LONDON, W.1.

Telephone: MUSeum 1686


- * 20% Deposit
- * Repayments up to 36 months
- * Payments waived on death

A wholly owned subsidiary of
The Medical Sickness Annuity & Life Assurance
Society | td.

Name	-
Address	
	_
OccupationGP.	

Ceporin injection of cephaloridine

antibiotic of choice for urinary tract infections



Ceporin is the antibiotic of choice in the treatment of urinary tract infections caused by most strains of both gram-positive and gram-negative organisms. It is almost entirely excreted by the kidneys and appears in the urine in high concentrations. In acute conditions the urine can be rendered sterile quickly and symptoms often subside rapidly. Ceporin is also valuable as cover before and after urinary tract surgery.

Ceporin is the primary choice antibiotic for mixed infections and for organisms likely to be resistant to penicillin. Since there is no cross-sensitisation with penicillin or its derivatives, it is also indicated for patients allergic to penicillin.

Ceporin injections are remarkably painless

and make the whole dose of the antibiotic available to the body.

Many acute infections will clear rapidly within 2 to 5 days. More chronic infections require longer treatment.

Presentation Vials: 1 and 5 x 250 or 500 mg Ceporin is a Glaxo trade mark.





Detailed literature from Glaxo Laboratories Limited. Greenford, Middlesex.

NEXT PATIENT PLEASE

If the complaint is PAIN prescribe DNASTAN

(mefenamic acid, Parke-Davis)

The superior oral analgesic with anti-inflammatory properties Detailed information on Ponstan is available on request

PARKE-DAVIS

Staines Road, Hounslow, Middlesex

LEDERNYCIN 300 Demethylchlortetracycline Lederle fregd. trademark Tegd. trademark

and 'Eaton Agent' pneumonia

Enter the Mycoplasma pneumoniae

There was a story about a scientist who discovered a cure for which there was no known disease. Though it was only meant for a laugh, this is not wholly incongruous. Something quite similar has actually happened.

When LEDERMYCIN Demethylchlortetracycline was introduced in 1959, we had full confidence it would prove extremely effective in a host of acute and chronic infections

due to a wide range of Gram-positive and Gram-negative organisms.

And it did. What we did not anticipate was that it would prove effective in pneumonia due to Mycoplasma pneumoniae.

The reason is simple: the disease itself was not invented—rather, it was not clearly defined—for another four years. Not until 1963 was enough known about it that the causative agent could be assigned a taxonomic designation.

Here are the principal links in the chain of events

1942 'Primary atypical pneumonia' officially established by the Surgeon General of the U.S. Army to distinguish nonbacterial pneumonias of unknown aetiology.

1944 'Eaton agent' isolated from pleural secretions of patients with nonbacterial pneumonia.

1957 'Eaton agent' definitely implicated as the cause of much primary atypical pneumonia.

1961 LEDERMYCIN Demethylchlortetracycline shown highly effective in 'Eaton agent' pneumonia.

1962 'Eaton agent' identified as one of the so-called pleuropneumonia-like organisms (PPLO), already assigned the generic name Mycoplasma. 1963 Mycoplasma pneumoniae proposed as species name for 'Eaton agent'.

So, enter Mycoplasma pneumoniae. And, as a corollary, exit 'Eaton agent'? Not necessarily. Familiar names often die hard.

Mycoplasma pneumoniae has ceased to be merely a clinical conversation piece. It is estimated that the newly-named organism may be responsible for as many as half of all hospitalized adult cases of pneumonia. It easily qualifies as a public health problem of some importance.

The recommended dosage for LEDERMYCIN in 'Eaton agent' pneumonia is 900 mg daily given as one 300 mg tablet T.I.D.

Lederle Laboratories

SEIGY

Detailed literature describing any Geigy product will be supplied on request.



Geigy (U.K.) Limited Pharmaceuticals Division Manchester 23



Peritrate SA aids survival

encourages the development of collateral circulation

increases myocardial blood flow

Peritrate SA long-acting vasodilator with twelve-hourly dosage schedule.

Each tablet of Peritrate SA (sustained action) contains 80 mg. pentaerythritol tetranitrate. William R. Warner & Co. Ltd., Eastleigh, Hampshire. Telephone Eastleigh 3131



MAIN **INDICATIONS**

- ☐ ATHERO, CEREBRAL AND CORONARY SCLEROSIS
- ☐ HYPER- AND HYPO-**TENSION**
- ☐ ANGINA PECTORIS
- □ INTERMITTENT CLAUDICATION GANGRENE

FORMULA per ampoule:

Enzymes of the lipid metabolism 30 mg. ≡ 8000 units 20 mg. ≡ 4000 units 20 mg. ≡ 4000 units

Tyrosinase 20 mg. = 4000 units
Stabilizing solvent to 2 ml.

Presentation: Boxes of 6, 25 and 100 ampoules.

Presentation: Boxes of 6, 25 and 100 ampoules.

enzyme therapy for cardiovascular disorders

VASOLASTINE consists of enzymes which catalyse fat and cholesterol and those amines which take part in regulating the blood pressure.

The effect of Vasolastine is to resolve deposits of atheroma with consequent increasing oxygenation of the tissues.

Vasolastine is non-toxic and no side effects have been reported even with high dosages or prolonged treatment. There are no contraindications.



Further information and list of publications glady sent on request by the Sole U.K. Distributors:

F.A.I.R. LABORATORIES LTD., TWICKENHAM, MIDDLESEX,



eight to ten hours' cough relief from one teaspoonful

Night coughing disturbs not only the cougher but also other members of the household. Each teaspoonful dose of *Pholtex* is effective for up to ten hours, long enough to ensure that sleep—for everyone—is undisturbed by troublesome cough. The characteristic smooth and extended action of *Pholtex* results from ion-exchange release of the constituents—the cough depressant pholocodine and the antihistamine phenyltoloxamine. Because cough relief is prolonged, two or three doses daily are usually adequate and 2 fl. oz. can provide a week's treatment.

Pholtex is ideal for paediatric use. It tastes pleasant and is easy to administer — even to infants.

Dosage: one teaspoonful (4 ml.) two or three times daily. (Children half to full adult dosage, according to age.) Each teaspoonful contains pholoodine 15 mg. and phenyltoloxamine 10 mg. as ionexchange resin complexes.

Basic NHS cost: 2 fl. oz. 5/01. 20 fl. oz. 47/4d.

PHOLTEX

Pholtex- registered trade mark

Phl-6



8mg LEDERCORT

facilitates the use of **new and convenient**

dosage schedules

once-a-day
full daily dose in the morning

once-every-other-day

Full effectiveness maintained Undesirable effects minimised Especially useful in long term therapy Greater convenience for your patients Less chance of missed doses

Lederle Laboratories



a division of Cyanamid of Great Britain Ltd Bush House Aldwych London WC2



at home...



at work

Benylin Expectorant* is the ethical preparation of choice for the control of cough, and for rapid relief of nasal and bronchial congestion. Benylets* provide all the advantages of Benylin in an easy-to-carry lozenge form. By prescribing both preparations simultaneously, your treatment continues and your patient is afforded quicker relief of symptoms.

When you prescribe Benylin - prescribe Benylets.

*Trade mark.

BENYLIN & BENYLETS

PARKE-DAVIS HOUNSLOW-LONDON-TELEPHONE: HOUNSLOW 2361

a major discovery for rheumatic disorders

INDOCID

'Indocid' is a new, non-steroid anti-inflammatory agent with analgesic and antipyretic properties, chemically unrelated to the corticosteroids, phenylbutazone-like compounds or salicylates.

Widespread clinical experience has shown that 'Indocid' rapidly relieves pain and inflammation, and allows greater mobility. In osteoarthritis, 'Indocid' is often effective where other agents are inadequate; it has given excellent results in osteoarthritis of the hip. In rheumatoid arthritis, objective evidence of effect may be seen as a measurable reduction of joint swelling. 'Indocid' has also proved effective in ankylosing spondylitis, gout, and certain soft-tissue disorders.

"... the first
non-corticosteroid
agent which produced
a predictable and
measurable reduction
in joint-swelling in
most cases of active
rheumatoid arthritis."

Brit. med. J., 1963, 2, 965 (19 Oct)



'Indocid' is supplied as 25 mg capsules. Detailed information is available to physicians on request.

> Indocid' was discovered and developed by the Merck Sharp & Dohme Research Laboratories and is made in England by



Effective at very low dosage, extremely well tolerated, Metrulen-M greatly reduces the cost of progestational therapy

'The most significant advantage of this compound [ethynodiol diacetate 1 mg. with mestranol 0.1 mg.] is that with increased effectiveness at lower dosage, there has been appreciable lowering of side effects.'

Andrews, W. C. and Andrews, M. C. (1964) Fertility and Sterility, 15, 75

By using Metrulen-M you can considerably reduce the incidence of side effects often experienced in progestational therapy. Moreover, since Metrulen-M is effective at low dosage, the cost of treatment is greatly reduced.

Metrulen is a registered trade mark.

IN GYNAECOLOGY Metrulen-M Searle

We know why Duphaston arrests threatened abortion When threatened abortion is due to pro-

gesterone deficiency Duphaston is a specific and highly effective treatment. A potent progestational agent it corrects the deficiency and preserves the pregnancy. Furthermore, Duphaston is free from masculinising and virilising side effects and will not prolong an undesirable pregnancy where, for example, the foetus is malformed.

But why does it relieve dysmenorrhoea?

Duphaston relieved dysmenorrhoea in 82% of a group of women most of whom were resistant to other treatment. Originally it was believed that relief came from inhibition of ovulation. But careful investigation showed that ovulation was not, in fact, inhibited.

Formula, pack and Basic N.H.S. prices

Each tablet contains 5 mg. dydrogesterone. Bottles of 20: 19/6d. Bottles of 100: 84/-d.

The CROOKES Laboratories Limited, Basingstoke, Hampshire.



everyone enjoyed the evening... 'except me'

for the rapid control of diarrhoeas

CREMOSTREP


A palatable cream containing kaolin, 'Sulfasuxidine', and streptomycin, giving rapid control of most infectious diarrhoeas. 'Cremostrep' is suitable for young and old, at home or on holiday.

cream of the antidiarrhoeals

Each 5 ml contains 0.5 G 'Sulfasuxidine' (succinylsulphathiazole), 0.05 G streptomycin and 0.5 G kaolin. Detailed information is available to physicians on request. 'Sulfasuxidine' is a registered trademark.



Merck Sharp & Dohme Limited, Hoddesdon, Hertfordshire



In convalescence after serious illness **ANABOLEX**

ANABOLEX promotes return of appetite, increased weight and a sense of well-being

Convalescence can be shortened by the administration of ANABOLEX, which stimulates protein metabolism. ANABOLEX is indicated for all patients—adults and children—in negative nitrogen balance. Presentation: Tablets each containing 25 mg. androstanolone in vials of 25, 100 and 250. Dose: The maintenance dose of Anabolex is 2-3 tablets daily and, based on the new reduced NHS price, costs only 1/11d. a day.

LLOYD-HAMOL LIMITED, 36-38 BERKELEY SQ., W.1





For deep sleep that refreshes . . .

Carbrital* gives your patient so much more than just a good night's sleep. Some preparations can provide all the sleep needed, yet patients wake feeling depressed and lethargic. Carbrital contains a quick-acting barbiturate combined with a gentleacting sedative. Sleep patterns therefore follow a smoother and more natural curve; your patient wakes feeling not just rested but refreshed.

Carbrital is available in Kapseals* each containing $1\frac{1}{2}$ grains pentobarbitone sodium and 4 grains carbromal. In bottles of 25 & 250. Also as an Elixir ($\frac{1}{4}$ grain pentobarbitone sodium and $\frac{3}{4}$ grain carbromal per teaspoonful) in bottles of 4, 16 and 80 fl. oz.

CARBRITAL

* Trade marks

in long-term diuretic treatment

CENTY L-K

the only bendrofluazide with potassium supplement for maintenance therapy in all oedematous states

Centyl-K tablets bendrofluazide 2·5 mg with pot. chlor. 573 mg in bottles of 100 and 500

Centyl injection 5 mg bendrofluazide per ml in vials of 5 ml

Leo Laboratories Limited Copenhagen London Dublin

to initiate diuresis Centyl injection replaces mercurials in practice



remove the fear of painful defaecation



dual-acting ORBANE

softens the stool then gently evacuates the constipated bowel

Pain caused by hard, dry stools can be a distressing aspect of constipation. Discomfort leads to retention and, in turn, overloading of the rectum. But if - as with Dorbanex treatment is directed at softening the stool and stimulating colonic peristalsis, the cycle of pain-retention-accumulation is broken. Defaecation is comfortable; anxiety is allayed; and the bowel is helped back to normal function.


Because Dorbanex contains the laxative 1:8-dihydroxyanthraquinone, plus a new faecal softening agent, poloxalkol, it both softens and mobilises the stool. This dual action is invaluable in patients with anal fissures or haemorrhoids, and in obviating straining - an important consideration in elderly or cardiac patients.

Disadvantages of laxative treatment, such as unpredictability, griping, leakage, or interference with gastro-intestinal function, do not arise with Dorbanex. Especially appreciated by patients old, young or pregnant are its advantages of small dosage (1 or 2 teaspoonsful at bedtime) and palatability.

Each teaspoonful (5 ml.) of Dorbanex contains 25 mg. 1:8-dihydroxyanthraquinone and 200 mg. poloxalkol. Bottles of 60 ml. 4/-) and 500 ml. (30/-). P.T. extra.

Riker

RIKER LABORATORIES LOUGHBOROUGH ENGLAND



which hypertensive patients are best treated with 'Esbatal'?

All new patients requiring an adrenergic neurone-blocking agent

- "Bethanidine sulphate is an important and potent hypotensive drug, and by its use the regime of many patients has been simplified and side-effects avoided." J. Irish med. Ass., 1965, 56, 9.
- "While expecting the symptoms of adrenergic neurone blockade, we have been pleasantly surprised by the lack of other side-effects, and especially by the absence of diarrhoa." Lancet, 1962, ii, 897.

Male hypertensives

'Esbatal' does not cause impotence, but as with other adrenergic neuroneblocking agents, failure of ejaculation may occur. When this causes concern, withdrawal of 'Esbatal' for 24 hours usually reverses this sideeffect. Good control of blood pressure is regained rapidly on resuming treatment. (See *Lancet*, 1964, ii, 659.)

Patients in whom other forms of hypotensive therapy cause diarrhœa

".... a useful alternative to established means of therapy. It seldom causes diarrhœa, and the dose is easily manipulated." Lancet, 1964, ii, 659.

When rapid control of blood pressure is essential

- "... it has the advantage of more rapid action and excretion so that its dose can be increased more rapidly and the blood pressure brought under control more quickly." Brit. med. 7., 1964, ii, 865.
- "Bethanidine sulphate is of particular value for the rapid reduction of high blood pressure "J. Irish med. Ass., 1965, 56, 9.

Rapid action— Simpler management— Minimal side-effects


'Esbatal' BETHANIDINE SULPHATE

Available as 10 mg. and 50 mg. scored peach-coloured tablets

Detailed literature available on request



Burroughs Wellcome & Co., London (The Wellcome Foundation Ltd.)



gentle nasal decongestant exceptionally prolonged effect rebound hyperaemia is not a problem


Otrivine is xylometazoline hydrochloride

3 forms	N.H.S. Price
Adult Drops 0.1% ½ fl. oz.	3/4
Adult Spray 0.1% 1 fl. oz.	3/4
Paediatric Drops 0.05% 10ml.	3/0
(with special safety dropper)	

'FRAGRANT CLOUD'

(From Harry Wheatcroft & Sons, Edwalton, Nottingham.)

From early summer until the first hint of the autumn frosts, these coral-red flowers will float a cloud of fragrance throughout your garden. 'Fragrant Cloud' is a rare combination, it has healthy, vigorous growth, well shaped, free-flowering blooms, and, as its name implies, a heady, intoxicating scent. It's no wonder that 'Fragrant Cloud' was the only rose, out of 249 entries, to win the coveted Gold Medal of the National Rose Society.



The full hypotensive effect of Rautrax may not be apparent for one to three weeks after the start of treatment.

This gradual onset of effect gives the patient time to adjust to new, lower blood-pressure levels. There are no sudden sharp drops in pressure.

Rautrax: whole-root Rauwolfia serpentina 50 mg.; hydroflumethiazide 50 mg.; potassium chloride 625 mg. Basic N.H.S. prices: hottles of 25 tablets 9/10

Basic N.H.S. prices: bottles of 25 tablets 9/10; 100 tablets 37/4; 500 tablets 169/4

Rautrax Squibb

Rautrax trademark

E. R. Squibb and Sons Ltd Regal House Twickenham, Middlesex LASIX "is a more potent diuretic in a dose of 80 mg. than is hydrochlorothiazide 100 mg., chlorthalidone 200 mg., cyclopenthiazide 1.0 mg., or triamterene 100 mg. The action of 80 mg. frusemide given by mouth [is approximately the same as] the effect of 2 ml. mersalyl given intramuscularly."

Lancet, 1964, ii, 1088

- more favourable Na/K ratio than thiazides
- short action gives better control with more convenience

Lasix the new diuretic

A product of Hoechst world-wide research


frusemide — in tablets of 40 mg. and ampoules of 20 mg. in 2 ml.





SERVICE IN THE CAUSE OF MEDICINE

HOECHST PHARMACEUTICALS LTD., PORTLAND HOUSE, LONDON SW1




THE INTERNATIONAL STANDARD OF TEMPERATURE..

Platinum thermometer by courtesy of H. Tinsley & Co. Ltd

... is based on the variation with temperature of the pressure of hydrogen gas kept at constant volume. In practice, certain reference temperatures are obtained by means of physical changes which take place under well-defined conditions at exactly repeatable temperatures, such as the freezing points of gold or silver, or the crystallization points of certain pure compounds.

The two fundamental points of the temperature scale are the temperatures of melting ice (0°) and of boiling water at standard pressure (100°). The interval between these two temperatures is divided into 100 parts; each part is called a Celsius degree (°C). By international decision made in 1948, the name Celsius replaced the centigrade.



TRANSVASIN is the standard therapy. . . for the relief of rheumatic symptoms

Patients suffering from rheumatic lesions obtain rapid relief with Transvasin, the well-proven and economical therapy. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury, producing superficial erythema and deep hyperaemia. Transvasin is a valuable adjuvant in the treatment of osteo and rheumatoid arthritis.

LLOYD-HAMOL Ltd.

LLOYD-HAMOL LTD

36-38 BERKELEY SQUARE, LONDON W.1

FORMULA

Ethyl nicotinate.....2% n-Hexyl nicotinate.....2%


Ethyl p-aminobenzoate2%
Tetrahydrofurfuryl
salicylate14%
Base......to 100%

rzoate2% The N.H.S. price of the 30g.tubeis2/6and the cost of an average application ...to 100% of cream is under 1d.



5 YEAR Confidence

HydroSALURIC-K



in oedema


Since its introduction over five years ago, 'HydroSaluric'-K has earned the confidence of medical practitioners as an effective and well-tolerated diuretic, producing a smooth and sustained diuresis in most cases of oedema. 'HydroSaluric'-K is eminently

'HydroSaluric'-K is eminently suitable for both hospital and general practice.

Supplied as tablets containing 25 mg hydrochlorothiazide BP and 572 mg potassium chloride. Detailed information is available to physicians on request.



Merck Sharp & Dohme Limited, Hoddesdon Hertfordshire



DQV-K

the quality penicillin V

DQV-K is the accepted contraction for **Distaquaine V-K** potassium penicillin V tablets of 60 mg., 125 mg. and 250 mg., syrup in a new fruit flavour and readyprepared suspension both containing 125 mg. per 5 ml.



Dista Products Limited · Speke · Liverpool 24

'Distaquaine' is a registered trade mark PPH365/B2979


Remission


- In mental confusion and senile apathy lasting remission obtained by ANP 235.
- Has been well tried for 5 years on the Continent. Over 200 papers published.
 Toxic effects negligible.
- Physiological neuroregulator augmenting metabolism of glucose by nerve cells. Action quite unlike any other substances.

ANP 235

Meclofenoxate—Approved name—B.P. Basic NHS Prices: 100 mg. tablets 100 (25/-) and 500 (112/6). Adult dosage: usually 9-12 tablets daily. Detailed literature on request.

LLOYD ANPHAR LTD., 36-38 BERKELEY SQUARE, W.1. Lloyd Anphar is an associated company of Lloyd-Hamol Ltd.





Enduronyl® controls high blood pressure and eliminates congestion

- * It depletes peripheral catechol amines
- * It has a specific hypotensive effect by reducing peripheral resistance
- * It reduces blood volume
- * It has a central calming effect

Enduronyl®

for hypertension — compensated and decompensated



Publications

Copies of the following College publications may be obtained from the Journal Office, Prospect House, Dartmouth

On Undergraduate Education	2s.
The Complications of Measles	2s.
Memorandum for the Guidance of Trainers	1s.
Accident Management	6s.
Emotional Disorders in General Practice	3s.
Training for General Practice	2s. 6d.
Nutrition in General Practice	7s. 6d.
Arthritis in General Practice	5s.
Migraine in General Practice	5s.
Mental Health and the Family Doctor	5s.
Rehabilitation	5s.
The Aetiology of Congenital Anamolies	7s. 6d.
Epidemic Winter Vomiting	1s.
Problems of Stress in General Practice	3s. 6d.
Family Doctor and the Care of the Aged	4 s.
An Obstetric Survey	6s.
The First Year of Life	3s.
Problems of Sex	6s.
The Art and the Science	7s. 6d.
Vocational Training	5s.
Present State and Future Needs	7s. 6d.
Additional Payment for Wide Experience and	
Notable Service in General Practice	1s.
Forensic Medicine	3s. 6d.
Hazards of Middle Age	5s.

HELP THE DISABLED WEEK 4-10 October, 1965

Sponsored by the Central Council for the Disabled the main theme will be to encourage the public in acts of kindness to the physically disabled. A subsidiary theme will be to bring to the notice of local authorities the need to make public places accessible to the disabled. Care in the design of steps, sloping paths and the provision of handrails are examples.

The Central Council is the headquarters body of over 200 local affiliated organizations. These include many local authority welfare departments. Further information may be obtained from, G. A. G. Brooke, Crawfords Public Relations, 8 Gate Street, Lincoln's Inn Fields, London, W.C.2.

We offer all Members

20°/° DISCOUNT

FURNITURE, DIVANS, CARPETS AND BLANKETS

DIRECT WAREHOUSE COMPANY 26 LAKEVIEW, EDGWARE, MIDDLESEX

Telephone: STOnegrove 5097 Dept. G/PCT