

The only way to be sure of the future is to buy it

Allowing for inflation, a doctor in a General Practice for 35 years may get about half his final income as a pension from the Superannuation Scheme. But is that sufficient to promise a carefree and comfortable later life?

By supplementing the scheme with one of our Personal Pension policies you could increase your pension by 50% — often more. In addition you receive full relief of income tax and surtax on the premiums you pay.

A card giving your name, address, date of birth, quoting reference 008/1, for full details of this unique policy specially designed for General Practitioners will receive prompt attention. But in the meantime there are certain facts you might like to know right away.


For instance, bonuses declared every three years increase the pension. You are not committed to pay a fixed annual premium. You pay as you like in accordance with your earnings. And should you die before pension age all payments are returned to your estate plus compound interest at 4%. Finally, you may take the pension at any age between 60 and 70.



MEDICAL SICKNESS ANNUITY AND LIFE ASSURANCE SOCIETY LIMITED

P.O. Box No. 449, 7-10 Chandos Street, Cavendish Square, London, W.1

01 - 636 - 1686 (15 lines), 01 - 636 - 4158 (24-hour answering service)



when behaviour
and character
disorders disrupt
family life

Neulactil

"Pericyazine is the most active neuroleptic for personality and behaviour disorders."

"Pericyazine gives the best results in the patients showing explosiveness, temper, tantrums, destructiveness. . . ."

"Most remarkable is its often surprising effect on the patients' subjective condition, an effect which is most unusual in drugs of the phenothiazine group."

"The side-effects were rare and slight, and its acute toxicity seems to be low."

Extracts from *Proceedings of the Leeds Symposium on Behavioural Disorders*, March 1965, p.69, 66, 25.

'Neulactil'* is available as tablets, syrups and injection solution.

MAY & BAKER LTD
Dagenham Essex



*trade mark

MA 3754

ONLY ONE


Only one conception regulator offers ultra-low dosage of both hormonal components with a decade of clinical experience behind each.

Norinyl-1 is that unique conception regulator. Its reliability, safety, tolerance and simplicity have been confirmed in a comprehensive evaluation involving 5,000 women, studied carefully for more than 50,000 cycles.

NORINYL-1

Each Norinyl-1 pack contains 21 tablets of Norethisterone B.P. 1 mg. and mestranol 0.05 mg.
Full prescribing information on request.

SYNTEX  Syntex Pharmaceuticals Ltd, Maidenhead, Berks, England



Ghastly potions often must,
Unhappily, be swallowed;
It's from such nastiness (we trust)
Nice cures have often followed.
None the less, it's great to find
Expressly recommended
Stout which does to all mankind
Such good while tasting splendid.

Colour Atlas of Histopathology

R. C. CURRAN, M.D., M.R.C.P., F.C.Path., F.R.S.E., *Professor of Pathology, University of Birmingham*

108 pages

765 colour photomicrographs

75s.

Postgraduate Gastroenterology

Edited by **T. J. THOMSON**, M.B., Ch.B., F.R.C.P. (Glasg.), M.R.C.P., and **I. E. GILLESPIE**, M.D., F.R.C.S. (Edin.), F.R.C.S.

342 pages

118 illustrations

50s.

The Shoulder

J. CYRIAX, M.D., B.Ch. (Cantab.), M.R.C.P., *Physician to the Department of Physical Medicine, St Thomas's Hospital, London*

40 pages

6 illustrations

5s.

Dictionary of Abbreviations in Medicine and the Related Sciences

E. B. STEEN, Ph.D., *Professor of Anatomy and Physiology, Western Michigan University*

2nd edition

102 pages

10s. 6d.

Baillière, Tindall & Cassell

7 & 8 Henrietta Street, London WC2

CHILD CARE

Just Published

This book is the second to be published from a series of articles that have appeared in the "Current Practice" section of the **BRITISH MEDICAL JOURNAL**. It gives practical up-to-date advice on problems faced by general practitioners. The articles that make up the book cover the period from infancy to adolescence, and in their scope cover child-care in the broadest sense, with sections on normal development, adoption, puberty, and behaviour disorders as well as the diagnosis and management of childhood diseases. The authors are consultant paediatricians or leading authorities in their fields, but the emphasis throughout has been on a practical approach. It is hoped that the book will be a useful guide for all family doctors.

Demy Octavo

350 pages

Price 30s. (U.S.A. \$4.50) net

Postage 2d. 6d. (U.S.A. 50c.) extra

ORDER NOW

The Publishing Manager
BRITISH MEDICAL JOURNAL
Tavistock Square, London W.C.1

Recommended books

EMERGENCIES IN MEDICAL PRACTICE

C. ALLAN BIRCH

Just published. 870 pages 136 illustrations 60s.

"This volume requires no recommendation to those who have already made its acquaintance; to those who have not, I would suggest that it should be regarded as a necessary part of their armamentarium."

—*South African Medical Journal*

TEXTBOOK OF MEDICAL TREATMENT

SIR DERRICK DUNLOP AND STANLEY ALSTEAD, C.B.E.

Tenth Edition 1966 1,012 pages 38 illustrations 70s.

"This is a thousand pages of comprehensive guidance on medical treatment in all its aspects. I unreservedly recommend this wonderful book as a safe and complete guidance on treatment for practitioners and consultants."

—*British Journal of Clinical Practice*

CONYBEARE'S TEXTBOOK OF MEDICINE

W. N. MANN

Fourteenth Edition 1964

1,066 pages 91 illus. 63s.

THE PRINCIPLES AND PRACTICE OF MEDICINE

SIR STANLEY DAVIDSON

Eighth Edition 1966

1,352 pages 139 illus. 40s.

PROFILES OF DISEASE

JOHN FRY

1966 184 pages 54 illus. 21s.

TOWARDS EARLIER DIAGNOSIS

KEITH HODGKIN

Second Edition 1966

476 pages 52 illus. 30s.

CLINICAL EXAMINATION

JOHN MACLEOD

Second Edition 1966

596 pages 235 illus. 45s.

BEDSIDE DIAGNOSIS

CHARLES SEWARD

Seventh Edition 1965

588 pages 20 illustrations 35s.

DISEASE IN INFANCY

AND CHILDHOOD

R. W. B. ELLIS and

R. G. MITCHELL

Fifth Edition 1965

720 pages 316 illus. 70s.

THE EYE

IN GENERAL PRACTICE

C. R. S. JACKSON

Fourth Edition 1967

182 pages 59 illus. 27s. 6d.

List of Books for the General Practitioner sent on request

E. & S. LIVINGSTONE LTD., TEVIOT PLACE, EDINBURGH



in contrast with other antihypertensive drugs

VASOLASTINE

is free from side-effects.

It is non-toxic.

In addition it resolves atheromatous deposits, normalises cholesterol and phospholipid values, and restores elasticity of arteries and capillaries.

VASOLASTINE

**The MODERN CAUSAL ENZYME THERAPY
for hypertension and cardiovascular diseases**



Manufactured by Enzypharm C. V. Holland

*Further information and list of publications
gladly sent on request by the Sole U.K. Distributors:*

FORMULA per ampoule :

Enzymes of the lipid	
metabolism	30 mg. \equiv 8000 units
Amin-oxidase	20 mg. \equiv 4000 units
Tyrosinase	20 mg. \equiv 4000 units
Stabilizing solvent	to 2 ml.
Presentation:	
Boxes of 6, 25 and 100 ampoules.	

F.A.I.R. LABORATORIES LTD., TWICKENHAM MIDDLESEX



A NEW ORAL GEL WITH STRIKING ANALGESIC AND ANTISEPTIC PROPERTIES

Bonjela has been shown in formal American trials to bring rapid relief from pain in 90% of all cases of oral ulceration, herpes labialis, gingivitis and denture sores. By rapid relief is meant marked alleviation of pain within 2-3 minutes.

Bonjela also promotes healing whenever the aetiology is partly or wholly bacterial. Some ulceration originates from endocrinal, viral or fungal causes which may require other forms of treatment.

Even in these cases where a bacterial element is superimposed on the

original infection Bonjela will reduce the severity of the infection and rapid relief from pain will be obtained.

FORMULA: Choline Salicylate 8.7%, Cetalkonium Chloride 0.01%, Alc. (95%) 39.0%, Menthol 0.057%, Glycer. 4.6%.

INDICATIONS: Herpes labialis, gingivitis, oral ulcerations, cheilosis, denture sores, infant teething disorders.

PRESENTATION: Bonjela is available in 10 g. tubes at a basic N.H.S. cost of 2/8½d. per tube.

LLOYDS' PHARMACEUTICALS LTD.
103 Mount Street, London, W.1.
An associate of Lloyd-Hamol Ltd.

Literature and samples are available on request





Opens
airways
in seconds...

From the moment the asthmatic patient begins to fight for breath, only seconds need elapse before the onset of relief—with *Medihaler*.

Reports repeatedly confirm that *Medihaler* places rapid profound relief within easy reach of the patient. In one trial *Medihaler-iso* Forte improved the mean expiratory flow rate of 24 patients by 47 per cent three to five minutes after inhalation—18 per cent higher than the next best preparation¹. In another trial, *Medihaler-iso* Forte was the fastest-acting of six pocket aerosols—and *Medihaler-iso* was next in rapidity of action². In yet another trial³, a single inhalation (0.4 mg.) from *Medihaler-iso* Forte had significantly greater effect than 5 mg. of isoprenaline inhaled continuously over three minutes from an oxygen-powered nebuliser.

Simple to operate, compact to carry, giving profound relief from a minute dose, *Medihaler* opens airways in seconds when the fight for breath is on.

1. *Brit. Med. J.* (1966) **1**:1014. 2. *Rev. Inst. Hyg. Mines* (Belgium) (1965) **20**(3):170. 3. *Brit. J. Dis. Chest* (1964) **57**:140

Medihaler-iso Forte contains a suspension of Isoprenaline Sulphate B.P. 20 mg./ml. and delivers 0.4 mg. per dose.

Medihaler-iso contains a suspension of Isoprenaline Sulphate B.P. 4 mg./ml. delivers 0.08 mg. per dose.

Dosage: *Medihaler* delivers a full strength dose which should be sufficient to provide relief in most cases.

Caution: Isoprenaline is well tolerated by most patients. However, it should be used with caution in the presence



of impaired cardiac function, hyperthyroidism and severe hypertension. Isoprenaline is a potent agent. The smallest dosage of it which provides relief should not be exceeded.

Basic NHS prices: 400-dose complete unit. *Medihaler-iso* 14/4. *Medihaler-iso* Forte 17/-.



Additional information is available on request.

Medihaler, *Medihaler-iso*: registered trade mark

Medihaler opens airways in seconds



For this patient and this patient



**and this patient Your next
hypertensive
patient?**



Merck Sharp & Dohme Limited
Hoddesdon, Hertfordshire
Telephone, Hoddesdon 67123

Supplied as 250 mg tablets and, for emergency use, as an injection. Detailed information is available to physicians on request.

Aldomet® **for smoother,
long-term control
of hypertension**

Methyldopa BP



**THIS MAN IS NOT UNIQUE. THERE
ARE OVER 4,000,000 LIKE HIM**

They all take Rastinon daily. Some of them have taken it for years. In all that time, among all those people, the unique safety of Rastinon has been well and truly proven. So has its effectiveness.

RASTINON[®]
FIRST

**"The safest oral hypoglycaemic drug for general use,
and it should be tried first".¹**

Rastinon tablets contain 0.5G tolbutamide B.P.
Full information available on request.

¹Today's Drugs. *B.M.J.*, 1963, 1, 527

® Registered trade mark.



HOECHST

SERVICE IN THE CAUSE OF MEDICINE

Hoechst Pharmaceuticals Ltd.
Portland House, London SW1

WHENEVER
THE BENEFITS
OF MORPHINE
ARE NEEDED—

'CYCLIMORPH'

(Morphine plus Cyclizine) brand INJECTION

'Cyclimorph' provides all the benefits of morphine but overcomes the distressing, even dangerous vomiting often caused by this analgesic.

'Cyclimorph' is indicated whenever morphine is indicated—especially where nausea and vomiting would be harmful as in

myocardial infarction

pre-operative medication

post-operative pain

debilitated patients

Cyclizine, the anti-nauseant and anti-emetic in 'Cyclimorph', is one of the most successful agents for the control of morphine-induced vomiting. It acts rapidly, has a similar duration of action to morphine, and is remarkably safe.

'Cyclimorph' is subject to the D.D. regulations. It is issued in 1 ml. ampoules (boxes of 5 and 25), in two strengths, viz.:

'CYCLIMORPH' 10

Morphine tartrate 10 mg. (gr. $\frac{1}{4}$)

Cyclizine tartrate 50 mg.

per ml.

'CYCLIMORPH' 15

Morphine tartrate 15 mg. (gr. $\frac{1}{4}$)

Cyclizine tartrate 50 mg.

per ml.



**BURROUGHS WELLCOME & CO.
(The Wellcome Foundation Ltd.)
LONDON**

remove
the fear of
painful
defaecation



dual-acting

DORBANEX

Dorbanex: trade mark

softens the stool
then gently evacuates
the constipated bowel

Pain caused by hard, dry stools can be a distressing aspect of constipation. Discomfort leads to retention and, in turn, overloading of the rectum. But if – as with *Dorbanex* – treatment is directed at softening the stool and stimulating colonic peristalsis, the cycle of pain-retention-accumulation is broken. Defaecation is comfortable; anxiety is allayed; and the bowel is helped back to normal function.

Because *Dorbanex* contains the laxative 1 : 8-dihydroxyanthraquinone, *plus* a new faecal softening agent, poloxalkol, it both softens and mobilises the stool. This dual action is invaluable in patients with anal fissures or haemorrhoids, and in obviating straining – an important consideration in elderly or cardiac patients.

Disadvantages of laxative treatment, such as unpredictability, griping, leakage, or interference with gastro-intestinal function, do *not* arise with *Dorbanex*. Especially appreciated by patients old, young or pregnant are its advantages of small dosage (1 or 2 teaspoonsful at bedtime) and palatability.

Each teaspoonful (5 ml.) of *Dorbanex* contains 25 mg. 1 : 8-dihydroxyanthraquinone and 200 mg. poloxalkol. Bottles of 60 ml. 4/- and 500 ml. (30/-). P.T. extra.

RIKER LABORATORIES LOUGHBOROUGH ENGLAND

45-19D





in angina pectoris

SYNADRIN®

treats the patient rather than his attack

Synadrin reduces the incidence of anginal attacks during long-term treatment. Its effectiveness is shown by a number of double-blind studies;¹⁻⁷ it is indicated in all forms of ischaemic heart disease.⁸⁻¹⁰ Synadrin acts by producing a prolonged improvement in the coronary blood supply. Synadrin tablets contain 15 mg. prenylamine lactate. Treatment is initiated with a dose of two tablets three times a day.

SYNADRIN is available in certain countries as SEGONTIN

1. CANAD. MED. ASS. J., 1961, 85, 1352. 2. MED. J. AUST., 1962, 7, 429.
3. MED. J. AUST., 1963, 7, 149. 4. J. MED. (LISBON), 1963, 7004, 109.
5. CANAD. MED. ASS. J., 1963, 89, 249. 6. AMER. J. MED. SCI., 1964, 247, 156.
7. ZSCHR. F. THER., 1965, 2, 82-86. 8. DTSCH. MED. WCHSCHR., 1960, 85 (22), 1408.
9. MED. WELT, 1960, 35, 1761. 10. MED. J. AUST., 1963, 7, 497.

 Hoechst Pharmaceuticals Limited Portland House Stag Place London S.W.1

® registered trade marks

Control is the diabetics lifeline



Close, day-to-day control of diabetes is vital if the diabetic is to hope for a long life free from complications. Ames products for urine-testing are playing a major role in bringing efficient urine-sugar monitoring within the capacity of every diabetic patient. There are two relevant products, each with a well-defined function: New 10-second CLINISTIX[®] Reagent Strips give an indication of urine glucose. They are ideal for monitoring non insulin dependant diabetes.

CLINITEST[®] Reagent Tablets remain the technique of choice for accurate determinations of urine sugar, and their major role is in the close control needed for insulin dependant diabetes. CLINISTIX and CLINITEST are prescribable on EC10.


Ames Company,
Division of Miles Laboratories Ltd
Stoke Court, Stoke Poges, Bucks
*Trade mark





Service in the
cause of medicine

Hoechst Pharmaceuticals Ltd
Portland House London SW1



There is one short-acting diuretic
with an effect that can be
precisely regulated in routine use
Its name is

Lasix[®]

® Registered trade mark.

Lasix tablets contain 40 mg frusemide.
Full information available on request.

pain

Distalgesic erases pain

tablets containing 32.5 mg. dextropropoxyphene and 325 mg. paracetamol



CAR HIRE PURCHASE

Preferential Financial Terms for Doctors and Dentists

Get details of the special hire-purchase terms offered to the profession by


The Medical Sickness Finance Corporation


- ★ Minimum deposit
- ★ Maximum period of repayment
- ★ Payments waived on death

Send the coupon below to us at
7-10 Chandos Street
Camendish Square, London W1
Telephone 01-636-1686

A wholly owned subsidiary of
Medical Sickness Annuity and Life
Assurance Society Ltd.

Name.....	
Address.....	
Occupation.....	GP





STANDARD

The size of the wicket

A famous cricketing standard — the present dimensions of 28" x 9" for the size of the wicket — was set in 1947, having started off in 1700 at 22" x 6" with two stumps and one bail. And to go even further back, the size of the wicket, the distance of the crease from it, and the length of the pitch, all correspond with divisions or multiples of the early Tudor unit of length measurement, the "gad" of 16½ ft. and the "ell" of 45 inches.

LLOYD-
HAMOL
Ltd.

The N.H.S. price of the 30g. tube is 2/6d. and the cost of an average application of cream is under 1d.

LLOYD-HAMOL LIMITED
103 Mount Street, London, W.1

STANDARD

The Transvasin therapy for rheumatic symptoms

Patients suffering from rheumatic lesions obtain rapid relief with this well-proven and economical medication. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury, producing superficial erythema and deep hyperaemia. Transvasin is a valuable adjuvant in the treatment of osteo- and rheumatoid arthritis.

FORMULA

Ethyl Nicotinate.....	2%
n-Hexyl Nicotinate.....	2%
Ethyl p-aminobenzoate.....	2%
Tetrahydrofurfuryl Salicylate.....	14%
Base.....	to 100%



ACCOMMODATION AT COLLEGE HEADQUARTERS

The College of General Practitioners' Club, to which all members and associates belong, provides temporary residential accommodation for them and their families at 14 Princes Gate, London, S.W.7 (Tel. KNightsbridge 6262). There is parking space for cars. Children under the age of 12 years cannot be admitted, and no dogs are allowed.

The charges, including breakfast, are as follows:

For single rooms	£2 per night
For double rooms	£3 10s. 0d. per night
For a flatlet (bed-sitting room for two, bath-room and dressing room)	£5 per night or £30 per week
For a self-contained flat (double bedroom, sitting room, hall, kitchen and bathroom)	£35 per week

Members and associates may, subject to approval, hire the reception rooms for social functions and meetings. The charges for these are:

Long room (will seat 100)	25 guineas for each occasion
Common room and terrace	15 guineas for each occasion
Damask room (will seat 50)	15 guineas for each occasion

A service charge of 10 per cent is added to all accounts to cover gratuities to domestic staff. Inquiries should be addressed to the **Administrative Secretary, 14 Princes Gate, London, S.W.7.** Bookings should be made, wherever possible, well in advance.

FIRST FOR
CARPETS

Dodson Bull



UP **30%** Wiltons • Axminsters
TO **DISCOUNT** Orientals • Tufted

£200,000 Carpets on display In our London and Northern Showrooms

- All makes available with full Manufacturers' Guarantees.
- No imperfect goods sold
- Free delivery in the U.K.
- Expert fitting service available most areas.

Write stating requirements or for introduction to showrooms in most main cities
Open 9.30 to 5.30 Mon. to Fri. 9 to 12 Sats.

DODSON-BULL CARPET CO LTD

2, 4 & 5 Little Britain, London, EC1 (1 min St. Paul's) Tel: MON 7171 (10 lines)
83-89 Blackett St, Newcastle-upon-Tyne 1 Tel: 20321 or 21428

THE ROYAL COLLEGE OF GENERAL PRACTITIONERS

PUBLICATIONS

Copies of the following publications may be obtained from the *Journal* Office, Prospect House, Dartmouth.

Reports from General Practice

No. 1. Vocational Training	5s.
No. 3. Additional Payments for Wide Experience and Notable Service in General Practice	1s.
No. 4. General Practice in the New Towns of Britain	6s.
No. 5. Evidence of the College of General Practi- tioners to the Royal Commission on Medical Education	6s. 6d.

Symposia

Hazards of Middle Age	5s.
Problems of Sex	6s.
The Art and the Science	7s. 6d.
Accident Management	6s.
Nutrition in General Practice	7s. 6d.
Arthritis in General Practice	5s.
Migraine in General Practice	5s.
Mental Health and the Family Doctor	5s.
Rehabilitation	5s.
The Aetiology of Congenital Anomalies	7s. 6d.
Antibiotics in Clinical Practice	7s. 6d.
The Early Stages of Chronic Bronchitis	10s. 6d.
Preventive Medicine and General Practice	10s. 6d.
The Quality of Medical Care	5s.
Health in a Changing Environment	7s. 6d.
Clinical Problems of Practice	8s. 6d.
Anaemia in General Practice	6s.
The Art of Listening	7s. 6d.

Other Publications

Training for General Practice (2nd Edition)	4s. 6d.
Epidemic Winter Vomiting	1s.
On Undergraduate Education	2s.
Memorandum for the Guidance of Trainers	1s.
Guidance for Students visiting a General Practitioner	1s.
Group Practice, Ancillary Help and Government Controls	7s. 6d.