

# The only way to be sure of the future is to buy it

Allowing for inflation, a doctor in a General Practice for 35 years may get about half his final income as a pension from the Superannuation Scheme. But is that sufficient to promise a carefree and comfortable later life?

By supplementing the scheme with one of our Personal Pension policies you could increase your pension by 50% — often more. In addition you receive full relief of income tax and surtax on the premiums you pay.

A card giving your name, address, date of birth, quoting reference 008/1, for full details of this unique policy specially designed for General Practitioners will receive prompt attention. But in the meantime there are certain facts you might like to know right away.

For instance, bonuses declared every three years increase the pension. You are not committed to pay a fixed annual premium. You pay as you like in accordance with your earnings. And should you die before pension age all payments are returned to your estate plus compound interest at 4%. Finally, you may take the pension at any age between 60 and 70.



## **MEDICAL SICKNESS ANNUITY AND LIFE ASSURANCE SOCIETY LIMITED**

P.O. Box No. 449, 7-10 Chandos Street, Cavendish Square, London, W.1

01 - 636 - 1686 (15 lines), 01 - 636 - 4158 (24-hour answering service)

When  
behaviour and character disorders  
disrupt family life

## Neulactil



"Pericyazine is the most active neuroleptic for personality and behaviour disorders."

"Pericyazine gives the best results in the patients showing explosiveness, temper, tantrums, destructiveness..."

"Most remarkable is its often surprising effect on the patients' subjective condition, an effect which is most unusual in drugs of the phenothiazine group."

"The side-effects were rare and slight, and its acute toxicity seems to be low."

Extracts from *Proceedings of the Leeds Symposium on Behavioural Disorders*, March 1965, p.69, 66, 25.

'Neulactil'\* brand pericyazine is available as tablets, syrups and injection solution.

Full information is available on request

**MAY & BAKER LTD**  
Dagenham Essex



## **Colour Atlas of Histopathology**

**R. C. CURRAN**, M.D., M.R.C.P., F.C.Path., F.R.S.E., *Professor of Pathology, University of Birmingham*

108 pages

765 colour photomicrographs

75s.

## **Postgraduate Gastroenterology**

Edited by **T. J. THOMSON**, M.B., Ch.B., F.R.C.P. (Glasg.), M.R.C.P., and **I. E. GILLESPIE**, M.D., F.R.C.S. (Edin.), F.R.C.S.

342 pages

118 illustrations

50s.

## **The Shoulder**

**J. CYRIAX**, M.D., B.Ch. (Cantab.), M.R.C.P., *Physician to the Department of Physical Medicine, St Thomas's Hospital, London*

40 pages

6 illustrations

5s.

## **Dictionary of Abbreviations in Medicine and the Related Sciences**

**E. B. STEEN**, Ph.D., *Professor of Anatomy and Physiology, Western Michigan University*

2nd edition

102 pages

10s. 6d.

## **Baillière, Tindall & Cassell**

7 & 8 Henrietta Street, London WC2

---

# **Treatment of common skin diseases**


*Published July 1967*

Patients with skin diseases take up a large part of the time of busy general practitioners and the number of preparations available for the treatment of these disorders is rising each year. *Treatment of Common Skin Diseases* is a collection of articles, specially written for the *British Medical Journal*, designed to give practical advice on the management of these diseases and the selection of remedies. The articles are easy to read and give full details of dosage and administration of drugs, advice on diet, and answers to the questions asked by patients and their relatives.

*Price 10s. (U.S.A. \$1.50) including postage*

*Copies can be ordered through your bookseller or direct  
from*

**The British Medical Journal**, Tavistock Square, London, W.C.1




# Butazolidin® Alka mantle tablets

A new approach to the  
treatment of patients with  
a known gastric sensitivity  
to antirheumatic agents

Butazolidin® Alka is formulated as a  
mantle tablet, incorporating 100 mg  
dried aluminium hydroxide gel B.P. and  
150 mg magnesium trisilicate B.P. around  
a central core of 100 mg Butazolidin®

Geigy (U.K.) Limited  
Pharmaceuticals Division Manchester, 23



## STANDARD

### The weight and size of a golf ball

It was the Scots who brought the game of golf to its greatest flowering, and it is the Royal and Ancient Club of St. Andrews which is supreme arbiter of the game today. It is they who lay down the rules, including the one, for instance, that says that the weight of the ball shall be not greater than 1.620 ounces avoirdupois and the size not less than 1.620 inches in diameter.

## STANDARD

### The Transvasin therapy for rheumatic symptoms

Patients suffering from rheumatic lesions obtain rapid relief with this well-proven and economical medication. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury, producing superficial erythema and deep hyperaemia. Transvasin is a valuable adjuvant in the treatment of osteo- and rheumatoid arthritis.

#### CONTAINS:

Ethyl Nicotinate .....	2%
Hexyl Nicotinate .....	2%
Tetrahydrofurfuryl Salicylate .....	14%
Ethyl Aminobenzoate .....	2%
Base .....	to 100%



The N.H.S. price of the 30g. tube is 2/6d. and the cost of an average application of cream is under 1d.

LLOYD-HAMOL LTD.,

103 Mount Street, London, W.1.



# ROTER

## IN PEPTIC DISORDERS

**does more than just relieve pain**



Each tablet contains: Bismuth  
Subnitrate Roter (350 mg.),  
Magnesium Carbonate (400 mg.),  
Sodium Bicarbonate (200 mg.) and  
Cortex Rhamni Frangulae (25 mg.).

Packings: Tins of 40 and 120, also  
dispensing sizes, 360 and 720  
(P.T. exempt).

ROTER tablets quickly overcome the pain and discomfort of minor gastric disturbances, but their true value is most evident in their control and frequent healing of peptic ulcer in both the early and the advanced or chronic stages. With Roter therapy, hospitalisation or surgery is mostly avoided; the patient remains ambulant and uncommitted to a restricted or prescribed diet; and recurring medical attention is usually obviated. Roter is worth remembering for your "gastric" patients.

Literature will be supplied on request from:-

**F.A.I.R. LABORATORIES LTD., TWICKENHAM, MIDDLESEX.**

# new for menstrual disorders

## SISTOMETRIL<sup>®</sup>

pregestogen with oestrogen

5 mg lynestrenol

+

0.15 mg mestranol

**The two hormones act synergistically  
on follicular maturation, ovarian activity  
and pituitary function**

### **Sistometril**

is therefore indicated in:

Dysfunctional bleeding

Oligomenorrhoea and  
polymenorrhoea

Amenorrhoea (in the absence  
of pregnancy)

Functional dysmenorrhoea  
and ovulatory pain

Advancement or postponement  
of established menstruation

Endometriosis

### **Sistometril is contra-indicated**

in pregnancy, during lactation, in the presence or suspected presence of oestrogen-dependent tumour, in patients with liver damage or having a history of thrombosis or thrombophlebitis.

**Side effects** are rare but with high dosage headache, nausea or breast discomfort may occur.

### **Pack**

20 tablets, basis NHS price 4s. 4d.  
Full information on request

C I B A



## A NEW ORAL GEL WITH STRIKING ANALGESIC AND ANTISEPTIC PROPERTIES

Bonjela has been shown in formal American trials to bring rapid relief from pain in 90% of all cases of oral ulceration, herpes labialis, gingivitis and denture sores. By rapid relief is meant marked alleviation of pain within 2-3 minutes.

Bonjela also promotes healing whenever the aetiology is partly or wholly bacterial. Some ulceration originates from endocrinal, viral or fungal causes which may require other forms of treatment.

Even in these cases where a bacterial element is superimposed on the

original infection Bonjela will reduce the severity of the infection and rapid relief from pain will be obtained.

**FORMULA:** Choline Salicylate 8.7%, Cetalkonium Chloride 0.01%, Alc. (95%) 39.0%, Menthol 0.057%, Glycer 4.6%.

**INDICATIONS:** Herpes labialis, gingivitis, oral ulcerations, cheilosis denture sores, infant teething disorders.

**PRESENTATION:** Bonjela is available in 10 g. tubes at a basic N.H.S. cost of 2/8½d. per tube.

LLOYDS' PHARMACEUTICALS LTD.  
103 Mount Street, London, W.1.  
An associate of Lloyd-Hamol Ltd.

Literature and samples are available on request







Opens  
airways  
in seconds...

From the moment the asthmatic patient begins to fight for breath, only seconds need elapse before the onset of relief—with *Medihaler*.

Reports repeatedly confirm that *Medihaler* places rapid profound relief within easy reach of the patient. In one trial *Medihaler-iso* Forte improved the mean expiratory flow rate of 24 patients by 47 per cent three to five minutes after inhalation—18 per cent higher than the next best preparation<sup>1</sup>. In another trial, *Medihaler-iso* Forte was the fastest-acting of six pocket aerosols—and *Medihaler-iso* was next in rapidity of action<sup>2</sup>. In yet another trial<sup>3</sup>, a single inhalation (0.4 mg.) from *Medihaler-iso* Forte had significantly greater effect than 5 mg. of isoprenaline inhaled continuously over three minutes from an oxygen-powered nebuliser.

Simple to operate, compact to carry, giving profound relief from a minute dose, *Medihaler* opens airways in seconds when the fight for breath is on.

1. *Brit. Med. J.* (1966) **1**:1014. 2. *Rev. Inst. Hyg. Mines* (Belgium) (1965) **20**(3):170. 3. *Brit. J. Dis. Chest* (1964) **57**:140

*Medihaler-iso* Forte contains a suspension of Isoprenaline Sulphate B.P. 20 mg./ml. and delivers 0.4 mg. per dose.

*Medihaler-iso* contains a suspension of Isoprenaline Sulphate B.P. 4 mg./ml. delivers 0.08 mg. per dose.

**Dosage:** *Medihaler* delivers a full strength dose which should be sufficient to provide relief in most cases.

**Caution:** Isoprenaline is well tolerated by most patients. However, it should be used with caution in the presence

of impaired cardiac function, hyperthyroidism and severe hypertension. Isoprenaline is a potent agent. The smallest dosage of it which provides relief should not be exceeded.

**Basic NHS prices:** 400-dose complete unit. *Medihaler-iso* 14/4. *Medihaler-iso* Forte 17/-.  
Additional information is available on request.

*Medihaler*, *Medihaler-iso*: registered trade mark

# Medihaler opens airways in seconds

**'lost interest  
in everything'**



**for this patient**

# CONCORDIN<sup>®</sup>

Protriptyline hydrochloride

**brings back the  
colour to life**

**'Concordin' for rapid  
action in depressive  
disorders**



- **rapidity of action**  
a response is often seen within five days
- **freedom from sedative activity**  
the patient can continue to perform normal daily activities, since drowsiness is rare
- **wide safety margin**
- **not a monoamine oxidase inhibitor**  
allows full freedom of choice in the diet
- **dosage is simple and easily established**

## **Concordin-5 in mild to moderate depression**

Available as salmon-red, film-coated tablets containing 5 mg protriptyline hydrochloride, in bottles of 100 and 500.



## **Concordin-10 in moderate to severe depression**

Available as white, film-coated tablets containing 10 mg protriptyline hydrochloride, in bottles of 100 and 500:

Detailed information is available to physicians on request.



Merck Sharp & Dohme Limited, Hoddesdon  
Hertfordshire. Tel, Hoddesdon 67123



Service in the  
cause of medicine

*in angina pectoris*

## **SYNADRIN® 60 WORKS**

In a number of controlled trials, prenylamine—  
SYNADRIN 60—has been shown to  
reduce significantly the number of anginal attacks<sup>1,2,3</sup>.

Double clinical controlled trials of SYNADRIN 60, reported from different countries and confirmed by recent British studies, demonstrate that SYNADRIN 60 is effective in angina pectoris. The number of anginal attacks is considerably reduced and nitroglycerin consumption lessened. In each case the effect was significantly greater than was achieved during placebo administration. SYNADRIN 60 lowers the oxygen demand of the heart by a reduction in excessive sympathetic stimulation. A mild sedative action allays anxiety and increased coronary blood flow improves oxygen supply.

**Dosage:** An adequate dose is essential to ensure a rapid onset of action and therapy can be initiated with one tablet (60 mg) SYNADRIN 60 three times daily. Reduction of the frequency of anginal attacks should be observed within two weeks.

**Side Effects:** SYNADRIN 60 is well tolerated, even after prolonged treatment. Gastric intolerance has been reported in only two cases. Skin rashes have occurred on rare occasions. Transient drowsiness has been noticed at the commencement of treatment. SYNADRIN 60 has a slight hypotensive action and the dose of concurrently administered hypotensive agents may require adjustment.

**Contraindications:** SYNADRIN 60 is contraindicated in severe disorders of cardiac conduction, heart failure and hepatic conditions.

SYNADRIN 60 is available as tablets containing 60 mg prenylamine.

#### REFERENCES

1. Sosa & McGregor. CANAD. MED. ASSOC. J. 1963. 89 248.
2. Donat & Schlosser. MED. CLIN. 1966 61 352.
3. Kappert ZSCHR. THER. 1965 2 82.

Full information available on request.

®Denotes registered trade mark.

**Hoechst Pharmaceuticals Limited, Hoechst House, Kew Bridge, Brentford, Middlesex**

# 'DICONAL' tablets

for the relief of intractable pain — when morphine would normally be given

“Dipipanone . . . . . has turned out to be the nearest approach to the ideal oral analgesic for patients who wish to be kept alert.”

*Practitioner* (1962), **189**, 198

Each 'Diconal' tablet contains  
Dipipanone Hydrochloride  
B.P., 10 mg.—to relieve pain  
Cyclizine Hydrochloride B.P.,  
30 mg.—to prevent nausea  
and vomiting

(The precautions and contra-  
indications are the same as  
for morphine.


'Diconal' brand Tablets are  
subject to the D.D.A.)

**Indicated in carcinomatosis,  
after operations, and in  
patients not responding to  
morphine or pethidine**

Full information is available on request



**Burroughs Wellcome & Co., London**  
(The Wellcome Foundation Ltd.)



Go to sleep  
quickly...  
more soundly...  
and wake refreshed...

## JUST ONE CAPSULE

in most cases of insomnia, gives your patient a good night's sleep. Combining a moderate dose of quick-acting barbiturate with a long-acting sedative, Carbrital\* not only induces sleep rapidly, but ensures that the sleep pattern follows a natural, unbroken curve, so that your patient wakes feeling rested and refreshed. Carbrital is available in Kapseals\* (each containing  $1\frac{1}{2}$  grains pentobarbitone sodium and 4 grains carbromal) in bottles of 25 and 250. Also as an Elixir ( $\frac{1}{4}$  grain pentobarbitone sodium and  $\frac{3}{4}$  grain carbromal per teaspoonful) in bottles of 16 fl. oz.


\*Trade mark

*Full information is available on request*

# CARBRITAL

PARKE-DAVIS HOUNSLOW · LONDON · TELEPHONE: 01-670 2361

(O-1303)



**Take a long hard look**

**at Oral Hypoglycaemic agents**

After 10 years use in over 4,000,000 patients, RASTINON is still unsurpassed for the oral treatment of maturity-onset diabetes.

- **proven effectiveness<sup>1</sup> safety in general use<sup>2</sup>**
- **no nocturnal hypoglycaemia**
- **precise dosage control**
- **world-wide clinical experience.**

1 Metabolism. 1966, 75, 957. 2 Today's Drugs. B.M.J. 1963, 1, 521

Five points which make

**RASTINON<sup>®</sup> First**

Rastinon tablets contain 0.5g tolbutamide.  
Full information on request.



Hoechst Pharmaceuticals Limited Hoechst House Kew Bridge Brentford

© registered trade mark

# pair



## *Distalgesic erases pain*

tablets containing 32.5 mg. dextropropoxyphene and 325 mg. paracetamol



---

## **CAR HIRE PURCHASE**

### Preferential Financial Terms for **Doctors and Dentists**

Get details of the special hire-purchase terms offered to the profession by


### **The Medical Sickness Finance Corporation**

- ★ Minimum deposit
- ★ Maximum period of repayment
- ★ Payments waived on death

Send the coupon below to us at  
**7-10 Chandos Street**  
**Cavendish Square, London W1**  
**Telephone 01-636-1686**

A wholly owned subsidiary of  
Medical Sickness Annuity and Life  
Assurance Society Ltd.

Name.....	
Address.....	
Occupation.....	GP



# Control is the diabetics lifeline



Close, day-to-day control of diabetes is vital if the diabetic is to hope for a long life free from complications. Ames products for urine-testing are playing a major role in bringing efficient urine-sugar monitoring within the capacity of every diabetic patient. There are two relevant products, each with a well-defined function: New 10-second CLINISTIX<sup>®</sup> Reagent Strips give an indication of urine glucose. They are ideal for monitoring non insulin dependant diabetes.

CLINITEST<sup>®</sup> Reagent Tablets remain the technique of choice for accurate determinations of urine sugar, and their major role is in the close control needed for insulin dependant diabetes. CLINISTIX and CLINITEST are prescribable on EC10.

Ames Company,  
Division of Miles Laboratories Ltd  
Stoke Court, Stoke Poges, Bucks  
\*Trade mark






# ONLY ONE

*Only one conception regulator offers ultra-low dosage of both hormonal components with a decade of clinical experience behind each.*

*Norinyl-1 is that unique conception regulator. Its reliability, safety, tolerance and simplicity have been confirmed in a comprehensive evaluation involving 5,000 women, studied carefully for more than 50,000 cycles.*

# NORINYL-1

Each Norinyl-1 pack contains 21 tablets of Norethisterone B.P. 1 mg. and mestranol 0.05 mg. Full prescribing information on request.

SYNTEX  Syntex Pharmaceuticals Ltd, Maidenhead, Berks, England

## ACCOMMODATION AT COLLEGE HEADQUARTERS

The College of General Practitioners' Club, to which all members and associates belong, provides temporary residential accommodation for them and their families at 14 Princes Gate, London, S.W.7 (Tel. KNights-bridge 6262). There is parking space for cars. Children under the age of 12 years cannot be admitted, and no dogs are allowed.

The charges, including breakfast, are as follows:

For single rooms	£2 per night
For double rooms	£3 10s. 0d. per night
For a flatlet (bed-sitting room for two, bath-room and dressing room)	£5 per night or £30 per week
For a self-contained flat (double bedroom, sitting room, hall, kitchen and bathroom)	£35 per week

Members and associates may, subject to approval, hire the reception rooms for social functions and meetings. The charges for these are:

Long room (will seat 100)	25 guineas for each occasion
Common room and terrace	15 guineas for each occasion
Damask room (will seat 50)	15 guineas for each occasion

A service charge of 10 per cent is added to all accounts to cover gratuities to domestic staff. Inquiries should be addressed to the **Administrative Secretary, 14 Princes Gate, London, S.W.7**. Bookings should be made, wherever possible, well in advance.

FIRST FOR  
CARPETS

**Dodson Bull**



UP TO **30%** Wiltons • Axminsters  
Orientals • Tufted  
**DISCOUNT**

**£200,000 Carpets on display** In our London and Northern Showrooms

- All makes available with full Manufacturers' Guarantees.
- No imperfect goods sold
- Free delivery in the U.K.
- Expert fitting service available most areas.

Write stating requirements or for introduction to showrooms in most main cities  
Open 9.30 to 5.30 Mon. to Fri. 9 to 12 Sats.

**DODSON-BULL CARPET CO LTD**

2, 4 & 5 Little Britain, London, EC1 (1 min St. Paul's) Tel: MON 7171 (10 lines)  
83-89 Blackett St, Newcastle-upon-Tyne 1 Tel: 20321 or 21428

THE ROYAL COLLEGE OF GENERAL PRACTITIONERS

COLLEGE APPEAL

CHRISTMAS CARD 1967

The Christmas card this year will show the coloured Coat-of-Arms of the College on the front cover, which will be white art card. On the left-hand side of the inset will be a Christmas greeting with the name and address of the sender, and on the right-hand side will be a black and white photograph of a limewood carving of "Asklepios and Telesphorus".

The price, including envelopes and inland postage, will be 16s. 0d. per dozen and the proceeds from the sale will go towards the College appeal fund.

ORDER FORM

To: THE APPEAL SECRETARY, The Royal College of General Practitioners, 14 Princes Gate, London, S.W.7.

I enclose remittance for £ : s. d. for.....dozen College Christmas cards for 1967.

The name(s) and address which I require printed within the card are:

Name(s) of sender (*block letters*).....

.....

Address (*block letters*).....

.....

.....

Please send cards to: (*block letters*)

.....

.....

P.T.O.

**THE ROYAL COLLEGE OF GENERAL PRACTITIONERS**

**ORDER FORM**

To: THE APPEAL SECRETARY, The Royal College of General Practitioners,  
14 Princes Gate, London, S.W.7.

I enclose remittance for £ : s. d. for the following gift items:

..... at .....

*plus postage and packing charge of* .....

..... at .....

*plus postage and packing charge of* .....

..... at .....

*plus postage and packing charge of* .....

Name and address of person ordering.....

(BLOCK LETTERS) .....

.....

Name and address of person to whom gifts are to be sent if other than stated  
above (BLOCK LETTERS) .....

.....

.....

**SUGGESTED GIFTS**

The following items, suitable as gifts, are offered for sale in aid of the College  
appeal fund:

		<i>Price</i>	
		<i>per item</i>	
		s.	d.
<b>Ties</b>	100 per cent Terylene, black or green with College crest .. .. .	25	0
	<i>Plus postage and packing</i>		6
<b>Cummerbunds</b>	Black silk with College crest .. .. .	50	0
	<i>Plus postage and packing</i>	1	0
<b>Cuff-links</b>	Enamelled .. .. .	25	0
	<i>Plus postage and packing</i>		6
<b>Ashtrays</b>	Blue glass with College Coat-of-Arms in gold ..	4	0
	<i>Plus postage and packing</i>		6

P.T.O.