The only way to be sure of the future is to buy it

Allowing for inflation, a doctor in a General Practice for 35 years may get about half his final income as a pension from the Superannuation Scheme. But is that sufficient to promise a carefree and comfortable later life?

By supplementing the scheme with one of our Personal Pension policies you could increase your pension by 50% — often more. In addition you receive full relief of income tax and surtax on the premiums you pay.

A card giving your name, address, date of birth, quoting reference oo8/1, for full details of this unique policy specially designed for General Practitioners will receive prompt attention. But in the meantime there are certain facts you might like to know right away.

For instance, bonuses declared every three years increase the pension. You are not committed to pay a fixed annual premium. You pay as you like in accordance with your earnings. And should you die before pension age all payments are returned to your estate plus compound interest at 4%. Finally, you may take the pension at any age between 60 and 70.



MEDICAL SICKNESS ANNUITY AND LIFE ASSURANCE SOCIETY LIMITED

P.O. Box No. 449, 7-10 Chandos Street, Cavendish Square, London, W.1 01 - 636 - 1686 (15 lines), 01 - 636 - 4158 (24-hour answering service)

"I think I need a tonic, doctor..."



...can be a symptom, too

The plaintive cry for a tonic frequently heard in the surgery may be an expression of unsuspected faulty protein metabolism. The weakness, lassitude, lack of energy and interest in the debilitated patient points to a negative nitrogen balance which may be rapidly corrected by the administration of Anabolex. After as little as a week's treatment with this drug the patient feels better, eats better and gains weight.

Anabolex can safely be given to patients of whatever age and of both sexes; given in therapeutic doses it is virtually nonvirilizing. The only known contra-indications are prostatic carcinoma and pregnancy.

Presentation: All tablets are foil packed in cartons of 30, 100 and 250 tablets of 25 mg.*

Dose: The maintenance dose of Anabolex is 2-3 tablets daily and, based on the NHS price, costs about 1/- a day. Free literature available on request.

Anabolex Trade Mark

a protein-anabolizing, virtually non-virilizing compound

Lloyd-Hamol Ltd., 103 Mount Street, London, W.1


*Each tablet contains 25 mg. Stanolone



Vertigo
Vomiting
Viral labyrinthitis
Migraine

Stemetil

Full information is available on request



'Stemetil' is a trade mark of the manufacturers, May & Baker Ltd Dagenham Essex (for its brand of prochlorperazine

Out of strength-gentleness



Seven years ago Ismelin established a standard for the reliable and consistent reduction of severely raised blood pressure which has not since been surpassed. Effective in up to 90% of cases, Ismelin is distinguished by an absence of toxic activity which makes it especially suitable for long-term therapy.

Today, it is accepted that these very qualities make Ismelin equally appropriate for the firm yet smooth control of milder states of hypertension.

CIBA

Simple Dosage in Milder Hypertension

Effective in up to 90% of patients

Sustained Continuous Control

10 and 25 mg tablets guanethidine sulphate BP in 100's and 500's. Basic NHS price 100 x 10 mg —27s 8d

10 mg amps, for i.m. inj. 6 x 1 ml NHS price —17s 4d

Full information on request

Geigy

Tanderil®

Helps arthritic joints to move again



Tanderil*


Major non-hormonal antirheumatic agent

Freedom from pain Reduction in morning stiffness Improvement in grip strength Decrease in joint swelling Increased mobility

Tanderil' is available as tablets containing 100 mg and as suppositories containing 250 mg of 1-phenyl-2-p-hydroxy-phenyl-3, 5-dioxo-4-n-butylpyrazolidine monohydrate.

Detailed literature describing Tanderil or any other Geigy product will be supplied on request.

Geigy (U.K.) Limited, Pharmaceuticals Division, Manchester 23.



does more than just relieve pain



Each tablet contains: Bismuth Subnitrate Roter (350 mg.), Magnesium Carbonate (400 mg.), Sodium Bicarbonate (200 mg.) and Cortex Rhamni Frangulae (25 mg.).

Packings: Tins of 40 and 120, also dispensing sizes, 360 and 720 (P.T. exempt).

ROTER tablets quickly overcome the pain and discomfort of minor gastric disturbances, but their true value is most evident in their control and frequent healing of peptic ulcer in both the early and the advanced or chronic stages. With Roter therapy, hospitalisation or surgery is mostly avoided; the patient remains ambulant and uncommitted to a restricted or prescribed diet; and recurring medical attention is usually obviated. Roter is worth remembering for your "gastric" patients.

Literature will be supplied on request from:-

F.A.I.R. LABORATORIES LTD., TWICKENHAM, MIDDLESEX.



A NEW ORAL GEL

WITH STRIKING ANALGESIC AND ANTISEPTIC PROPERTIES

orders.

Bonjela has been shown in formal American trials to bring rapid relief from pain in 90% of all cases of oral ulceration, herpes labialis, gingivitis and denture sores. By rapid relief is meant marked alleviation of pain within 2-3 minutes.

Bonjela also promotes healing whenever the aetiology is partly or wholly bacterial. Some ulceration originates from endocrinal, viral or fungal causes which may require other forms of treatment.

Even in these cases where a bacterial element is superimposed on the

Alc. (95%) 39.0%, Menthol 0.057%, Glycer 4.6%.

INDICATIONS: Herpes labialis, gingivitis, oral ulcerations, cheilosis denture sores, infant teething dis-

PRESENTATION: Bonjela is available in 10 g. tubes at a basic N.H.S. cost of 2/8½d. per tube.

LLOYDS' PHARMACEUTICALS LTD. 103 Mount Street, London, W.1. An associate of Lloyd-Hamol Ltd.


Literature and samples are available on request



original infection Bonjela will reduce the severity of the infection and rapid relief from pain will be obtained.

FORMULA: Choline Salicylate

8.7%, Cetalkonium Chloride 0.01%,



Butazolidin[®] Alka mantle tablets

A new approach to the treatment of patients with a known gastric sensitivity to antirheumatic agents

Butazolidin* Alka is formulated as a mantle tablet, incorporating 100 mg dried aluminium hydroxide gel B.P. and 150 mg magnesium trisilicate B.P. around a central core of 100 mg Butazolidin*

Geigy (U.K.) Limited Pharmaceuticals Division Manchester, 23

ONLY ONE


Only one conception regulator offers ultra-low dosage of <u>both</u> hormonal components with a decade of clinical experience behind each.

Norinyl-1 is that unique conception regulator. Its reliability, safety, tolerance and simplicity have been confirmed in a comprehensive evaluation involving 5,000 women, studied carefully for more than 50,000 cycles.

NORINYL-1

Each Norinyl-1 pack contains 21 tablets of Norethisterone B.P. 1 mg. and mestranol 0.05 mg. Full prescribing information on request.

SYNTEX & Syntex Pharmaceuticals Ltd, Maidenhead, Berks, England



STANDARD The height of the crossbar

The Rugby Union was founded on January 28th, 1871, forty-eight years after William Webb Ellis 'first took the ball in his arms and ran with it.' Mr. A. Rutter of Blackheath was the first president, and two months later the first Rugby International took place. England and Scotland. between (Scotland won.) It is the Rugby Union, of course, who lay down the law today, including the size of the goal posts, each of which must exceed 11 ft. from the ground, placed 18 ft. 6 in. from inside to inside of the posts, with a crossbar 10 ft. from the ground.



The N.H.S. price of the 30g, tube is 2/6d, and the cost of an average application of cream is under 1d.

LLOYD-HAMOL LIMITED, 103 Mount St., London, W.1.

STANDARD

The Transvasin therapy for rheumatic symptoms

Patients suffering from rheumatic lesions obtain rapid relief with this well-proven and economical medication. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury, producing superficial erythema and deep hyperaemia. Transvasin is a valuable adjuvant in the treatment of osteo and rheumatoid arthritis.

CONTAINS	
Ethyl Nicotinate	2%
HexvI Nicotinate	2%
Tetrahydrofurfuryl Salicylate	14%
Ethyl Aminobenzoate	2%
Base	to 100%



PORPHYRIA— A ROYAL MALADY

Published January 1968

The booklet contains two articles by Dr. Ida Macalpine and her colleagues on porphyria in the Royal Houses of Stuart, Hanover and Prussia; a historical reassessment by Dr. John Brooke and an introduction to the disease by Professor Abe Goldberg.

Illustrated

Royal Octavo

68 pages

"...a remarkable piece of medical detection..."

Daily Telegraph Liverpool Post Sheffield Morning Telegraph Western Daily Press Glasgow Herald Scottish Daily Mail The Times Yorkshire Post

Price 13s. 6d. (U.S.A. \$1.75) including postage

Copies can be ordered through any leading bookseller or direct from The Publishing Manager, British Medical Journal, B.M.A. House, Tavistock House, London W.C.1

CAR HIRE PURCHASE

Preferential Financial Terms for **Doctors** and **Dentists**

Get details of the special hire-purchase terms offered to the profession by

The Medical Sickness Finance Corporation

- * Minimum deposit
- * Maximum period of repayment
- * Payments waived on death

Send the coupon below to us at

7-10 Chandos Street

Cavendish Square, London W1

Telephone 01-636-1686

A wholly owned subsidiary of Medical Sickness Annuity and Life Assurance Society Ltd.

Name Address GP





From the moment the asthmatic patient begins to fight for breath, only seconds need elapse before the onset of relief—with Medihaler.

Reports repeatedly confirm that *Medihaler* places rapid profound relief within easy reach of the patient. In one trial *Medihaler-iso* Forte improved the mean expiratory flow rate of 24 patients by 47 per cent three to five minutes after inhalation—18 per cent higher than the next best preparation. In another trial, *Medihaler-iso* Forte was the fastest-acting of six pocket aerosols—and *Medihaler-iso* was next in rapidity of action. In yet another trial, a single inhalation (0.4 mg.) from *Medihaler-iso* Forte had significantly greater effect than 5 mg. of isoprenaline inhaled continuously over three minutes from an oxygen-powered nebuliser.

Simple to operate, compact to carry, giving profound relief from a minute dose, *Medihaler* opens airways in seconds when the fight for breath is on.

1. Brit. Med. J. (1966) 1:1014 2. Rev. Inst. Hyg. Mines (Belgium) 1965 20(3):170. 3. Brit. J. Dist. Chest (1964) 57:140

Melihaler-iso Forte contains a suspension of Isoprenaline Sulphate B.P. 20 mg./ml. and delivers 0.4 mg. per dose.

Melihaler-iso contains a suspension of Isoprenaline Sulphate B.P. 4 mg./ml. delivers 0.08 mg. per dose. **Dosage:** Melihaler delivers a full strength dose which should be sufficient to provide relief in most

Caution: Isoprenaline is well tolerated by most Medihaler, Medihaler-iso: registered trade marks

patients. However, it should be used with caution in the presence of impaired cardiac function, hyperthyroidism and severe hypertension. Isoprenaline is a potent agent. The smallest dosage of it which provides relief should not be exceeded.

Basic NHS prices: 400-dose complete unit. Medihaler-iso 14/4. Medihaler-iso Forte 17/-.

Additional information is available on request.

Medihaler opens airways in seconds

Riker Laboratories Loughborough Leicestershire



Perimean multiple—demand of less than 10 items of service for three or more episodes of illness.

D.F.P.—demand forming population—population over the age of 15.

Rank of illness

Rank 1—equivalent to serious and moderate in the Logan classification.

Rank 2—equivalent to mild and minor in the Logan classification.

Acknowledgements

To Mr J. Pearson, department of public health and social medicine, University of Dundee, for assistance with the planning of the mathematical and statistical considerations in this article; to Professor A. Mair, department of public health and social medicine, University of Dundee, for the use of equipment in the analysis; and to Riker Laboratories, Loughborough, Leicestershire, for financing the investigation.

REFERENCES

Jacob, A. (1966a). J. Coll. gen. Practit., 11, 41.
Jacob, A. (1966b). J. Coll. gen. Practit., 11, 241.
Payne, W. (1966). J. Coll. gen. Practit., 12, 172.

ACCOMMODATION AT COLLEGE HEADOUARTERS

Temporary residential accommodation for members and associates and their families is provided at college headquarters. This building, overlooking Hyde Park on one side and Princes Gate on the other, is central and easily accessible.

The charges, including breakfast, are as follows:

For single rooms £2 10s. 0d. per night

For double rooms £4 5s. 0d. per night For a flatlet (bed-sitting room for two, bath-

room and dressing room) £6 per night or £36 per week

For a self-contained flat (double bedroom, sitting room, hall, kitchen and bathroom) £42 per week

Children under the age of 12 years cannot be admitted, and dogs are not allowed.

Members and associates may, subject to approval, hire the reception rooms for meetings and social functions. The charges for these are:

Long room (will seat 100)

25 guineas for each occasion

Damask room (will seat 100)

Damask room (will seat 50)

Common room and terrace

25 guineas for each occasion
15 guineas for each occasion
15 guineas for each occasion


A service charge of 10 per cent is added to all accounts to cover gratuities to domestic staff.

Enquiries should be addressed to the Administrative Secretary, The Royal College of General Practitioners, 14 Princes Gate, London, S.W.7. (Tel. KNIghtsbridge 6262). Whenever possible bookings should be made well in advance.



Today's Drugs, B.M.J., 1963, 1,521.

Rastinon tablets contain 0.5G tolbutamide B.P. Full information available on request.



He cheats a little over exchanges . . . forgets his diet on holiday . . . and nothing very terrible happens – at the time. It's easy for the non-insulin dependent diabetic to lapse into complacency – but you can shake him out of it with CLINISTIX. You can make him understand that purple means danger – purple colour on the CLINISTIX is visible proof that control is slipping. Good control from the outset is essential if the risk of complications such as retinopathy and nephropathy is to be reduced: the patient who spends a few minutes a week on testing can save years of misery later.

For the insulin dependent diabetic prescribe CLINITEST*. Both CLINISTIX and CLINITEST are prescribable on EC10.





when a teaspoonful of

Pholtex

can give cough relief for 8 to 10 hours

Dosage: one teaspoonful two or three times daily (Children—half to full adult dosage, according to age).


Each teaspoonful (4 ml.) contains Pholcodine B.P. 15 mg. and Phenyltoloxamine 10 mg. as ion exchange resin complexes in a pleasantly flavoured, thixotropic vehicle.

Basic NHS cost: 2 fl. oz. 5/-; 20 fl. oz. 47/4.

After Laboratories · Loughborough · Leicestershire Riker

Pholtex: registered trade mark

67-1.PH



abnormal blood urea in 60 seconds

Azostix*

REAGENT STRIPS

Wherever you are, a valuable blood urea result at your fingertips in one minute.

All you need with AZOSTIX reagent strips is one large drop of blood, a watch, a wash bottle and one minute to detect abnormal (and normal) blood urea. Available in bottles of 25 strips (colour chart provided on bottle label).



For full information about AZOSTIX reagent strips: please contact
Ames Company, Division of Miles Laboratories Limited,
Stoke Court, Stoke Poges, Slough, Buckinghamshire. * Trademark/AM6447

less/more pain/activity

Indomethacin

for many arthritic patients

'Indocid' is a non-steroid anti-inflammatory agent with marked analgesic properties. In a number of painful acute and chronic arthritic disorders and in acute musculoskeletal conditions such as bursitis, tendinitis and synovitis, 'Indocid' is gaining increasing acceptance as a valuable product for short-term and long-term use.

Supplied as 25 mg capsules and 100 mg suppositories. Detailed information is available to physicians on request.



Merck Sharp & Dohme Limited, Hoddesdon, Hertfordshire Telephone, Hoddesdon 67123

Each year two million migraine attacks are treated with

'Migril'

What factors have contributed towards the great success of 'Migril'?

Each 'Migril' tablet contains **two milligrammes** of ergotamine. 'Migril', alone, averts nausea and vomiting by the inclusion of **cyclizine** (a fast acting anti-emetic).

After more than ten years of extensive clinical use both doctors and patients have found that 'Migril' does master migraine.

Each tablet of 'Migril' brand Ergotamine Compound contains 2 mg. ergotamine tartrate, B.P. 50 mg. cyclizine hydrochloride, B.P., and 100 mg. caffeine hydrate, B.P.

'Migril' masters migraine

Full information is available on request.

Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) London

3 QN 12

NEW BOOKS

MERSKEY & SPEAR

PAIN—Psychological and Psychiatric Aspects

H. MERSKEY, M.A., D.M., D.P.M., Physician in Psychological Medicine, The National Hospitals for Nervous Diseases, London, and F. G. SPEAR. M.D., D.P.M., Consultant Psychiatrist, Middlewood Hospital, Sheffield.

Surprisingly little has been written about pain from the psychiatric and psychological viewpoints, although works have been published on its anatomical. physiological and neurological aspects. The authors of this important book review the existing literature and from their own researches critically assess several available theories and offer their own unitary view of pain. The extensive bibliography to the literature covering all aspects of pain is a very useful feature. 232 pages 40s.

MANSFIELD & JENKINS

Practical Anaesthesia for Lung Surgery

R. E. MANSFIELD, L.R.C.P., M.R.C.S., F.F.A.R.C.S., D.A., Consultant Anaesthetist, Brompton Hospital, King George V Hospital for Diseases of the Chest, and Milford Chest Hospital, and R. JENKINS, M.A., L.R.C.P., M.R.C.S., F.F.A.R.C.S., D.A., Consultant Anaesthetist, United Cardiff Hospitals and Welsh Hospital Board.

"A textbook for the practical anaesthetist . . . It is an excellent introduction to the subject and the sections dealing with the actual procedures could well be read by anyone about to embark on work in this field . . . The book is beautifully illustrated and well produced and has an excellent index." British Journal of 214 pages 43 illustrations 50s. Anaesthesia.

ANDREWES & PEREIRA

Viruses of Vertebrates

SIR C. ANDREWES, M.D., F.R.C.P., F.R.S., Late Wellcome Trust Fellow: Late Deputy Director, National Institute for Medical Research, Mill Hill, London, and H. G. PEREIRA, M.D., National Institute for Medical Research, Mill Hill, London.

Sir Christopher Andrewes has been assisted in this revision by H. G. Pereira of the Medical Research Council. Subjects are discussed under the main groups: RNA viruses, DNA viruses, and the unclassified. There is a full discussion of each virus, its properties, and relations with other viruses. Work in this field proceeds so rapidly that considerable revision, and re-arrangement has been necessary for this edition. 2nd Edition 448 pages 70s.

BAILLIÈRE, TINDALL & CASSELL

7 & 8 Henrietta Street, London W.C.2



The Care of Radiation Casualties By John Blakely, M.D., D.P.H., D.I.H. 144 pages, 24 illustrations, 2 colour plates 30s. net

Biological Psychiatry, A Review of Recent Advances By J. R. Smythies, M.D., M.R.C.P., D.P.M. 120 pages, 21 illustrations 30s. net

Cervical Spondylosis and other disorders of the cervical spine Edited by Lord Brain, D.M., L.L.D., D.C.L., D.SC., F.R.C.P., F.R.C.S., F.R.B., F.F.R., and Marcia Wilkinson, D.M., F.R.C.P. 240 pages, 150 illustrations 55s. net

Exotic Diseases in Practice
By B. G. Maegraith, M.B., D.PHIL., F.R.C.P.
377 pages, 31 illustrations, 2 colour plates
59s. net

Infectious Diseases
By A. M. Ramsay, M.A., M.D., and R. T. D.
Emond, M.B., CH.B., M.R.C.P., D.T.M. & H.
320 pages, 100 Illustrations, 12 colour plates
63s. net

Background to Migraine:
Proceedings of the First Migraine Symposium
Edited by Robert Smith, M.D.
168 pages, 56 illustrations 36s. net

Ultrastructure of the Thyroid Gland By A. Lupulescu, M.D., and A. Petrovici, M.D. 174 pages, 102 illustrations 80s. net

Developmental Dyslexia
By Macdonald Critchley, M.D., F.R.C.P.
120 pages, 36 illustrations
25s. net

Heredity and Environment in the Functional Psychoses; An Epidemiological-Clinical Twin Study By Einar Kringlen, M.D. 200 pages 65s. ne

Malabsorption Syndrome
By A. C. Frazer, C.B.E., M.D., D.SC., F.R.C.P.
120 pages, 53 illustrations
30s. net

Diseases of Man Acquired from His Pets By B. Bisseru, M.SC., PH.D., M.B., B. S., M.R.C.S., M.R.C.P.ED., D.T.M. & H., D.OBST.R.C.O.G. 498 pages, 94 illustrations 34s. net

The Chromosome Disorders:
An Introduction for Clinicians
By G. H. Valentine, M.B., CH.B., M.R.C.P.,
D.C.H., F.R.C.P.(C)
144 pages, 74 illustrations
25s. net

WILLIAM HEINEMANN MEDICAL BOOKS LTD.,

23 Bedford Square, London, W.C.I