

The only way to be sure of the future is to buy it

Allowing for inflation, a doctor in a General Practice for 35 years may get about half his final income as a pension from the Superannuation Scheme. But is that sufficient to promise a carefree and comfortable later life?

By supplementing the scheme with one of our Personal Pension policies you could increase your pension by 50% — often more. In addition you receive full relief of income tax and surtax on the premiums you pay.

A card giving your name, address, date of birth, quoting reference 008/1, for full details of this unique policy specially designed for General Practitioners will receive prompt attention. But in the meantime there are certain facts you might like to know right away.


For instance, bonuses declared every three years increase the pension. You are not committed to pay a fixed annual premium. You pay as you like in accordance with your earnings. And should you die before pension age all payments are returned to your estate plus compound interest at 4%. Finally, you may take the pension at any age between 60 and 70.



MEDICAL SICKNESS ANNUITY AND LIFE ASSURANCE SOCIETY LIMITED

P.O. Box No. 449, 7-10 Chandos Street, Cavendish Square, London, W.1

01 - 636 - 1686 (15 lines), 01 - 636 - 4158 (24-hour answering service)



Tegretol[®]
Anticonvulsant

Geigy

**Widens the scope of
anti-epileptic therapy**

Tegretol is available as tablets each containing 200 mg
5-carbamoyl-5H-dibenz (b,f) azepine.

Detailed literature will be supplied on request

Geigy (U.K.) Ltd.,
Pharmaceuticals Division,
Manchester, 23.

NEW BOOKS

MERSKEY & SPEAR

PAIN—Psychological and Psychiatric Aspects

H. MERSKEY, M.A., D.M., D.P.M., *Physician in Psychological Medicine, The National Hospitals for Nervous Diseases, London*, and **F. G. SPEAR**, M.D., D.P.M., *Consultant Psychiatrist, Middlewood Hospital, Sheffield*.

Surprisingly little has been written about pain from the psychiatric and psychological viewpoints, although works have been published on its anatomical, physiological and neurological aspects. The authors of this important book review the existing literature and from their own researches critically assess several available theories and offer their own unitary view of pain. The extensive bibliography to the literature covering all aspects of pain is a very useful feature.

232 pages 40s.

ANDREWES & PEREIRA

Viruses of Vertebrates

SIR C. ANDREWES, M.D., F.R.C.P., F.R.S., *Late Wellcome Trust Fellow; Late Deputy Director, National Institute for Medical Research, Mill Hill, London*, and **H. G. PEREIRA**, M.D., *National Institute for Medical Research, Mill Hill, London*.

Sir Christopher Andrewes has been assisted in this revision by H. G. Pereira of the Medical Research Council. Subjects are discussed under the main groups: RNA viruses, DNA viruses, and the unclassified. There is a full discussion of each virus, its properties, and relations with other viruses. Work in this field proceeds so rapidly that considerable revision, and re-arrangement has been necessary for this edition.

2nd Edition 448 pages 70s.

BAILLIÈRE, TINDALL & CASSELL

7 & 8 Henrietta Street, London W.C.2

Books for DOCTORS

Doctors throughout the world look upon Foyles as their favourite bookshop — and that's not surprising when you see the remarkable variety of our stock. Here, in Foyles big new Medical department, you will find books on Surgery, Bacteriology, Dietetics, Physiotherapy, Orthopaedics, Radiology, Psychiatry, Pharmacology, Embryology, Endocrinology, Geriatrics, and on every other branch of medical science. Foyles is a great Bookshop for doctors—and for all other bookbuyers too!

THE WORLD'S GREATEST BOOKSHOP

FOYLES
* * FOR BOOKS * *

119-125 CHARING CROSS ROAD LONDON WC2
Hours 9—6 (Thurs. 9—7) * Open all day Saturdays

Geigy

Tanderil®

**Helps
arthritic joints
to move
again**



Tanderil*

**Major non-hormonal
antirheumatic agent**

Freedom from pain
Reduction in morning
stiffness
Improvement in grip
strength
Decrease in joint swelling
Increased mobility

Tanderil* is available as
tablets containing 100 mg
and as suppositories
containing 250 mg of
1-phenyl-2-p-hydroxy-
phenyl-3, 5-dioxo-4-n-
butylpyrazolidine
monohydrate.

Detailed literature
describing Tanderil or any
other Geigy product will be
supplied on request.

Geigy (U.K.) Limited,
Pharmaceuticals Division,
Manchester 23.

“I think I need a tonic, doctor...”



... can be a
symptom, too

The plaintive cry for a tonic frequently heard in the surgery may be an expression of unsuspected faulty protein metabolism. The weakness, lassitude, lack of energy and interest in the debilitated patient points to a negative nitrogen balance which may be rapidly corrected by the administration of Anabolex. After as little as a week's treatment with this drug the patient feels better, eats better and gains weight.

Anabolex can safely be given to patients of whatever age and of both sexes; given in therapeutic doses it is virtually non-virilizing. The only known contraindications are prostatic carcinoma and pregnancy.

Presentation: All tablets are foil packed in cartons of 30, 100 and 250 tablets of 25 mg.*

Dose: The maintenance dose of Anabolex is 2-3 tablets daily and, based on the NHS price, costs about 1/- a day. Free literature available on request.



Anabolex
Trade Mark

a protein-anabolizing, virtually non-virilizing compound


LLOYD-HAMOL LTD
103 MOUNT STREET
LONDON, W.1

**LLOYD-
HAMOL**
Ltd.

*Each tablet contains 25 mg. Stanolone



For this patient and this patient



**and this patient Your next
hypertensive
patient?**



Merck Sharp & Dohme Limited
Hoddesdon, Hertfordshire
Telephone, Hoddesdon 67123

Supplied as 250 mg tablets and, for emergency
use, as an injection. Detailed information is
available to physicians on request.

Aldomet[®] for smoother,
long-term control
of hypertension
Methyldopa BP

Like radar LABSTIX reagent strips provide early detection of the unsuspected. LABSTIX offer accurate scanning and immediate identification.

Covering a wide range of 5 tests (for blood, ketones, glucose, protein and pH) LABSTIX reagent strips provide in convenient form the most comprehensive urine testing procedure available.

Like radar, to be effective LABSTIX should be used routinely, continuously every time a patient is seen.

Insure yourself against missing something – *before it is too late.*

Labstix*

gives you early routine protection



Ames Company Division of Miles Laboratories Limited
Stoke Court, Stoke Poges, Slough, Bucks. *trademark/am5





A NEW ORAL GEL WITH STRIKING ANALGESIC AND ANTISEPTIC PROPERTIES

Bonjela has been shown in formal American trials to bring rapid relief from pain in 90% of all cases of oral ulceration, herpes labialis, gingivitis and denture sores. By rapid relief is meant marked alleviation of pain within 2-3 minutes.

Bonjela also promotes healing whenever the aetiology is partly or wholly bacterial. Some ulceration originates from endocrinal, viral or fungal causes which may require other forms of treatment.

Even in these cases where a bacterial element is superimposed on the

original infection Bonjela will reduce the severity of the infection and rapid relief from pain will be obtained.

FORMULA: Choline Salicylate 8.7%, Cetalkonium Chloride 0.01%, Alc. (95%) 39.0%, Menthol 0.057%, Glycer. 4.6%.


INDICATIONS: Herpes labialis, gingivitis, oral ulcerations, cheilosis, denture sores, infant teething disorders.

PRESENTATION: Bonjela is available in 10 g. tubes at a basic N.H.S. cost of 2/8½d. per tube.

LLOYDS' PHARMACEUTICALS LTD.
103 Mount Street, London, W.1.
An associate of Lloyd-Hamol Ltd.

Literature and samples are available on request





STANDARD

The weight of a tennis ball

The International Lawn Tennis Federation lays down that a tennis ball shall be more than 2oz. and less than $2\frac{1}{4}$ oz. in weight. A fine distinction, you may think. But there is more to come. It must have a uniform outer surface. If there are any seams, they must be stitchless. It must be more than $2\frac{1}{2}$ " and less than $2\frac{5}{8}$ " in diameter, have a bound of more than 53" and less than 58" when dropped 100" upon a concrete base and a deformation of more than .265" and less than .290" when subjected to a pressure of 18 lb. applied to each end of the diameter.



The N.H.S. price of the 30 g. tube is 2/6d. and the cost of an average application of cream is under 1d.

LLOYD-HAMOL LTD.,
103 Mount Street, London, W.1

STANDARD

The Transvasin therapy for rheumatic symptoms

Transvasin as the standard treatment for the relief of rheumatic symptoms is becoming more and more widely accepted every day. Patients suffering from rheumatic lesions obtain rapid relief with this well-proven and economical medication. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury, producing superficial erythema and deep hyperaemia. Transvasin is a valuable adjuvant in the treatment of osteo and rheumatoid arthritis.

CONTAINS	
Ethyl Nicotinate	2%
Hexyl Nicotinate	2%
Tetrahydrofurfuryl Salicylate	14%
Ethyl Aminobenzoate	2%
Base	to 100%

