E. & S. LIVINGSTONE LTD. =

EARLY DIAGNOSIS

Edited by HENRY MILLER, M.D., F.R.C.P. With twenty-five distinguished contributors.

408 pages
25s.

"The early recognition of important disease is the special responsibility of the general practitioner, for whom this book has been written. It is he who must appreciate the signs which will lead him to commission on behalf of his patients the elaborate, expensive and sometimes even potentially dangerous machinery of modern medical investigation. Not only a source of intellectual satisfaction and the basis of reliable prognosis, early diagnosis has been endowed by the headlong advance of therapeutics with a practical importance undreamed-of even a few years ago."—Extract from Preface.

SHAKESPEARE AND MEDICINE

By R. R. SIMPSON, M.B., ChB., F.R.C.S., F.R.C.S.Ed. 275 pages 8 illustrations 25s.

This volume on the references to medicine in Shakespeare's plays is the result of years of tireless research. It is a scholarly work and, although written primarily for medical men, its importance and appeal stretch to all whose work and interest bring them into contact with the life, the work, the art of Shakespeare. It will be a standard reference book for many years to come.

TEVIOT PLACE, EDINBURGH =

BRITISH MEDICAL JOURNAL

the leading medical Journal and the most widely read

Published weekly Subscription £6 6s. p.a.

SPECIALIST JOURNALS

ABSTRACTS OF WORLD MEDICINE
Monthly. Subscription £4 4s. p.a.

BRITISH JOURNAL OF OPHTHALMOLOGY Monthly. Subscription £6 p.a.

ARCHIVES OF DISEASE IN CHILDHOOD Bi-monthly, Subscription £4 4s. p.a.

JOURNAL OF CLINICAL PATHOLOGY Bi-monthly. Subscription £4 4s. p.a.

ANNALS OF THE RHEUMATIC DISEASES

BRITISH HEART JOURNAL

DISTRICT MEDICAL

BRITISH JOURNAL OF INDUSTRIAL MEDICINE
BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

BRITISH JOURNAL OF VENEREAL DISEASES JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY MEDICAL AND BIOLOGICAL ILLUSTRATION

THORAX

Published quarterly. Subscription £3 p.a.

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

Published quarterly. Subscription £4 4s. p.a.

OPHTHALMIC LITERATURE

Subscription £4 4s. p.a. or combined with British Journal of Ophthalmology £9 p.a.

BRITISH MEDICAL ASSOCIATION




'SECROSTERON'

DIMETHISTERONE TABLETS

the new name in steroids

WITH SIMPLER DOSAGE SCHEMES, INCREASED POTENCY AND
PURELY PROGESTATIONAL ACTION

'Secrosteron' marks a significant advance in its specific field. It is a highly potent, orally active progestational agent. It brings about true secretory changes in the endometrium; and it has no estrogenic or androgenic action. Above all it has increased potency over ethisterone and is active in wide range of conditions, at many times smaller dosage levels.











Dosulfin®

in paediatrics

Geigy

Both for sick children and those who nurse them Dosulfin suspension offers many advantages.

Dosulfin suspension, a combination of equal parts of sulphaproxyline and sulphamerazine, is a highly effective antibacterial drug. This pleasantly flavoured syrup is readily accepted by children of all ages.

A small dose of Dosulfin suspension has a rapid action and provides a high concentration in the necessary organs. This concentration is extended over a relatively long period and Dosulfin need only be administered two or three times a day.

Dosulfin is also available in the form of a completely tasteless tablet which, if desired, can easily be crushed into a powder and mixed with the patient's food.

Dosulfin suspension is indicated in:—
Infections of the ear
Lobar and broncho-pneumonia
General respiratory tract infections
As a prophylactic against complications
in measles and influenza.

Availability (Basic N.H.S. prices)

Bottles of 50 ml. 10% syrup . 6s. 9d. Accurate graduated measure enclosed in each package.

of 0.75 g.

Tubes of 12 tablets 5s. 4d. Containers of 100 tablets . . 36s. 6d.

Geigy Pharmaceutical Company Ltd. Manchester 23

means Registered Trade Mark.

PH.141

The esters of NICOTINIC, SALICYLIC and



bring relief to cases of arthritis and rheumatism

In cases of soft-tissue rheumatism, and arthritic disorders, many doctors are tending more and more to regard Transvasin as an indispensable adjuvant to treatment.

For Transvasin is composed of the esters of nicotinic, salicylic and p-aminobenzoic acids. These esters readily pass the skin barrier in therapeutic quantities, and so enable an effective concentration of drugs to be built up where they are needed.*

Transvasin not only induces vasodilation of the skin with a superficial erythema, but also brings about a deep hyperaemia of the underlying tissues. It is non-irritant and can be safely used on delicate skins.

It is now being widely prescribed, with successful clinical results. Since a very small quantity is sufficient for each application, the cost of treatment is extremely low.

Market a 15Va	* Therapeutische Umschau 1902, 8, 143.
Transvasin Transvasin	Tetrahydrofwrfuryl salicylate

Transvasin is available in 1 oz. tubes, basic N.H.S. price 2/6 plus P.T., and is not advertised to the public. Samples and literature will be gladly sent on application.

LLOYD-HAMOL LTD

11 Waterloo Place, London, S.W.1. Tel. WHItehall 8654/5/6

Transvasin is the registered trade mark of Lloyd Hamol Ltd.

"Thank you, doctor"

A Superior Buffered Analgesic

'ALASIL' Tablets—the improved form of salicylate medication — provide the efficient analgesia expected from their content of aspirin. Their superior acceptability derives from their content of a reliable buffer which minimizes the tendency to gastric irritation sometimes caused by the use of aspirin alone.

Advantages

'Alasil' is an advanced sedative and antipyretic; it does not tend to induce gastric irritation; because of its high tolerability, it may be used for longterm administration even to those with sensitive stomachs, and to children.

Composition

'Alasil' Tablets contain the recognized antacid corrective, 'Alocol' (Colloidal Aluminium Hydroxide), which permits their sedative principle, acetylsalicylic acid, to exert its action with minimal risk of side-effects.

Indications

Symptomatic pain generally; rheumatism, fibrositis, lumbago, headache, dysmenorrhoea; dental pain.

Packs & Prices

To Pharmacists (P.T. exempt for dispensing) Standard size: 1000 in 250 bottles, 30/8 ' Juvenile' size: 375, 6/6; 750, 11/3; 1500, 21/6






Literature on request to
A. Wander Ltd., 42 Upper Grosvenor St.,
London W.1.

M.391

ALASIL JUVENILE TABLETS

Alasil 'Juvenile' Tablets specially sized for children, and neither coloured nor flavoured, are packed in tubes bearing dosage-for-age instructions.



The advantages of

Esidrex

(hydrochlorothiazide, a product of CIBA research)

For oedema and hypertension

Highest potency-low dosage.

Fully active orally—often effective where mercurials have failed.

Less risk of potassium depletion.

Almost a pure sali-diuretic.

No significant effect on urinary pH.

Low cost of treatment—averages 4d. to 1/- daily.

The dosage range is usually 25 to 100 mg. daily, taken in two doses, after breakfast and after lunch.

Tablets of 25 mg. and 50 mg. hydrochlorothiazide in 25's, 100's and 500's.

Esidrex is a registered trade mark. Reg. user

CIBA Laboratories Limited, Horsham, Sussex

for the control of hypertension

'Perolysen', the newest ganglion blocking agent synthesised in the M&B research laboratories, has an autonomic ganglion blocking action resembling that of mecamylamine, but of shorter duration. It is devoid of other pharmacological actions in the dosages used clinically.

The moderate duration of action
ensures that any necessary dosage modifications
are rapidly effective.

'Perolysen' is presented as tablets of 1 mg., 5 mg. and 10 mg.



An M&B brand Medical Product



MANUFACTURED BY
MAY & BAKER LTD

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM



antibiotic development of great promise

GRISOVIN

(griseofulvin Glaxo)

The first <u>oral</u> treatment for fungal infections of the skin

Systemic therapy of intractable fungal infections of the skin has long been recognised to be the desirable form of treatment. It can now be achieved orally with griseofulvin, an antibiotic developed by Glaxo.

GRISOVIN TABLETS

Tablets containing 250 mg griseofulvin

Basic N.H.S. cost in the United Kingdom:
Bottles of 100—60/- each. Bottles of 1000—560/- each

GLAXO LABORATORIES LTD, GREENFORD, MIDDLESEX. BYRon 3434

Subsidiary Companies or Agents in most countries

GRISOVIN IS A GLAXO TRADE MARK

Butterworth Medical Publications-

A SYSTEM OF ORTHOPAEDICS AND FRACTURES

Edited by A. GRAHAM APLEY, M.B., B.S., F.R.C.S. Pp. viii + 357 + Index. Standard Edition 47s. 6d. net. Alternative Edition, interleaved with blank pages. 67s. 6d. net, by post 1s. 9d. extra.

This work states clearly and concisely the essentials of orthopaedic diagnosis and treatment. It will be valuable to those whose work demands a quick means of reference to orthopaedics—such as house surgeons and casualty officers—and all who are studying the subject.

For those who want to add their own notes, there is an alternative edition interleaved with blank pages.

MEDICAL LABORATORY INVESTIGATIONS: Their Use and Interpretation

By IAN DAWSON, M.A., M.D., M.R.C.P., and WILLIAM GOLDIE, M.A., M.B., F.R.C.P., F.R.C.P.(E.). Pp. xiii + 233 + Index. 35s. net, by post 2s. extra.

Here is a book for everyone who has to request or to interpret a laboratory investigation. It deals logically with the type and quantity of specimen needed, how it should be obtained, the degree of accuracy to be expected from the test, and the significance of the results.

MODERN TRENDS IN DISEASES OF THE VERTEBRAL COLUMN

Edited by REGINALD NASSIM, B.M., F.R.C.P., and H. JACKSON BURROWS, M.D., F.R.C.S., F.R.A.C.S. Pp. ix + 292 + Index. 172 illustrations. 75s. net, by post 1s. 6d. extra.

In this new book, experts in particular fields combine their knowledge to cover in one work a subject which usually remains divided between the specialities. Facts and treatment are examined in the light of new advances and the effects on the body as a whole of diseases of the vertebral column are discussed.

CANCER OF THE PHARYNX, LARYNX AND OESOPHAGUS and Its Surgical Treatment

By RONALD W. RAVEN, O.B.E.(MIL.), T.D., F.R.C.S. Pp. xiv + 292 + Index. 189 illustrations. 67s. 6d. net, by post 1s. 9d. extra.

The author of this new book writes from a wealth of personal experience. He deals exhaustively not only with pathology and anatomy, but with pre-cancerous conditions and the clinical picture, describing those operations which he has found valuable. The results of radiotherapy are fully reviewed, together with special anaesthetic considerations.

Illustrated brochures available on application

BUTTERWORTHS, 88 KINGSWAY, LONDON, W.C.2

Showroom: 11-12 BELL YARD, TEMPLE BAR, LONDON, W.C.2



Circular booms or "sacks" each consisting of about 25,000 logs, on the Gatineau River, Quebec, one of Canada's richest sources of pulp wood.

(Photograph by courtesy of the National Film Board of Canada.)

—but when blood vessels are occluded . . .

ANTICOAGULANT THERAPY

with

* PULARIN (heparin-Evans) available in a G.P. EMERGENCY PACK OF 12500 I.U.

and

* DINDEVAN (phenindione-Evans) tablets (10 mg. and 50 mg.)

A copy of the brochure 'Essentials of Anticoagulant Therapy' will be sent by Medical Information Department on request.

* TRADE MARK



EVANS MEDICAL SUPPLIES LTD LIVERPOOL AND LONDON





now
dependable
weight loss with

*

active appetite control without overstimulation

really long action: 12-14 hours from a single capsule

new ion-exchange release technique produces smooth, uninterrupted medication

new formulation: balanced amounts of dextro and laevo amphetamine (3:1 ratio) give more powerful appetite-suppressing effect, without increasing CNS stimulation

THREE strengths (20mg.; 12½mg.; 7½mg.) so that each therapeutic need can be met by prescribing a *single* capsule once a day. Containers of 30 capsules.

Riker Laboratories Ltd

Loughborough, Leicestershire



ASTHMATIC, YES... INVALID, NO


The balanced formula of 'Amesec' gives asthmatic patients a control which enables them to enjoy even the more vigorous forms of activity. By combination of one of the 'Pulvules' two or three times a day, with one of the 'Enseals' at night, 24-hour protection from attack is usually attained.

Each contains:—
Aminophylline
Ephedrine Hydrochloride
'Amytal' brand Amylobarbitone

'Amesec' is available as 'Pulvules and as 'Enseals'

'AMESEC'

ELI LILLY AND COMPANY LIMITED, BASINGSTOKE, ENGLAND



—reliable, quick, no external heating—

A **NEW** COLOUR TEST

For PROTEIN	ALBUSTIX reagent strips
For BLOOD	
For GLUCOSE	reagent tablets CLINISTIX
For BILIRUBIN	
For KETONES	reagent tablets
and, of course, for	reliable estimation of
SUGAR	CLINITEST

Range of six simplified urine tests for General Practitioners, hospitals, clinics and laboratories.

Please write for illustrated leaflet and references.

Acetest' and 'Clinitest' are available under the N.H.S. on form E.C.10.

*Acetest' and 'Clinitest' are available under the N.H.S. on form E.C.10.
(See drug tariff)
*Trade Marks



NUFFIELD HOUSE, PICCADILLY, LONDON, W.I Telephone: REGent 5321

Broader control in skin conditions

Vioform-Hydrocortisone

Effective against most bacteria and fungi; well tolerated, even by patients sensitive to other treatments

The special vanishing cream base and new almost white Vioform make the cream an elegant preparation which rubs in easily.

Ointment is also available.

Infected, infantile, nummular and allergic eczema neurodermatitis; seborrhoeic, atopic, mycotic and contact dermatitis; ano-genital pruritus; varicose and indolent ulcers; sycosis barbae; folliculitis; psoriasis; impetigo; otitis externa and herpes simplex


Tubes of 5G (basic N.H.S. price 3s. 3d.) and 20G containing 3% iodochlorhydroxyquinoline and 1% hydrocortisone

C I B A

Vioform' is a registered trade mark. Reg. user CIBA Laboratories Limited, Horsham, Sussex

RIKER

You can treat iron deficiency anaemia better if you prescribe



FERROIDS

Virtually fulfils the requirements for the ideal haematinic. High utilization of iron. Exceptional freedom from side effects

Each golden yellow tablet contains 350 mg. of iron aminoates. This interesting new compound is produced by chelating iron with amino acids. The presence of amino acids profoundly affects the absorption of iron and they are responsible for the unique properties of 'Ferroids'.

DOSE 1 TO 2 TABLETS THREE TO FOUR TIMES A DAY.

Treatment with 'Ferroids' is relatively inexpensive. The basic N.H.S. cost of 1 week's treatment is 1/2 to 3/1, based on the large pack of 1,000.

FORMULA


Each tablet contains:
Iron aminoates 350 mg.
(corresponding to 35 mg.
elemental iron)
Aneurine hydrochloride
1 mg.

PACKS AND BASIC

100's 6/8d 1,000's 54/8d

'FERROIDS' is a registered trade mark of

RIKER LABORATORIES LIMITED . LOUGHBOROUGH . LEICS.



Nasal Congestion?

In Neophryn with antihistamine, the powerful vasoconstrictor Neophryn is combined with thenyldiamine hydrochloride, an antihistamine which also has a mild anaesthetic action and enhances the decongestive properties of Neophryn. For the relief of nasal congestion in the common cold, sinusitis and allergic or vasomotor rhinitis, Neophryn with antihistamine, relieves discomfort, encourages normal breathing and combats infection by draining congested passages.

Neophryn

Trade Mark With antihistamine*

The general practice nasal decongestant

*0.5% Neophryn, 0.1% thenyldiamine hydrochloride

Neophryn with antihistamine is available in precision engineered, plastic atomisers, giving a fine penetrating spray.

Bayer Products Limited Eden Street, Kingston-upon-Thames, Associated exporting company: Winthrop Products Limited

"IMPROYED THERAPY FOR PEPTIC ULCER"

Extract from the American Journal of Gastroenterology (1957), 28, 439.

"The medication investigated is known as Roter tablets...The dosage employed in the treatment of gastric or duodenal ulcer was 2 tablets, taken three times a day with tepid water immediately after meals...this therapy is applicable to ambulatory patients."

SUMMARY

"In a series of 155 cases of peptic ulcer treated with . . . (Roter) tablets for three to six weeks, there was immediate relief of pain in 92 per cent of cases and roentgenological healing of the ulcer in 81 per cent. The average weight gain was 7.9 lbs. and occult blood disappeared from the stools in all of the six cases in which it was found.

"The benefit provided by the medication is attributed to the minute particulation of the bismuth subnitrate, produced by a special process of trituration in association with a synergistic antacid combination.

"The special features of this medication are immediate and prolonged relief of pain, correction of gastric hyperacidity, absence of side reactions, effectiveness for ambulatory patients, and early healing of the ulcer in most cases. "There was no acid rebound in therapeutic dosage and no adverse effects were reported."


ROTER

PACKINGS: Tins of 40, 120, 640 and dispensing size 720 (P.T. exempt). Basic N.H.S. price: 1/- for 10 tablets.

ROTER may be prescribed on E.C.10 forms. Literature and samples on request.

F.A.I.R. LABORATORIES LTD. · TWICKENHAM · MIDDLESEX

Everybody can travel in comfort



DRAMAMINE

SEARLE

Two Safe Sulphonamides

from which the practitioner can make his choice



the established sulphonamide

Over 400 published papers testify to its high activity and its safety.

Available for oral use as tablets (0.5g.) and syrup (0.5g. per 5 c.c.)

Ampoules, eye drops and eye ointment also issued

now



a new introduction.

2.4-dimethoxy-6-sulphanilamido-1.3-diazine

For infections in which a long acting sulphonamide is indicated

Trials in over 9,000 patients show that it combines the advantages of small and infrequent dosage with high effectiveness and safety.

Packings: 'Madribon' tablets 0.5g. are available in packings of 10, 50 and 250

Basic N.H.S. cost for 10 tablets is 5/4d. 4-9 days treatment depending upon the severity of the infection.

CASSELL MEDICAL BOOKS

ANNALS OF SURGERY

A Monthly Review of Surgical Science and Practice Subscription £6 10s. per annum, post free

HUMAN INFERTILITY

C. L. Buxton, M.D., Med. Sc.D., and Anna L. Southam, M.D. 57/6 net

Wolff's DISEASES OF THE EYE

Revised by Redmond J. H. Smith, D.O.(Eng.), M.S.(Lond.), F.R.C.S.(Eng.)

Fifth Edition

Now available

42/- net

35 RED LION SQUARE, LONDON, W.C.1

THE

FLORENCE NIGHTINGALE HOSPITAL for Gentlewomen

19 Lisson Grove, London, N.W.1

Telephone: Paddington 2341

FOR EDUCATED WOMEN OF LIMITED MEANS AND THOSE OF THE PROFESSIONAL CLASSES

NEITHER CONTROLLED NOR SUPPORTED BY THE STATE, THIS HOSPITAL offers EVERY FACILITY to PHYSICIANS and SURGEONS, with private accommodation for their patients, at a cost of 8 or 11 guineas for a private room; 4 guineas for cubicle.

For further particulars apply to the Secretary.

Baillière, Tindall & Cox =

Recently Published

ATOMIC MEDICINE

Edited by C. F. Behrens, M.D. with 24 other contributors. Third Edition. 730 pages. 145 illustrations. 120s., postage 2s. 9d.

AIDS TO NEUROLOGY

by E. A. Blake Pritchard, M.A., M.D., F.R.C.P. Second Edition. 490 pages. 39 illustrations. 15s., postage 1s. 3d.

AIDS TO MEDICAL TREATMENT

by T. H. Crozier, B.SC., M.D., D.P.H., F.R.C.P. Fourth Edition. 368 pages. 15s., postage 1s. 3d.

REVERSIBLE RENAL INSUFFICIENCY

Diagnosis and Treatment

by D. H. Atlas, M.D., PH.D., F.A.C.P., and P. Gaberman, M.D. 250 pages. 19 illustrations. 56s., postage 2s. 6d.

A MODERN PRACTICE OF OBSTETRICS

by D. M. Stern, M.A., M.B., B.CH., F.R.C.S., F.R.C.O.G. and C. W. F. Burnett, M.D., F.R.C.S., F.R.C.O.G.

Second Edition. 268 pages. 140 illustrations. 45s., postage 2s. 3d.

7 & 8 Henrietta Street, London, W.C.2

THE WORLD'S GREATEST BOOKSHOP



6 Your customers are as fascinating as your books! In half-an-hour at Foyles you can see people from almost every country in the world—people of every colour, every race, every nationality. It is a wonderful bookshop. ●

-A Member of Parliament.

119-125 CHARING CROSS ROAD, LONDON W.C.2

Gerrard 5660 (20 lines)

4

Open 9-6 (including Saturdays)

Nearest Station: Tottenham Court Road

ONFIDENCE



Delfen* Vaginal Cream

The most spermicidal contraceptive from modern research, in a new oil-in-water emulsion. Acts by its instantaneously lethal effect on sperms and the rapid diffusion of its properties throughout every vaginal crevice.


Applied with the ORTHO applicator.



Preceptin* Vaginal Gel

A unique synthetic compound of high spermicidal properties specially designed for those cases where secondary occlusive devices are impractical and where cervical occlusion through the synthetic barrier-type base is an added desirability.

Applied with the ORTHO applicator.



Ortho-Gynol* Vaginal Jelly

A contraceptive jelly of high spermicidal power, adequately lubricant for use with the ORTHO Diaphragm.

Ortho-Creme* Vaginal Cream

The high spermicidal and well-tolerated properties of ORTHO-GYNOL Vaginal Jelly in a low-lubricating cream base, for use with the ORTHO Diaphragm.



Ortho* Diaphragm

A light, durable, precision-made coil spring diaphragm providing accuracy of fit and comfort in use.

*Trade Mark

LITERATURE ON REQUEST

Ortho Pharmaceutical Limited - High Wycombe - England

Ortha

THE COLLEGE OF GENERAL PRACTITIONERS 41 Cadogan Gardens, London, S.W.3

Associateship

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration

within two years of qualification.)

Membership

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must:—(1) be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

Entrance Fees and Subscriptions

Associates make an annual subscription of £2 2s. Od. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. Od. and make an annual subscription of £3 3s. Od. (After June 1959—£5 5s. Od.).

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 41 Cadogan Gardens,

London, S.W.3. 'Phone Sloane 8333.