

Introducing
'SICCOLAM'-B

TRADEMARK

**a new cosmetically acceptable paste with
modified dehydrating properties
containing**

Titanium dioxide

Zinc oxide

Chlorphenesin

Kaolin

in fat - free base

Indications

- 1** Photosensitivity dermatitis
- 2** Subacute contact and
eczematoid dermatitis
- 3** Napkin rash
- 4** Varicose eczema
- 5** Infantile eczema
- 6** Intertrigo
- 7** Seborrhœic eczema

Basic N.H.S. Price: collapsible tube, approx 40 grm. 1/6d.

The original Siccolam Paste is still available for
the treatment of severe exudative dermatoses



THE BRITISH DRUG HOUSES LTD. (Medical Dept.) LONDON N.1

Baillière, Tindall & Cox

Worth and Chavasse's Squint

The Binocular Reflexes and the Treatment of Strabismus
Ninth Edition

by T. Keith Lyle, *C.B.E., M.A., M.D., M.CHIR., M.R.C.P., F.R.C.S.* and
G. J. O. Bridgeman, *M.C. M.A., M.B., B.CH., F.R.C.S.*
408 pages 230 illustrations 52s. 6d., postage 2s. 6d.

Clinical Dermatology

by H. M. Robinson, Jr., *B.S., M.D.*, and R. C. V. Robinson, *B.S., M.D., M.SC.(MED.)*.
245 pages 117 illustrations 68s., postage 2s. 9d.

Reversible Renal Insufficiency

Diagnosis and Treatment

by D. H. Atlas, *M.D., PH.D., F.A.C.P.*, and P. Gaberman, *M.D.*
246 pages 18 illustrations 56s., postage 2s. 6d.

New Edition Ready Shortly

May and Worth's Manual of Diseases of the Eye

Twelfth Edition

by T. Keith Lyle, *C.B.E., M.A., M.D., M.CHIR., M.R.C.P., F.R.C.S.* and A. G. Cross, *M.A., M.D., F.R.C.S.*
136 pages 305 illustrations, 24 plates 45s., postage 2s. 3d.

7 & 8 Henrietta Street, London W.C.2

THE

FLORENCE NIGHTINGALE HOSPITAL for Gentlewomen

19 Lisson Grove, London, N.W.1

Telephone: Paddington 2341

**FOR EDUCATED WOMEN OF LIMITED MEANS AND
THOSE OF THE PROFESSIONAL CLASSES**

NEITHER CONTROLLED NOR SUPPORTED BY THE
STATE, THIS HOSPITAL offers EVERY FACILITY to
PHYSICIANS and SURGEONS, with private accommodation
for their patients, at a cost of 10 or 15 guineas for a private
room; 5 guineas for cubicle.

For further particulars apply to the Secretary.

"90%
satisfactory
response
obtained in
ambulant
patients"

"The immediate clinical results were assessed after the first month's treatment (with Roter Tablets).... 81% of cases became symptom-free—70% of them during the first week and 30% during the second week; a further 9% were relieved of the majority of their symptoms. Thus there was a satisfactory response in 90% of cases.... In 75% of cases the patients found they were able to take foods which they had avoided for years."

Extract from the **BRITISH MEDICAL JOURNAL**
(1955) 2, 827

IMPROVED THERAPY FOR PEPTIC ULCER

"In a series of 155 cases of peptic ulcer treated with... (Roter) tablets for three to six weeks, there was immediate relief of pain in 92% of cases and roentgenological healing of the ulcer in 81%...

The special features of this medication are immediate and prolonged relief of pain, correction of gastric hyperacidity, absence of side reactions, effectiveness for ambulatory patients, and early healing of the ulcer in most cases."

Extract from the **AMERICAN JOURNAL OF GASTROENTEROLOGY** (1957) 28, 439

"Immediate
relief of
pain in
92%
of cases"



TABLETS

PACKINGS: Tins of 40, 120, 640 and dispensing size 720 (P.T. exempt). Basic N.H.S. price: 1/- for 10 tablets.

ROTER Tablets are not advertised to the public and may be prescribed on E.C.10 forms. Literature on request.

F.A.I.R. LABORATORIES LTD TWICKENHAM MIDDLESEX

The esters of NICOTINIC, SALICYLIC and p-AMINO BENZOIC acids bring relief to cases of arthritis and rheumatism


IN CASES of soft-tissue rheumatism, and arthritic disorders, many doctors are tending more and more to regard Transvasin as an indispensable adjuvant to treatment.

For Transvasin is composed of the esters of nicotinic, salicylic and p-aminobenzoic acids. These esters readily pass the skin barrier in therapeutic quantities, and so enable an effective concentration of drugs to be built up where they are needed.*

Transvasin not only induces vasodilation of the skin with a superficial erythema, but also brings about a deep hyperaemia of the underlying tissues. It is non-irritant and can be safely used on delicate skins.

It is now being widely prescribed, with successful clinical results. Since a very small quantity is sufficient for each application, the cost of treatment is extremely low.

**Therapeutische Umschau*
1952, 8, 143.



In 1 oz. tubes, basic
N.H.S. price in the
U.K. 2/6 plus P.T. May be
prescribed on Form E.C.10.

Tetrahydrofurfuryl salicylate.....	14%
Ethyl nicotinate.....	2%
n-Hexyl nicotinate.....	2%
Ethyl p-aminobenzoate.....	2%
Water-miscible cream base ad.....	100%



"Thank you, doctor".

LLOYD-HAMOL LTD

11 WATERLOO PLACE, LONDON, S.W.1. TELEPHONE WHITEHALL 8684/8/9

Transvasin is the registered trade mark of Lloyd-Hamol Ltd.

A Superior Buffered Analgesic

'ALASIL' Tablets—the improved form of salicylate medication — provide the efficient analgesia expected from their content of aspirin. Their superior acceptability derives from their content of a reliable buffer which minimizes the tendency to gastric irritation sometimes caused by the use of aspirin alone.

Advantages

'Alasil' is an advanced sedative and antipyretic; it does not tend to induce gastric irritation; because of its high tolerability, it may be used for long-term administration even to those with sensitive stomachs, and to children.

Composition

'Alasil' Tablets contain the recognized antacid corrective, 'Alocol' (Colloidal Aluminium Hydroxide), which permits their sedative principle, acetylsalicylic acid, to exert its action with minimal risk of side-effects.

Indications

Symptomatic pain generally; rheumatism, fibrositis, lumbago, headache, dysmenorrhoea; dental pain.

Packs & Prices

To Pharmacists (P.T. exempt for dispensing)
Standard size : 1000 in 250 bottles, 30/8
'Juvenile' size : 375, 6/6; 750, 11/3; 1500, 21/6

Alasil



Literature on request to
A. Wander Ltd., 42 Upper Grosvenor St.,
London W.1.

M.391

ALASIL JUVENILE TABLETS

Alasil 'Juvenile' Tablets specially sized for children, and neither coloured nor flavoured, are packed in tubes bearing dosage-for-age instructions.





Nasal Congestion ?

In Neophryn with antihistamine, the powerful vasoconstrictor Neophryn is combined with thenyldiamine hydrochloride, an antihistamine which also has a mild anaesthetic action and enhances the decongestive properties of Neophryn. For the relief of nasal congestion in the common cold, sinusitis and allergic or vasomotor rhinitis, Neophryn with antihistamine, relieves discomfort, encourages normal breathing and combats infection by draining congested passages.

Neophryn

Trade Mark with antihistamine*

The general practice nasal decongestant

***0.5% Neophryn, 0.1% thenyldiamine hydrochloride**


Neophryn with antihistamine is available in precision engineered, plastic atomisers, giving a fine penetrating spray.

Bayer Products Limited Eden Street, Kingston-upon-Thames,
Surrey.

Associated exporting company: **Winthrop Products Limited**

B
A
Y
E
R

Introducing
Liquid Nilevar *



**Especially convenient for
paediatric use**

Nilevar is already established
as the anabolic agent of
choice in adults and children
and as an effective calcium
sparing agent.


* Available in bottles of 15 c.c.
with calibrated dropper

SEARLE

HIGH WYCOMBE, BUCKS.

**Broader control
in skin conditions**

Vioform-Hydrocortisone



**Effective against
most bacteria
and fungi;
well tolerated, even
by patients sensitive
to other treatments**

The special vanishing cream base
and new almost white Vioform
make the cream an elegant
preparation which rubs in easily.
Ointment is also available.

Infected, infantile, nummular and
allergic eczema
neurodermatitis; seborrhoeic,
atopic, mycotic and contact dermatitis;
ano-genital pruritus;
varicose and indolent
ulcers; sycosis barbae; folliculitis;
psoriasis; impetigo; otitis externa
and herpes simplex


Tubes of 5G (basic N.H.S. price 3s.3d.) and
20G containing 3% iodochlorhydroxyquinoline
and 1% hydrocortisone

C I B A

Vioform' is a registered trade mark. Reg. user

CIBA Laboratories Limited, Horsham, Sussex

Oxford



University Press

Major Endocrine Disorders

S. LEONARD SIMPSON *Consultant Endocrinologist, St. Mary's Hospital*

Third Edition with the collaboration of

A. STUART MASON *Consultant Endocrinologist, The London Hospital*

G. I. M. SWYER *Consultant Endocrinologist, Department of Obstetrics and Gynaecology, University College Hospital*

The text of this third edition has been very thoroughly revised and much of it has been rewritten. It gives a straightforward, comprehensive yet concise account of all major endocrine disorders that are likely to be encountered by consultant physicians and general practitioners during their normal clinical work and it covers fully all problems that may arise concerning diagnosis, prognosis, and treatment. The clinical accounts are prefaced by an introductory section, for each endocrine gland in turn, giving all relevant information on the physiology and chemistry of the gland. This will enable both the methods and the interpretation of modern laboratory investigations and hormone assays to be readily understood and therefore capable of being used as valuable aids to clinical judgement.

468 pages

55 illustrations

50s. net

An Introduction to Medical Genetics

J. A. FRASER ROBERTS *Director, Clinical Genetics Research Unit, Medical Research Council*


Second Edition

The text of this new edition has been completely rewritten but the general plan remains the same as in the first edition. It is addressed primarily to clinicians and senior students, its aim being to give guidance during the clinical and postgraduate years in the application of genetics to the practical problems of the causation of abnormality and disease. Previous knowledge of genetics is not taken for granted; the basic principles are restated fully, and on this foundation is built up, not a recapitulation of the science of genetics, but an exposition of the applied science of *medical* genetics, dealing with the human subject as observed in the community, in general medical practice, and in hospital.

284 pages

107 illustrations

35s. net



*to resolve
disabling
anxieties and
tension*

perphenazine


the broad-span phenothiazine

FENTAZIN TABLETS contain 2mg., 4mg., or 8mg. perphenazine. Bottles of 50 and 500. FENTAZIN INJECTION contains 5mg. perphenazine in 1 c.c. Boxes of 5 and 100 ampoules of 1 c.c.

ALLEN & HANBURYS LTD
Bethnal Green London E 2

'Fentazin' is a trade mark

AH100



on duty
24 hours
a day....

'Madribon' is a new, safe, long-acting sulphonamide with the outstanding property of maintaining therapeutic blood levels for 24 hours after each dose. 'Madribon' differs from most sulphonamides in that it is mainly excreted in the urine in the form of a glucuronide. This derivative, unlike the acetyl derivatives of most sulphonamides, is much more soluble than the parent compound and also retains some antibacterial activity. Trials in over 9,000 patients show that 'Madribon' combines the advantages of small and infrequent dosage with high effectiveness and safety.

*Packings :
'Madribon' tablets 0.5g. are available
in packings of 10, 50 and 250.
Basic N.H.S. cost for 10 tablets is 5 4d.
(4-9 days treatment depending upon
the severity of the infection.)*

'Madribon'
TRADE MARK BRAND
2,4-dimethoxy-6-sulphanilamido-1,3-diazine

ROCHE PRODUCTS LIMITED . 15 MANCHESTER SQUARE . LONDON W.1





now
dependable
weight loss with



active appetite control without
overstimulation

really long action: 12-14 hours
from a *single* capsule

new ion-exchange release
technique produces smooth,
uninterrupted medication

new formulation: balanced
amounts of dextro and laevo
amphetamine (3 : 1 ratio) give
more powerful appetite-suppressing
effect, without increasing
CNS stimulation

THREE strengths (20mg.; 12½mg.;
7½mg.) so that each therapeutic
need can be met by prescribing a
single capsule once a day.
Containers of 30 capsules.

Riker Laboratories Ltd

Loughborough, Leicestershire

*Iron
patients
can tolerate...*

Rarical

TRADE MARK

iron-calcium tablets

a unique new compound —
iron plus calcium in a single molecule

TOLERATED no stomach upset, constipation
or diarrhoea
phosphate-free — no leg cramps

EFFECTIVE more hæmoglobin in less time

EASY TO TAKE white, uncoated, tasteless tablets
may be swallowed, chewed, or
crushed and suspended in fluids

Each tablet provides: iron: 25mg. calcium: 85mg.
LITERATURE ON REQUEST



Ortho Pharmaceutical Limited
High Wycombe · England





Circular booms or "sacks" each consisting of about 25,000 logs, on the Gatineau River, Quebec, one of Canada's richest sources of pulp wood.

(Photograph by courtesy of the National Film Board of Canada.)

—but when blood vessels are occluded . . .

ANTICOAGULANT THERAPY

with

*** PULARIN** (heparin-Evans) available in a
G.P. EMERGENCY PACK OF 12500 I.U.

and

*** DINDEVAN** (phenindione-Evans) tablets (10 mg. and 50 mg.)

*A copy of the brochure 'Essentials of Anticoagulant Therapy'
will be sent by Medical Information Department on request.*

* TRADE MARK



1809—1959

EVANS MEDICAL LTD
LIVERPOOL AND LONDON

Recent Titles from Butterworths

CANCER OF THE SKIN

By JOHN C. BELISARIO, C.B.E., E.D., M.D., CH.M., D.D.M. Pp. xvi + 268 + Index. 217 illustrations, 8 photogravure colour plates. 50s. net, by post 1s. 6d. extra.

By its clear discussion of diagnostic procedure and thorough yet concise description of therapeutics, this work points the way to earlier diagnosis, more specific treatment and thus to a lowering of mortality from cancer of the skin. The superb colour photographs, reproduced by photogravure, contribute much to the value and interest of the text.

CANCER OF THE PHARYNX, LARYNX AND OESOPHAGUS and its Surgical Treatment

By RONALD W. RAVEN, O.B.E.(MIL.), T.D., F.R.C.S. Pp. xiv + 292 + Index. 189 illustrations. 67s. 6d. net, by post 1s. 9d. extra.

The author of this new book writes from a wealth of personal experience. He deals exhaustively, not only with pathology and anatomy, but with pre cancerous conditions and the clinical picture, describing those operations which he had found valuable. The results of radiotherapy are fully reviewed, together with special anaesthetic considerations.

CLINICAL INVOLVEMENTS—Or the Old Firm

By H. GARDINER-HILL, M.B.E., M.D., F.R.C.P. Pp. viii + 200. Illustrated. 32s. 6d. net, by post 1s. 6d. extra.

This is a collection of commentaries on case histories actually dictated after a ward round over a period of many years. Each case is intensely interesting and the author has not been afraid to show the lessons to be drawn from his own mistakes. The whole forms a complete exposition of the best way of obtaining the maximum helpful information from case histories.

INDUSTRIAL HEALTH TECHNOLOGY

By BRYAN HARVEY, M.A., M.SC., ASSOC.I.MECH.E., and ROBERT MURRAY, B.SC., M.B., CH.B., D.P.H., D.I.H. Pp. xiv + 319 + Index. 78 illustrations. 45s. net, by post 2s. extra.

For medical men working in industry and in industrial areas and for all concerned with factory management, this book provides a clear exposition of known problems in the field of industrial health and is a practical textbook indicating the best means of dealing with health hazards now and in the future.

BUTTERWORTHS, 88 KINGSWAY, LONDON, W.C.2

Showroom: 11-12 BELL YARD, TEMPLE BAR, LONDON, W.C.2

'Deaner' SOMETHING NEW IN THERAPY

OF CONSIDERABLE PROMISE IN GENERAL PRACTICE

'Deaner'

gradually restores the debilitated or depressed patient to his normal level of well-being because it increases brain acetylcholine.*

There is no abrupt effect or let-down when treatment is discontinued, properties which render central nervous stimulants of little value in practice.

There are usually no side effects with 'Deaner' and whilst clinical studies indicate that improvement may be noticed at the end of a week's treatment, full benefit is not likely to be obtained for two to three weeks.

INDICATIONS

General debility, subclinical depression. 'Deaner' has also been found of value in behaviour disorders in children.

EXPERIMENTAL INDICATIONS

Chronic or tension headache, Migraine.

AVAILABILITY

'Deaner' is available in tablets, each containing 25 mg. of dimethylaminoethanol, as the para-acetamidobenzoic acid salt. Bottles of 100 Basic N.H.S. Cost 22s. 0d. plus Purchase Tax. Bottles of 500 Basic N.H.S. Cost 90s. 0d. plus Purchase Tax.



DOSE

Initially, two tablets a day, increasing or decreasing after a fortnight as required. Basic N.H.S. Cost per week of treatment with 'Deaner', on a dosage of two tablets a day, is 2s. 6d., plus Purchase Tax.

REFERENCES

(1) Lemere F. and Lasater J. H. (1958). Amer. J. Psychiat. 114: 655. (2) Oettinger L. (1958). Presented before the American Encephalographic Society. To be published.

'DEANER' is a Trade Mark.


RIKER LABORATORIES LTD.

LOUGHBOROUGH LEICS.

*According to available pharmacological evidence.



**Rational combination for hypertension
both with and without heart failure**



**Prompt and sustained
antihypertensive effect**

Economical Well tolerated

Salt regulating—supersedes salt-free diets

Calming and relaxing—better than barbiturates

Usual dose, three tablets daily. Detailed literature
available on request. Available in 25's (Basic N.H.S.
price 5s.4d. + P.T.) 100's and 500's.

*Serpasil and Esidrex are registered
trade marks. Reg. use.*

CIBA Laboratories Limited, Horsham Sussex



Ames

ROUTINE URINE TESTS

—reliable, quick, no external heating—

A NEW COLOUR TEST

For **PROTEIN** _____

ALBUSTIX

reagent strips

For **BLOOD** _____

OCCULTEST

reagent tablets

For **GLUCOSE** _____

CLINISTIX

reagent strips

For **BILIRUBIN** _____

ICTOTEST

reagent tablets

For **KETONES** _____

ACETEST

reagent tablets

... and, of course, for reliable estimation of

SUGAR _____

CLINITEST

reagent tablets

Range of six simplified urine tests for General Practitioners, hospitals, clinics and laboratories.

Please write for illustrated leaflet and references.

'Acetest' and 'Clinitest' are available under the N.H.S. on form E.C.10.


(See drug tariff)

*Trade Marks




AMES COMPANY (LONDON) LTD

NUFFIELD HOUSE, PICCADILLY, LONDON, W.1 Telephone: REGent 5321



SEDATION

or



Hypnosis

with *Lilly* **BARBITURATES**

'SECONAL SODIUM' *

BRAND QUINALBARBITONE SODIUM

When rapid action with brief duration
is called for

'SODIUM AMYTAL' *

BRAND SODIUM AMYLOBARBITONE

For routine sedation in the anxiety case

'TUINAL' *

BRAND QUINALBARBITONE SODIUM
AND SODIUM AMYLOBARBITONE

In the chronic insomnia case

'AMYTAL' *

BRAND AMYLOBARBITONE

Sedation in the hypertensive, peptic ulcer,
skin or cardiac case

* TRADE MARK

ELI LILLY & COMPANY LIMITED · BASINGSTOKE · ENGLAND

BRITISH MEDICAL JOURNAL

*the leading
medical Journal
and the
most widely
read*

★

*Published weekly
Subscription
£6 6s. p.a.*

SPECIALIST JOURNALS

ABSTRACTS OF WORLD MEDICINE
Monthly. Subscription £4 4s. p.a.

BRITISH JOURNAL OF OPHTHALMOLOGY
Monthly. Subscription £6 p.a.

ARCHIVES OF DISEASE IN CHILDHOOD
Bi-monthly. Subscription £4 4s. p.a.

JOURNAL OF CLINICAL PATHOLOGY
Bi-monthly. Subscription £4 4s. p.a.

ANNALS OF THE RHEUMATIC DISEASES

BRITISH HEART JOURNAL

BRITISH JOURNAL OF INDUSTRIAL MEDICINE

BRITISH JOURNAL OF PREVENTIVE AND SOCIAL
MEDICINE

BRITISH JOURNAL OF VENEREAL DISEASES

JOURNAL OF NEUROLOGY, NEUROSURGERY AND
PSYCHIATRY

MEDICAL AND BIOLOGICAL ILLUSTRATION
THORAX

Published quarterly. Subscription £3 p.a.

BRITISH JOURNAL OF PHARMACOLOGY AND
CHEMOTHERAPY

Published quarterly. Subscription £4 4s. p.a.

OPHTHALMIC LITERATURE

Subscription £4 4s. p.a.

or combined with British Journal of Ophthalmology £9 p.a.

BRITISH MEDICAL ASSOCIATION

THE WORLD'S GREATEST BOOKSHOP

FOYLES

★ ★ FOR BOOKS ★ ★

“A bookshop such as booklovers dream
of. There is no other bookshop, any-
where, to compare with Foyles.”

—A Customer's Letter

Foyles buy and sell stamps; complete
collections or single items.

119-125 CHARING CROSS ROAD, LONDON W.C.2

Gerrard 5660 (20 lines)

★

Open 9—6 (including Saturdays)


Nearest Station : Tottenham Court Road

for the control of hypertension

'Perolysen', the newest ganglion blocking agent
synthesised in the M&B research laboratories,
has an autonomic ganglion blocking action resembling
that of mecamylamine, but of shorter duration.
It is devoid of other pharmacological actions in the
dosages used clinically.

The moderate duration of action
ensures that any necessary dosage modifications
are rapidly effective.

*'Perolysen' is presented as tablets of 1 mg.,
5 mg. and 10 mg.*



An M&B brand Medical Product



MANUFACTURED BY
MAY & BAKER LTD

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

MA5920

THE WESTERN PROVIDENT ASSOCIATION
for Hospital and Nursing Home Services
(Mutual, non-profit)

Patron:

His Grace the DUKE OF BEAUFORT, K.G., G.C.V.O., P.C.

President:

Sir EGBERT CADBURY, D.S.C., D.F.C., J.P., D.L.

Secretary:

JOHN DODD, B.COM., A.C.I.I.

The Benefits include

MAINTENANCE GRANTS up to 28 guineas a week for ten weeks, PLUS supplementary Cash Grant of 3 or 7 guineas a week if an in-patient in Hospital or registered Nursing Home.
OPERATION FEES—up to £95 per operation without limit as to the number of operations in any one treatment year.
CONSULTATION FEES, X-ray, Radiotherapy, Physiotherapy, etc., including private treatment in Consultants' rooms.
HOME NURSING by qualified nurses, up to 10 guineas a week for five weeks.

SUBSCRIPTIONS RANGE

from £5 0s. 0d. to £28 9s. 0d. a year for family cover—no additional subscriptions for dependants. Increased benefits for single persons without dependants.

Group terms at greatly reduced rates for doctors paying for comprehensive cover through any Branch or Division of the B.M.A. or any other professional organization willing to co-operate on behalf of their members.

Special Scheme for members of the Medical Profession who wish to cover themselves and their dependants for maintenance fees in hospitals and nursing homes and for the cost of special treatments, but who do not wish to make provision for consultants', specialists' and surgeons' fees.


For full details, please complete this Coupon and post in a two-penny stamped envelope to:

W.P.A., ROYAL LONDON BUILDINGS, 42 BALDWIN STREET, BRISTOL, 1
Telephone No. Bristol 2-3495

Name.....

Address.....

(block letters please)




In line with the latest trends
in rheumatic therapy

Delta- Butazolidin®

(Butazolidin 50 mg, phenylsone 125 mg)


Available for the first time
in General Practice

Minimizes the risk of hormonal imbalance



Four definite advantages in the treatment of rheumatism

- 1 Two of the most important antirheumatics in a single tablet, giving additive therapeutic action
- 2 Low maintenance dose minimizes the risk of hormonal side effects
- 3 Rational proportion of each component permits simple and yet individual treatment
- 4 Suitable for severe cases and for long-term maintenance therapy



Geigy Pharmaceutical Company Ltd.
Wythenshawe, Manchester 23

Geigy

Availability
(Basic N.H.S. price)

Containers of
 30 tablets . . . 10s. 8d.
 150 tablets . . . 52s. 0d.
 500 tablets . . . 157s. 0d.

E. & S. LIVINGSTONE LTD.

HUMAN NUTRITION AND DIETETICS

By **SIR STANLEY DAVIDSON, M.D., F.R.C.P., M.D. (Oslo),
A. P. MEIKLEJOHN, M.A., B.Sc., D.M., M.R.C.P., and R. A.
PASSMORE, M.A., D.M.** 856 pages 73 illustrations 84s.

EARLY DIAGNOSIS

Edited by **HENRY MILLER, M.D., F.R.C.P.** 408 pages 25s.

POCKET BOOK OF PROPRIETARY DRUGS

By **ALISTAIR G. CRUIKSHANK, F.R.C.P.E., and CORNELIUS
STEWART, L.R.C.P. & S.E., M.P.S.**

235 pages 10s. 6d. Interleaved copies, 14s.

THE MAST CELLS

By **JAMES F. RILEY, M.D., Ph.D., D.M.R.T., F.R.C.S.E.**

192 pages 65 illustrations 30s.

THE LIFE AND TIMES OF SIR CHARLES HASTINGS

Founder of the British Medical Association

By **WILLIAM H. McMENEMEY, M.A., D.M., F.R.C.P., D.P.M.**

528 pages 75 illustrations 50s.

TEVIOT PLACE, EDINBURGH

**CONFERENCE ON THE CONTINUOUS RECORDING OF
MORBIDITY**

(See page 289)

To be returned to

Dr D. W. Cammock, 33 Newcastle Street, Tuxford, Newark, Notts,

by September 12th at latest.

I hope to attend the meeting at Nottingham University on
September 26th, and shall require:

Lunch

Dinner

Bed and Breakfast

Please delete above as may be necessary

NAME (BLOCK LETTERS).....

ADDRESS

.....


**For the most efficient
treatment of dermatitis,

wet or dry,

infected or not,**

No one corticoid preparation is likely to suit all inflammatory skin disorders or all stages of a particular case. Glaxo thus present PRED SOL, the water-soluble prednisolone, in a range of preparations to suit every need. Cosmetically they are the most acceptable, therapeutically the most efficient, corticoid preparations for topical application.

PRED SOL is a Glaxo trade mark.



PRED SOL PREPARATIONS

**formulated for
each individual case**

QUICK REFERENCE GUIDE			
	WET or DRY Surfaces	WET (or hairy) Surfaces	DRY Surfaces
NON- INFECTED cases	PRED SOL LOTION Water-miscible base Strengths of 0.1% and 0.25% in bottles of 20 ml	PRED SOL OINTMENT No. 1 (non-greasy) Strengths of 0.25% and 0.5% in tubes of 5 and 15 grams	PRED SOL OINTMENT No. 2 (greasy) Strengths of 0.25% and 0.5% in tubes of 5 and 15 grams
INFECTED cases	PRED SOL-N LOTION Water-miscible base Strengths of 0.1% and 0.25% in bottles of 20 ml	PRED SOL-N OINTMENT No. 1 (non-greasy) Strengths of 0.25% and 0.5% in tubes of 5 and 15 grams	PRED SOL-N OINTMENT No. 2 (greasy) Strengths of 0.25% and 0.5% in tubes of 5 and 15 grams

Predsol-N contains 0.5% neomycin sulphate

A STRENGTH FOR EVERY PURPOSE - A BASE FOR EVERY SURFACE

PRED SOL = prednisolone 21-disodium phosphate (the water-soluble prednisolone)

PRED SOL-N = prednisolone 21-disodium phosphate (the water-soluble prednisolone) + neomycin sulphate

*Subsidiary companies or
Agents in most countries.*



GLAXO LABORATORIES LIMITED, GREENFORD, MIDDLESEX
BYRON 3434

THE COLLEGE OF GENERAL PRACTITIONERS

41 Cadogan Gardens, London, S.W.3

Associateship

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration within two years of qualification.)

Membership

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must :— (1) be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

Entrance Fees and Subscriptions

Associates make an annual subscription of £2 2s. 0d. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. 0d. and make an annual subscription of £3 3s. 0d. (After June 1959—£5 5s. 0d.).

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 41 Cadogan Gardens, London, S.W.3. 'Phone Sloane 8333.