


You may have made your Will

but...

...is the Inland Revenue one of your unnamed beneficiaries?



If the things you own, your house, valuables, investments, insurance policies, etc., come to more than £10,000, and you have not yet taken steps to protect your dependants the answer is probably 'yes'.

For example, the rate of duty on an estate of £40,000 will be 25.31%, which means that your named dependants will have £29,875 instead of £40,000.

If you think you have an Estate Duty problem, why not let us help you plan for the future?

MEDICAL INSURANCE AGENCY LIMITED

British Medical Association House
Tavistock Square, London, WC1H 9JD

Telephone: 01-387 6031/9

Telegrams: MEDINAGE, LONDON, WC1H 9JD

Branches throughout the country

The Journal of the Royal College of Physicians of London

This Journal is concerned with the integration of scientific disciplines in the practice of medicine and, by providing a wide ranging commentary on the growing points of medicine, is an essential complement to the specialised journals.

CONTENTS OF VOLUME 5, No. 3

C. R. B. Blackburn
P. I. Korner
John Read
L. Dintenfass
C. R. B. Blackburn
& Ann J. Woolcock
John R. Turtle
J. G. McLeod
C. B. Kerr
D. W. Piper
David Verel
J. S. Cameron

"The Department of Medicine, University of Sydney"
"Neural Cardiovascular Control and Hypertension"
"The Lungs and Circulation in Chronic Pulmonary Disease."
"The Rheology of Blood in Vascular Disease."
"Chronic Disease of Liver and Lungs in New Guinea."
"Pancreatic Insulin in Diabetes Mellitus."
"Recent Studies of the Nervous System."
"Comprehensive Care for Haemophilia."
"Gastro-enterological Research."
"Electrocardiographic Service for General Practitioners."
"Immunosuppressant Agents in the Treatment of Glomerulonephritis: Part 1. Corticosteroid Drugs."

Editor

Publication

Subscription

All enquiries to Editorial Office

Publisher

A. Stuart Mason, M.D., F.R.C.P.

Published quarterly in October, January, April and July.
£4 per annum (including postage).

Royal College of Physicians of London, 11 St Andrew's Place, Regent's Park, London, NW1 4LE

Pitman Medical Publishing Co. Ltd.

**suddenly, you have to treat him
as an adult...**



NEW-SEPTRIN ADULT SUSPENSION

The availability of SEPTRIN* Adult Suspension now brings the most advanced form of antibacterial therapy within the reach of those older children and adults who cannot or will not adhere to a tablet regime.

Each 5ml of SEPTRIN Adult Suspension contains 80 mg trimethoprim and 400 mg sulphamethoxazole—the same strength as each SEPTRIN Tablet. This scientifically designed combination has a distinctive mode of bactericidal action. By producing a sequential double blockade of bacterial metabolism, SEPTRIN kills a wide range of pathogenic organisms.

*Trade Mark.

SEPTRIN Adult Suspension is available in bottles of 100 ml.

Also available: SEPTRIN Tablets, SEPTRIN Paediatric Tablets, and SEPTRIN Paediatric Suspension, containing trimethoprim and sulphamethoxazole. Full information is available on request.



Burroughs Wellcome & Co.
(The Wellcome Foundation Ltd.), Dartford, Kent.

Septtrin in Bronchitis and UTI



Posed photograph

MA 8019

In anxiety/depression

when sleepless nights follow anxious days,

Surmontil acts in two ways

First: Its anxiolytic action produces rapid restoration of normal sleep rhythms, and a subjective improvement in the patient.

Then: Its powerful antidepressant action produces mood elevation, usually within seven to ten days.

Surmontil Capsules 50 mg

1 or 2 nocte

control depression and its major symptoms,
sleep disturbance and anxiety



50 mg

References

Practitioner, 199, 325, 1967.
Practitioner, 198, 80, 1967.
Med. J. Aust., i, 1216, 1967.
Br. med. J., i, 98, 1967.

Presentations

Capsules (green/white, printed M&B SU50) containing the equivalent of 50 mg trimipramine (as maleate).
Tablets (white, compression-coated) containing the equivalent of 25 mg trimipramine (as maleate).
10 mg tablets are also available.

Full information is available on request

An M&B brand Medical Product

'Surmontil' is a trade mark of



MAY & BAKER LTD
Dagenham Essex RM10 7XS





lucky Jim- he's been on Roter

Jim had a peptic ulcer. His diet was hopelessly monotonous, he couldn't work and he was due for surgery.

On Roter he got almost immediate relief of pain, his ulcer healed quickly, and hospitalisation and surgery were avoided. Lucky Jim is now back at work. He's on a normal diet; is enjoying his meals and putting on weight.

Roter: available on E.C.10 in packs of 40 and 120 tablets. Dispensing packs of 360 and 720 tablets.

Basic NHS cost: under 30p for 42 tablets - one week's initial treatment.

Literature and abstracts of clinical trials available on request


F.A.I.R. Laboratories Limited, Twickenham, Middlesex.

FERRODIC

Trade Mark

TABLETS

effective oral iron therapy



Minimal side effects



**Highly soluble in
gastric juice**



Pleasant taste



**Can be sucked or
chewed**

make the iron routine a pleasure



Each Ferrodic tablet contains : Ferrous iron (as ferrous carbonate) 50mg, ascorbic acid 12.5mg.

Ferrodic is a Trade Mark of
ALLEN & HANBURYS LTD LONDON E2 6LA



just like clockwork

... a three layer tablet which is specially designed to phase the release of the highly effective antihistamine, triprolidine hydrochloride. With PRO-ACTIDIL*, relief from symptoms is thus maintained for nineteen to twenty-four hours. Full information is available on request. Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Dartford, Kent.

*Trade Mark



PRO-ACTIDIL
in allergies up to 24 hour control

Drawing by Simone Geary, aged 11 years.


ETOPHYLATE

Syrup is Reliable and

SAFE

Bronchodilator for children of
all ages and has a pleasant

Orange Flavour.



ETOPHYLATE Syrup is readily accepted by children of all ages. A clinical investigation involving 22 children under the age of 12 months showed that ETOPHYLATE was useful in the relief of infective bronchospasm and devoid of any harmful effects.

Reference: The Practitioner (1968) 200: 833-835

Further information available on request

DELANDALE LABORATORIES LIMITED,
37 Old Dover Road, Canterbury, Kent.



Hypertension is
a danger sign

Half measures
can be fatal

There is now convincing evidence that in hypertension, whether mild or severe, blood pressure must be maintained in the normal range.

Any degree of hypertension – and by inference, incomplete therapeutic control – still carries a high long-term morbidity.

Complete control is usually impracticable with conventional antihypertensive agents because of prohibitive side effects.

Not so with 'Inderal'-80. This drug maintains normal blood pressure by night as well as day. Hypotensive crises due to changes in posture, activity or external temperature do not occur. Mental, sexual and gastro-intestinal functions are unimpaired.

'Inderal'-80, with a thiazide diuretic, controls some 80% of hypertensive patients. It is a real step forward in preventive medicine.


Detailed information, available on request, should be consulted before prescribing.

TRADE MARK
Inderal - 80
PROPRANOLOL HYDROCHLORIDE S.P.

Imperial Chemical Industries Limited,
Pharmaceuticals Division,
Alderley Park, Macclesfield, Cheshire.



Day after day of freedom from asthmatic attack



The unique mode of action of disodium cromoglycate offers the asthmatic patient outstanding benefits. A prophylactic treatment, it prevents the onset of asthmatic episodes - thus minimising long-term damage to lung tissue. Freedom from asthma attacks permits a happier, more normal life for the asthmatic patient.

Published clinical reports confirm that with INTAL COMPOUND, the incidence and severity of acute attacks is considerably reduced - even in patients on conventional therapy such as bronchodilators, antihistamines and corticosteroids. Less time is lost from work or school, exercise tolerance is improved and a consistent clinical comment on disodium cromoglycate has been the total absence of serious side effects.

INTAL COMPOUND - supplied in SPINCAPS (each containing 20 mg disodium cromoglycate, and 0.1 mg Isoprenaline Sulphate BP in powder form, together with an inert carrier). For use in a special insufflator - SPINHALER.

Full information is available on request. The Technical Services Department, Fisons Limited-Pharmaceutical Division, Loughborough, Leicestershire.

There's
nothing else like

INTAL Co.

Prophylaxis
in asthma

**FISONS**

INTAL, INTAL COMPOUND, SPINCAP and SPINHALER are Fisons' trade marks.

'The ideal potassium preparation
has not yet been found.'

Brit. Heart J., 1970, 32, 267 (May)



BUT NOW
the diuretic that entirely
obviates the need for
potassium supplements

'Moduretic' is a completely new diuretic from Merck Sharp & Dohme that induces a highly effective diuresis as well as helping the body to *conserve* its natural balance of potassium.

'Moduretic' offers the physician the means of treating patients with a diuretic while avoiding the limitations imposed by potassium supplements. Indeed, 'Moduretic' conserves body potassium so effectively that potassium supplements are contra-indicated.

'Moduretic' is available as peach-coloured, diamond-shaped tablets containing 5 mg amiloride hydrochloride/MSD and 50 mg hydrochlorothiazide/MSD.

Detailed information is available to physicians on request.

'Moduretic' is a registered trademark.

0-2163



Merck Sharp & Dohme Limited
Hoddesdon, Hertfordshire Telephone, Hoddesdon 67123

MODURETIC
 **DIURETIC**

Latest research suggests unique action of Negram

Penicillins and Cephaloridine weaken the cell wall.

This may kill the bacteria by removing their outer defences. But it can - and often does - result in the survival of L-forms.^{1,2}


Sulphonamides, Trimethoprim and Nitrofurantoin block the metabolic pathways.

Each of these antibacterials blocks only one specific step in the process.

Very often these particular steps can be by-passed without detriment to the bacteria.¹

Tetracyclines and Chloramphenicol affect the ribosomes.

Though the ribosomes are the 'assembly plants' of the cells, their function is controlled by DNA. Unless this control is knocked out, the cell functions are never completely destroyed.²



Artist's impression of Esch. coli.

Only Negram destroys bacterial DNA, the basis of all bacterial life!

DNA controls the whole structure and function of bacteria. For cells to divide and multiply, the DNA must replicate itself.

It is at this point that Negram attacks. It prevents the replication of DNA. This fundamental disruption of the control element not only prohibits the proliferation of bacteria but destroys the complete bacterial system.³

1. Hosp. Practice, (1967) 2 : 54

2. Ann. Rev. Microbiol. (1965) 19 : 209

3. J. Bact. (1969) 98 : 96

**in urinary infections
negram
right from the start**


WINTHROP
FORMERLY
THE BAYER PRODUCTS COMPANY

Take the pain out of Arthritic & Rheumatic Conditions

**“... the mild sedative properties of pentazocine
will enable this drug to be used with benefit in
patients with chronic pain...”**

Brit. J. Anaesth., (1970), 42:151

WINTHROP



FORTRAL

11 tabs q.i.d., p.c.*

See dosage instructions overleaf

negram

Negram Tablets

Formula: Each tablet contains 500 mg. nalidixic acid.

Adult Dosage: For acute infections, 2 tablets q.i.d. for at least 7 days, reducing to 1 tablet q.i.d. for chronic infections.

Basic NHS Cost: (2 q.i.d.) 29p a day. Availability: Containers of 56 tablets.

Negram Suspension

Formula: Each 5ml. spoonful contains 300 mg. nalidixic acid.

Paediatric dosage: 1 ml. Suspension (60 mg.) per kg. body weight (25mg./lb.) daily for at least 7 days.

For children of average weight and development:

1 month-1 year: 2.5 ml. (150 mg.) 2-4 times daily; 1-2 years: 5 ml. (300 mg.) 2-3 times daily

2-6 years: 5 ml. (300 mg.) 3-4 times daily; 6-14 years: 10 ml. (600 mg.) 2-4 times daily

Basic NHS Cost: (5 ml. t.i.d.) 9p. per day.

Availability: Bottles of 150 ml. and 500 ml.

Side Effects:

Gastro-intestinal or subjective visual disturbances may occur but are readily reversible on reduction or discontinuation of therapy.

Precautions:

Use with caution in patients with liver disease and raised intracranial pressure. Patients should avoid excessive exposure to sunlight. Possible risks should be carefully weighed against benefits in the first trimester of pregnancy.

Not recommended for infants less than 1 month old.

FORTRAL

Fortral Tablets

Each tablet contains 25 mg. pentazocine hydrochloride

Indications:

For all degrees of pain in acute and chronic conditions;

Adult Dosage:

The dosage should be tailored to the individual patient.

*Usual dose 2 tablets (50 mg.) every 4 hours after meals adjustable within the range of 1-4 tablets every 3-4 hours.

Paediatric Dosage:

1-6 years: The small dosage necessary is more conveniently given by injection.

6-12 years: 1 tablet (25 mg.) every 3-4 hours as necessary

Basic N.H.S. Cost: 100 tablets £1.66.

Presentation: Tablets of 25 mg. pentazocine in packs of 100 and 500.

Side Effects:

Dizziness, nausea and vomiting sometimes occur, but tend to decrease after a few doses. The concomitant administration of an anti-emetic is recommended in conditions where nausea and vomiting can occur.

Precautions:

Caution in severe renal, hepatic and respiratory impairment and in patients previously on large doses of narcotics. Ambulant patients should not drive nor operate machinery. Until further information is available Fortral should be given with caution in the first trimester of pregnancy.

Contra-indications

Established respiratory depression. Raised intracranial pressure.


Severe head injury or pathological brain conditions. Convulsive disorders. Patients receiving MAO inhibitors.

Negram and Fortral are registered trade marks

Full information is available from

WINTHROP

Winthrop Laboratories, Surbiton-upon-Thames, Surrey



natural
movement
denied to the
arthritic

For many patients afflicted by arthritic pain at night, 'Indocid' Suppositories can bring about a noticeable improvement. A suppository at bedtime usually results in a better night's sleep, less interrupted by pain and stiffness. These patients find it easier to get started in the morning, and 'Indocid' Capsules can help to keep them more mobile during the afternoon and evening.

Indocid 
INDOMETHACIN/MSD

Suppositories/Capsules

Supplied as 100 mg suppositories, 25 mg and 50 mg capsules, and a suspension (25 mg/5 ml). The informative literature, available on request, should be consulted before prescribing. ® denotes registered trademark.

Merck Sharp & Dohme Limited, Hoddesdon, Hertfordshire Telephone Hoddesdon 67123

1-2214

NORINYL-1

hormonally 'balanced' oral contraceptive

suitable for every generation of fertile woman

- ☐ 4 years' U.K. clinical experience
- ☐ lowest incidence of side-effects because of minimal bio-potency^{1,2}
- ☐ used with satisfaction by over 200,000 U.K. women
- ☐ first choice by over 2,000 U.K. doctors



References

1. Med. Sci. (1967) May p. 37-49
2. Brit. Med. J. (1969) 4: 803

Each Norinyl-1 pack contains 21 tablets of
Norethisterone B.P. 1mg and Mestranol B.P. 50mcg

Full prescribing information available on request



SYNTEX

Syntex Pharmaceuticals Ltd., St. Ives House, Maidenhead, Berks., England.

DARTMOUTH—S. DEVON Third partner required to fill retirement vacancy in semi-rural practice commencing 1 September, 1971. Salaried partnership 2-3 years.

British or Irish University graduate, under 40 years preferred. Modern surgery premises. Appointments system. Local cottage hospital. Box No. 121, Journal of the Royal College of General Practitioners, 5 Bentinck Street, London W1M 5RN.

POSTALOANS (gram.) £20 to £5,000
without security
RICHMOND INVESTMENTS LTD.
4, The Green, Richmond, Surrey.

CLASSIFIED ADVERTISEMENTS

The charge for this service is 3s. 0d. per line, plus 2s. 6d. if a Box Number is required. Advertisements should be addressed to: The Journal of the Royal College of General Practitioners, Classified Advertisement Department, 5 Bentinck Street, London W1H 4AE

NEW RATES FOR COLLEGE ACCOMMODATION

Owing to rises in costs and to decimalization, rates for College accommodation, including breakfast, will be charged as follows from 1 April 1971:

Single room	£3 per night
Double room	£5 per night
Flatlet (Bed-sitting room for two, bathroom and dressing room)	£7 per night, or £40 per week
Self-contained flat (Double bedroom, sitting room, half kitchen and bathroom)	£8 per night, or £45 per week

Members are reminded that children under the age of 12 years cannot be admitted, and dogs are not allowed.

Members and associates may, subject to approval, hire the reception rooms for meetings and social functions. The charges for these are:

Long room (will seat 100)	£30 for each occasion
Damask room (will seat 50)	£20 for each occasion
Common room and terrace	£20 for each occasion
Dining room and kitchen	£10 for each occasion

A service charge of ten per cent is added to all accounts to cover gratuities to domestic staff.

For the convenience of members, four car-ports, outside 14 Princes Gate, have been rented by the College and may be hired at a cost of 10s 6d per 24 hours.

Enquiries should be addressed to **The Royal College of General Practitioners 14 Princes Gate, London, S.W.7.** (Tel. 01-584-6262). Whenever possible bookings should be made well in advance.

Ointment

2% sodium fusidate B.P. in a neutral ointment base.

The logical topical antibiotic for primary and secondary bacterial skin infections.

Fucidin Ointment has proved clinically effective in a wide variety of common skin infections. Its rapid, reliable, bactericidal action against most strains of staphylococcus and streptococcus combined with its good skin tolerance and proven penetration, make it a logical topical treatment wherever infection is present or threatens the skin.

Available in packs of 10g and 25g.

References:

1. *Clin. Tri. J.*, (1966) 3: 591
2. *Brit. J. clin. Pract.*, (1967) 21: 529
3. *Ugeskrift for Laeger*, (1966) 128: 204
4. *Clin. Tri. J.*, (1966) 3: 529
5. Paper read to the British Dermatological Association Meeting, Aberdeen, July 1968.



Full information available on request from:



LEO LABORATORIES LIMITED, Hayes, Middlesex. Telephone 01-573 6224