Opinions expressed in *The Journal of the Royal College of General Practitioners* should not be taken to represent the policy of the Royal College of General Practitioners unless this is specifically stated.



CHURCHILL LIVINGSTONE

TEXTBOOK OF MEDICAL TREATMENT

Edited by STANLEY ALSTEAD, ALASTAIR MACGREGOR and RONALD H. GIRDWOOD 1971 Twelfth Edition 708 pages 36 illustrations. £4.25

'The reason for its popularity is not far to seek. It is written by clinicians and carefully edited so that the emphasis throughout is on what the man in practice requires. Its aim is to provide the clinician—whether consultant or general practitioner—with a sound, reliable and up-to-date account of methods of treatment which have proved of value '.—Practitioner.

CLINICAL GYNAECOLOGY

WALLACE BARR

1971 260 pages 141 illustrations £3.00

Clinical Gynaecology is a guide for those who wish to learn the practice of clinical gynaecology. Emphasis is given to diagnosis, and to the increasing trend in gynaecology which stresses the importance of medical management in preference to the surgical approach which has hitherto been dominant. Chapters on Anatomy, Physiology and Development, while valuable for reference, have been relegated to the end of the book. Within recent years the advent of laparoscopy and of Sonar have done much to banish the guesswork from gynaecology. These new techniques are described and their use is incorporated in the text.

PHYSIOLOGY FOR PRACTITIONERS

IAN C. RODDIE 1971 208 pages £1.50

'One could hardly expect the physiology of every clinical trick to be explained, but the field covered is very wide. A few of the topics included, mentioned to whet one's appetite, are the renin-angiotensin theory, the capacity function (as distinct from the transport function) of the venous system, synaptic transmission, brown fat, posture control, energy balance failure, how skeletal muscles are organized and why arterioles offer more resistance than capillaries. Endocrinology and the regulation of reproduction receive full consideration also'.—Practitioner.

RADIOLOGY FOR GENERAL PRACTITIONERS AND MEDICAL STUDENTS

DAVID SUTTON

1971 Second Edition 110 pages 82 illustrations £1.25

'All the more common investigations are clearly displayed and described and the more difficult procedures made to appear not so desperate as is often imagined. The pictures are excellent. This small volume should prove invaluable, and find an honoured place on the doctor's bookshelf'—Journal of the Royal College of General Practitioners.

CALLING THE LABORATORY

Edited by W. A. R. THOMSON

1971 Third Edition 160 pages 6 illustrations £1.50

* Calling the Laboratory embodies a series of articles which appeared in The Practitioner on the laboratory investigation of clinical material. The main object of these articles is to show how the laboratory can be of service. There is also due emphasis on proper methods of obtaining specimens. The range covered is wide, including tests for pregnancy, infertility, and alcoholic intoxication as well as methods used in bacteriology, haematology, and chemical pathology '.—

British Medical Journal.

CHURCHILL LIVINGSTONE

Teviot Place Edinburgh

Anane to conjure with.

'Largactil' has been a name to conjure with in psychiatric medicine for over sixteen years. An influence of such magnitude and long duration can be explained by examining this legendary name.

'Largactil' was so named because of its LARGe variety of ACTIons; apart from being the first major tranquillizer, it acts in two other pharmacologically distinct ways – as a potentiator of central nervous depressants, including analgesics, narcotics and sedatives, and as an anti-emetic.

'Largactil' has achieved success in the fields of psychiatry, general medicine and anaesthetics in an ever-widening range of indications.

These include major and minor psychoses; as an adjuvant to E.C.T.; drug withdrawal; senile dementia; the control of terminal pain and nausea and vomiting.



Alone, or as an adjuvant – are you making FULL use of 'Largactil'?

Full information is available on request An M&B brand Medical Product



MAY & BAKER Ltd

Dagenham Essex RM10 7XS England



'Largactil' is a trade mark of May & Baker Ltd for its preparations of chlorpromazine.

MA 8137

Migri masters milionsof

- The leading anti-migraine preparation for over eight years
- Ergotamine is potentiated by caffeine
- Acts between initial warning and the full-blown attack
- Contains its own anti-emetic (cyclizine)
- Treats all symptoms of the attack

Each MIGRIL* Ergotamine Compound Tablet contains Ergotamine tartrate, BP 2mg Cyclizine hydrochloride, BP 50mg Caffeine hydrate, BP 100mg *Trade Mark









Publications

Copies of the following publications may be obtained from E. & S. Livingstone, 33 Montgomery Street, Edinburgh, EH7 5JX

REPORTS FROM GENERAL PRACTICE

No. 1. Vocational Training	25p
No. 3. Additional Payments for Wide Experience and Notable Service	
in General Practice	5p
No. 4. General Practice in the New Towns of Britain	30p
No. 5. Evidence of the College of General Practitioners to the Royal	
Commission on Medical Education	$32\frac{1}{2}$ p
No. 8. General Practice in South-west Wales	37½p
No. 9. Obstetrics in General Practice	37½p
No. 10. The Practice Nurse	37½p
No. 11. General practice teaching of undergraduates in British Medical	F 21
Schools No. 14. The Future General Practitioner	52½p
14. The Future General Fractitioner	25p
SYMPOSIA	
Hazards of Middle Age	25p
Problems of Sex	30p
The Art and Science	37 <u>₹</u> p
Accident Management	30p
Nutrition in General Practice	37 ½ p
Arthritis in General Practice	25p
Migraine in General Practice	25p
Mental Health and the Family Doctor	25p
Rheumatology in General Practice	52½p
Rehabilitation	25p
The Actiology of Congenital Anomalies	$37\frac{1}{2}p$
The Early Stages of Chronic Bronchitis	52½p
Preventive Medicine in General Practice	52½p
The Quality of Medical Care	25p
Clinical Problems of Practice	42½p
Anaemia in General Practice	30p
The Art of Listening	37½p
Early Diagnosis	42½p
The Age of Discretion	37½ p
The early detection of imported and endemic disease	37 2 p
Society and its general practitioners	52½p
Adolescence and its problems	52½p
Psychiatry and general practice	52½p
Sixth and seventh ages of man	52½p
Communicable diseases	52½p
The Management of Staff in General Practice	52½p
Man, Milieu and Malady	52½p
Group Practice Survey of General Practitioners' Care of their Patients in the Hospital	75 p
Service Service Care of their Fatients in the Hospital	30p
OTHER PUBLICATIONS	
Training for General Practice (2nd Edition)	22 <u>₹</u> p
Epidemic Winter Vomiting	5p
Memorandum for the Guidance of Trainers	5p
Group Practice, Ancillary Help and Government Controls	37½p
The prescribing of psychotropic drugs in general practice	75p

•...not only are the two primary pathogens, Strep pneumoniae and H influenzae, sensitive, but so are the secondary invaders such as klebsiella which often replace them after antibiotic treatment.

66...clearly superior to either of the other treatments...92

€...one is struck by the tremendous success rate, certainly superior to any antibacterial we have tested... 99³

6...indeed one cannot remember any other drug performing so well...93


€ lt rapidly cleared purulent sputum with improvement in all 50 cases. 9 4

SEPTRIN* Tablets, Adult Suspension, Paediatric Suspension and Paediatric Tablets contain trimethoprim and sulphamethoxazole.

References to the role of the trimethoprim: sulphonamide combination in treating bronchitis and urinary infections

- (1) S Afr med J,(1970) 44. Supplement (August) 12. (2) Leading Article, Brit med J, (1969) 1, 525. (3) Med J Austr (1971), 1, 526.
- (4) Proceedings of the V International Congress of Chemotherapy, (1967), 1, 1, (A1 5a/3) 293.

COf the easily administered primary treatments for urinary tract infection, this combination is probably the best.



SEPTRIN

eradicates infection by a double blockade of bacterial metabolism

*Trade Mark

Full Information is available on request.

Wellcome Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Dartford, Kent, DA1 5AH.

for a patient with cardiac failure



MODURETIC ODIURETIC



'Moduretic' provides a smooth and highly effective diuresis and, at the same time, helps the body to conserve its natural potassium. These features are of additional benefit when, perhaps unknown to the physician, an oedematous patient is also living on a diet which is low in potassium.



'Moduretic' offers a most acceptable alternative to the numerous and often unpalatable potassium supplements required during prolonged diuretic therapy. Oral potassium should not be given with 'Moduretic'.



By conserving the body's natural potassium, 'Moduretic' helps the patient whose symptoms of weakness and lethargy are not 'just old age', but are in fact caused by potassium depletion.



'Moduretic' should always be considered for oedematous patients who also require digitalis. The potassium-conserving effect of 'Moduretic' can play an important part in reducing the risk of digitalis intoxication.


a highly effective diuretic that entirely obviates the need for potassium supplements

'Moduretic' is available as peach-coloured, diamond-shaped tablets containing 5 mg amiloride hydrochloride and 50 mg hydrochlorothiazide. Detailed information is available to physicians on request.

® denotes registered trademark.



Merck Sharp & Dohme Limited, Hoddesdon, Hertfordshire Telephone Hoddesdon 67123



"Seventy-five per cent of patients spontaneously complained of various degrees of tiredness on methyldopa, as against 10 per cent on bethanidine (ESBATAL) and 17 per cent on guanethidine."

'Side-effects are fewer and milder..." "The lower incidence of side-effects, and the more rapid response to change in

dosage makes bethanidine (ESBATAL) a

more satisfactory drug."(3)
"Thus bethanidine (ESBATAL) not only on grounds of cost but also because of its therapeutic effectiveness has a strong claim to be considered as today's first choice of drug treatment of severe hypertension."

1 Brit med J, (1968), **1**, 135. 2 Brit med Abst, (1967), **7**, 309. 3 Brit med J, (1971), **1**, 99. 4 Brit med J, (1968), 1, 313.

Full information about ESBATAL* (bethanidine sulphate) is available on request.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.), Dartford, Kent. DA1 5AH



Trade Mark

the effective antihypertensive with fewer side-effects

When the mind magnifies ...



Restores emotional stability effective in the majority of all cases of anxiety

"Improvement on the Anxiety Rating Scale was seen in 95% of patients scored at the end of 2 weeks."

Enhances mood relieves any depressive overlay

"It was found to normalize anxious mood and effected a valuable restoration of perspective in the patient's attitude towards worries and fearful apprehensions."

"It is noteworthy that among the 35 patients to whom no previous treatment had been given immediately before the trial, only six failures occurred, the remainder responding very well to treatment, including some patients with a depressed mood overlying the anxiety neurosis." 2


Rapid action fast clinical response

"... at the end of the first week with oxypertine, 6% had been completely relieved of symptoms, and 42% partially relieved... At the end of the fourth week there were now 35% completely relieved with oxypertine integrin and 43% partially relieved..."

Causes less drowsiness less effect on reaction time

In reaction time tests, patients treated with Integrin showed more rapid response to stimuli and less incoordination than with diazepam.¹ Other investigators commenting on the low incidence of drowsiness with Integrin agree that when drowsiness does occur it can be relieved by adjustment of dosage with little reduction in therapeutic effectiveness^{2,3}

"Significantly superior to diazepam"



the 'fundamental' treatment for anxiety

...Integrin restores perspective



unlike other tranquillizers



combats the basic biochemical disturbance associated with anxiety

Refs.

Curr. Therap. Res. (1971) 13:561
 Med. Digest (1971) 16:472
 Clin. Trials J. (1971) 8:3
 Practitioner (1971) 206:822

Indications

Acute and chronic anxiety states and psychosomatic conditions whether or not accompanied by depressive overlay; tension, apprehension, agitation and sleep disturbances.

Dosage

The usual adult dose is one 10mg capsule three times daily, with a further capsule at bedtime if required. In certain cases up to 60mg daily may be needed. Should a milder effect be required the midday dose may be omitted.

Side Effects

Even in high doses, Integrin is well tolerated, with only minor, often transient, side effects. Some patients may experience some drowsiness. Dry mouth and dizziness have also been reported.

Precautions

Alcohol or other tranquillizers may potentiate the effect of Integrin and patients intending to drive should be made aware of this. Where MAO inhibitors have been used, 2-3 weeks should elapse before Integrin is started.

Safety Margins

No substantiated reports of toxicity have been received, even where patients have taken up to the equivalent of 56 capsules in 24 hours. Neither dependence nor withdrawal symptoms have been reported.

Presentation

Containers of 100 capsules. Each grey/green capsule contains 10mg oxypertine.

Basic NHS Cost

One week's treatment (1 capsule 10mg t.d.s.) is 36p

Integrin is a registered trade mark.
Full information is available from
Winthrop Laboratories, Surbiton-upon-Thames, Surrey.

a product of WINTHROP research

ARE NOT TWO CHILDREN ENOUGH?

No doubt you are already referring suitable candidates for **VASECTOMY**.

Would you find a leaflet describing the operation helpful to put in your waiting room or to hand to interested couples?

If so, may we send you some? There is no charge for these.

Please send requests to:

The Hon. Director, Crediton Project, West Longsight, Crediton, Devon.

World Health Organisation and Council of Europe Fellowships 1973

A small number of fellowships for study abroad will be awarded in 1973 by the World Health Organisation and the Council of Europe. These are available to registered medical practitioners, dental practitioners, state registered nurses and other professional personnel engaged in the health services, medical education, or medical research in the United Kingdom.

The fellowships are awarded normally for periods of two weeks to one month. Only in exceptional cases can periods longer than this be considered. In each case the fellows are given a monthly allowance of approximately £110 per month, (the amount varying with the country or countries visited) together with all travelling expenses.

Applicants should be of at least five years standing in their profession and able to assess critically their visits and studies abroad so as to utilise the experience for the benefit of the health services of the United Kingdom. They will be expected to continue in the health services of the United Kingdom for at least three years after holding a fellowship.

Application forms for fellowships to be taken up in 1973 may be obtained:

- (a) By those resident in Scotland from:
 The Secretary,
 Scottish Home and Health Department,
 12/14 Carlton Terrace,
 Edinburgh EH7 5DG.
- (b) By those resident in Wales:
 The Secretary,
 Y Swyddfa Gymreig,
 Welsh Office,
 Health Department,
 Cathays Park,
 Cardiff CF1 3NQ.
- (c) By those resident in Northern Ireland from: The Secretary, Ministry of Health and Social Services, Dundonald House, Upper Newtownards Road, Belfast 4.
- (d) By others from:
 The Secretary,
 Room B102
 Department of Health and Social Security
 Alexander Fleming House,
 Elephant and Castle
 London S.E. 1.

Envelopes should be marked "W.H.O. and Council of Europe Fellowships" The completed application form should be returned to the office from which it was obtained not later than Saturday, May 27th, 1972.

University of Dundee

Course on Recent Advances in Occupational Health

25-29 September, 1972

A week's course, covering recent advances in occupational medicine, will be held within the Department of Social and Occupational Medicine, University of Dundee from Monday, 25 September to Friday, 29 September 1972. This course has been designed to meet the needs of Industrial Medical Officers and General Practitioners engaged as part-time Industrial Medical Officers. It is open to all qualified medical practitioners and is approved under Section 63 of the Health Services and Public Health Act 1968.

Enquiries and applications to W. Taylor, MD, Ph.D, FRCPE, Reader in Industrial Medicine, Department of Social and Occupational Medicine, The University, Dundee, DD1 4HN.

SOUTH-EASTERN REGIONAL HOSPITAL BOARD, SCOTLAND SOUTH-EASTERN REGIONAL COMMITTEE ON POSTGRADUATE MEDICAL EDUCATION

Appointment of a Regional Adviser in General Practice

Applications are invited from practising general medical practitioners for appointment to the new post of:—

Regional Adviser in General Practice to the South-Eastern Regional Committee on Postgraduate Medical Education.

The successful candidate will have responsibility on behalf of the South-Eastern Regional Committee on Postgraduate Medical Education for co-ordinating the arrangements for vocational and continuing education in General Practice. The appointment will be for three years in the first instance. The appointment will be for three notional half days per week and the salary will be at the appropriate proportion of the maximum full-time salary of a consultant.

Further particulars may be obtained from the Secretary to the Regional Hospital Board at 11 Drumsheugh Gardens, Edinburgh, with whom applications should be lodged not later than 29 April, 1972. Applications should be typewritten and should give particulars of age, qualifications and previous experience, together with the names and addresses of three referees.

EASTERN REGIONAL HOSPITAL BOARD

EASTERN REGIONAL POSTGRADUATE MEDICAL EDUCATION COMMITTEE

Vocational Training Scheme for General Practice

A three-year vocational training scheme for general practice is to be introduced in August, 1972 by the Eastern Regional Hospital Board in conjunction with the Eastern Regional Postgraduate Medical Education Committee. The Scheme is recognised by the Royal College of General Practitioners as suitable preparation for the M.R.C.G.P. examination. It will consist of two years in selected hospital appointments at senior house officer level in the Dundee Group or the Perth Group of Hospitals and one year as a trainee in a selected teaching practice.

Application forms and further details may be obtained from the Secretary to the Board, Vernonholme, Riverside Drive, Dundee, with whom application forms should be lodged not later than 6 May, 1972.

British Postgraduate Medical Federation

University of London

REGIONAL ADVISER IN GENERAL PRACTICE

NORTH WEST METROPOLITAN REGION


Applications are invited from general practitioners in active group or partnership practice for the post of Regional Adviser in General Practice in the North West Metropolitan Region. The holder will be a member of the staff of the Regional Postgraduate Dean at the Central Office of the Federation. The appointment will be equivalent to two days a week for one year in the first instance, renewable for a further period of up to five years. The provisional salary will be £2,076 per annum, superannuable. Further information may be obtained on application to the Director (R.D.), British Postgraduate Medical Federation, 33 Millman Street, London, WC1N 3EJ. Closing date: 8th May, 1972.

POSTALOANS (grms) £20 to £5000. No security. RICHMOND INVESTMENTS 4 The Green, Richmond, Surrey,

CAMBRIDGESHIRE. To commence October 1st 1972, or sooner. A group of three requires a salaried partner, to be followed by succession and parity in two years, when the senior partner will retire. Health Centre practice, appointment system, full secretarial help, allday nursing assistance. D/Nurse, H/Visitor attachments. Microscope, Haemoglobinometer, E.C.G.; full access to other diagnostic facilities. G.P. maternity unit; developmental paediatrics. Growing list should eventually allow expansion of group. This is a Fenland practice with an interesting future in a busy market town, possessing several advantages.— Dr J. R. Morton, 82 The Avenue, March, Cambridgeshire PE15 9PR

Readers are asked to mention *The Journal* of the Royal College of General Practitioners when replying to all advertisements.

Now you can prescribe aspirin



in rheumatoid <u>and</u> osteo arthritis

Levius

Each tablet contains 35,000 microgranules of aspirin individually protected by a coating of inert ethylcellulose

Magnification x 15

The ethylcellulose coating is designed to protect the gastric mucosa against the irritant action of aspirin without reducing the effectiveness of the drug. Aspirin is released through the coating of the microgranules at a controlled rate enabling relief of pain to be prolonged.



long-term aspirin

Levius

Microcapsules magnified 250 times, The coating can be clearly seen

Levius:

each tablet contains 500mg. of acetylsalicylic acid in micro-encapsulated form.

Levius: registered trade mark

Full information and samples on request



Pharmitalia (UK) Limited, Kingmaker House, Barnet, Herts. Telephone: 01-440 7171