

CHURCHILL LIVINGSTONE

THE COMPLETE HANDBOOK FOR MEDICAL SECRETARIES AND ASSISTANTS

ROBERT L. DENNIS and JEAN MONTY DOYLE

1971 572 pages 27 illustrations £4.50

The authors have compiled and organised medical definitions, anatomical terms, and case reports according to medical speciality. An up-to-date list of surgical instruments, dressing materials, drugs, anaesthetics, and laboratory procedures is also included, as is an excellent section on electrocardiograms. Indispensable in every doctor's office, this manual provides the assistant with basic knowledge and suggests further reading.

LEGAL ASPECTS OF MEDICAL PRACTICE

BERNARD KNIGHT

1972 288 pages 61 illustrations £3.00

Legal Aspects of Medical Practice concentrates on giving the information that a doctor should have to guide him in his dealings with legal medicine. The topics discussed include the doctor's responsibility towards his patient and profession; the framework of British and Scottish legal systems; the role of the coroner, and the doctor's duty at the scene of death.

Practical advice is given in procedure, examining of the dead body and recognition of the probable cause of death. These are considered more fully, together with important allied issues such as the battered child and sudden infant death.

A final section sets out the principal recommendations of the long awaited Brodrick Report on Death Certification and Coroners.

SEXUALLY TRANSMITTED DISEASES

C. B. S. SCHOFIELD

1972 256 pages 12 illustrations £1.25

The author provides a short account of the sexually transmitted diseases, their differentiation from other conditions of the genitalia and their medico-social management; on the medical side the modern methods by which an accurate diagnosis can be made to ensure the correct and specific treatment of each patient; on the social side the methods used on contact tracing to bring those at risk for examination and treatment, together with the steps that can be taken to prevent further spread of infection.

CHURCHILL LIVINGSTONE


Teviot Place Edinburgh

A name to conjure with.

'Largactil' has been a name to conjure with in psychiatric medicine for over sixteen years. An influence of such magnitude and long duration can be explained by examining this legendary name.

'Largactil' was so named because of its LARGE variety of ACTIONS; apart from being the first major tranquillizer, it acts in two other pharmacologically distinct ways – as a potentiator of central nervous depressants, including analgesics, narcotics and sedatives, and as an anti-emetic.

'Largactil' has achieved success in the fields of psychiatry, general medicine and anaesthetics in an ever-widening range of indications. These include major and minor psychoses; as an adjuvant to E.C.T.; drug withdrawal; senile dementia; the control of terminal pain and nausea and vomiting.



**Alone, or as an adjuvant –
are you making FULL use of
'Largactil'?**

Full information is available on request
An M&B brand Medical Product



MAY & BAKER Ltd

Dagenham Essex RM10 7XS England



'Largactil' is a trade mark of May & Baker Ltd for its preparations of chlorpromazine.


MA 8137

AS A NAVAL DOCTOR, YOU'D GET A WHOLE LOT MORE OUT OF LIFE.

(AND SO WOULD YOUR FAMILY)

Right from the start, you'd have a complete change of scene.

Serving either with the Navy at sea or among service personnel and their families at a naval establishment. Very likely in another part of the world.



Either way, you'd never find yourself short of assistance. (Every naval doctor is fully supported by medical staff).

Equally important, you'd never find yourself getting into a rut - for in two years or so you'd receive a new appointment.

In a new place. Doing a different job. Perhaps with the chance to learn something of the special problems of diving, aviation, or tropical medicine for example.

It's a stimulating life. Not only for yourself but for your family too.

For in most cases they'd accompany you. And wherever you go there are usually married quarters - fully furnished houses or flats, equipped with everything you need. And at very reasonable rents.

What's more, a generous education




allowance is made for your children if they are at boarding school. £330 p.a. for a first child, £393 p.a. for a second, £471 p.a. for a third. On top of this, removal and other allowances are also provided.

Add this to the salary and you'll see how well a naval doctor's pay compares with a civilian doctor's.

For instance, with five years' post registration experience you would join us as a Surgeon Lieutenant-Commander on £4,424 a year.

And any specialist qualifications/experience you have could increase your salary even more.



There are opportunities, too, to keep up with the latest developments in medicine. For the Navy fully recognises the need for such opportunities both in the interests of naval medicine and a doctor's professional advancement.

That's not all. You can join on a 3-year or 5-year commission (each carrying a tax-free terminal gratuity of £1,500 and £3,000 respectively) and you can transfer to a full 16-year pensionable commission if you wish.

Provided you're resident in the U.K. or Eire, you can find out more by writing to Surgeon Cdr. F. M. Kinsman, O.B.E., R.N. (811AB1), Dept. of the Medical Director-General (Navy), Empress State Building, London S.W.6.

He'll give you all the facts.

RN
ROYAL NAVY

The need for Septrin is



frequent, urgent and burning

Superior to ampicillin or sulphadimidine

In a comparative trial,¹ cure rates achieved in urinary tract infections were 85% with SEPTRIN*, 70% with ampicillin and 40% with sulphadimidine. SEPTRIN was judged "clearly superior to either of the other treatments".²

(Cure criterion = eradication of infecting organism 1 week after end of treatment).

REFERENCES

1. *Brit med J*, (1969), 1, 541.
2. Leading Article, *Brit med J*, (1969), 1, 525.
3. *Med J Austr*, (1971), 1, 526.
4. Symposium: The Synergy of Trimethoprim and the Sulphonamides. *S Afr med J* (1970), 44, Supplement (August) 12.

High success rate

"... one is struck by the tremendous success rate, certainly superior to any other antibacterial we have tested..."³

"Of the easily administered primary treatments for urinary tract infection, this combination is probably the best."⁴

*Trade Mark


SEPTRIN Tablets, Adult Suspension, Paediatric Suspension, and Paediatric Tablets contain trimethoprim and sulphamethoxazole. Full information is available on request.




Burroughs Wellcome & Co.
(The Wellcome Foundation Ltd.)
Wellcome Dartford, Kent, DA1 5AH



SEPTRIN



First In Urinary Infections
double blockade of bacterial metabolism
means resistance is unlikely to develop



Lucky Jim - he's been on ROTER

Jim had a peptic ulcer. His diet was hopelessly monotonous, he couldn't work and he was due for surgery.

On Roter he got almost immediate relief of pain, his ulcer healed quickly, and hospitalisation and surgery were avoided.

Lucky Jim is back at work. He's on a normal diet; is enjoying his meals and putting on weight.

Roter: available on E.C.10 in packs of 40 and 120 tablets. Dispensing packs of 360 and 720 tablets.

Roter: Bismuth subnitrate Roter 300 mg., Magnesium carbonate 400 mg., Sodium bicarbonate 200 mg., Cortex rhamni frangula 25 mg.

Literature and abstracts of clinical trials available on request. F.A.I.R. Laboratories Limited, Twickenham, Middlesex.



Emotional distress.

The facade of vague symptoms presented by the depressed, anxious patient makes diagnosis and choice of therapy a particular challenge. For first line treatment, three factors are invaluable:

- Effectiveness against both anxiety and depression
- Minimal side effects and no dietary restrictions
- Patient acceptance.

Prothiaden has been shown¹ to be a real advance in combining all these features, in one substance, one strength capsule.

M. S. Lipidge, W. Linford-Rees and D. J. Pike,
Psychopharmacologia (Berl) 19, 153-162 (1973).


First line therapy

Prothiaden

Presentation: 25mg capsules
each containing 25mg of Prothiaden in
yellow, round, smooth, reformulated
capsules. Available on request.



The CROOKES
Laboratories Limited,
Basingstoke, Hants.



Actifed and Space age Medicine

Observers at mission control are able to follow closely the exploration of the moon with the aid of television pictures relayed to earth. In order to improve the clarity and definition of the pictures a technique of computer enhancement is used. This technique has already been applied to medical radiography.

In the space programme, medical benefit has been a two-way exchange. Of the medicines taken on Apollo flights, ACTIFED* has been repeatedly chosen as the decongestant. ACTIFED TABLETS and SYRUP contain the decongestant pseudoephedrine and the established antihistamine triprolidine. ACTIFED COMPOUND LINCTUS contains, in addition, codeine. It provides effective and palatable cough control for all age groups.

Full information available on request.

*Trade Mark
BurroughsWellcome & Co. (The Wellcome Foundation Ltd.) Dartford, Kent, DA1 5AH

For Coughs with Congestion

ACTIFED COMPOUND LINCTUS



PUBLICATIONS


The following have been published by *The Journal of the Royal College of General Practitioners*. They can be obtained, while still in print, from The Longman Group Ltd., 33 Montgomery Street, Edinburgh EH7 5JX, Scotland.

REPORTS FROM GENERAL PRACTICE

No. 1	Special Vocational Training	25p
No. 4	General Practice in the New Towns in Britain	30p
No. 5	Evidence of the Royal College of General Practitioners to the Royal Commission on Medical Education	32½p
No. 6	Implementation of Vocational Training	20p
No. 10	The Practice Nurse	37½p
No. 11	General Practitioner Teaching of Undergraduates in British Medical Schools	52½p
No. 13	Present State and Future Needs (Second edition)	60p
No. 14	The Future General Practitioner—Part One	25p
No. 15	Teaching Practices	100p

SUPPLEMENTS TO THE JOURNAL OF THE ROYAL COLLEGE OF GENERAL PRACTITIONERS

Memorandum for the Guidance of Trainers	5p
A Classification of Disease	5p
Mental Health and the Family Doctor	25p
Accident Management	30p
Training for General Practice	12½p
A Guide to Research in General Practice	20p
Nutrition in General Practice	37½p
Arthritis in General Practice	25p
The Hazards of Middle Age	25p
Rehabilitation	25p
The Aetiology of Congenital Anomalies	37½p
The Problems of Sex in General Practice	30p
The Art and the Science of General Practice	37½p
Preventive Medicine and General Practice	55p
The Early Stages of Chronic Bronchitis	55p
The Quality of Medical Care	25p
The Clinical Problems of Practice	42½p
Training for General Practice	22½p
Anaemia in General Practice	30p
The Art of Listening	37½p
Group Practice, Ancillary Help and Government Controls	37½p
Early Diagnosis	42½p
The Age of Discretion 20–40	37½p
The Early Detection of Imported and Endemic Disease	37½p
Adolescence and its Problems	52½p
Communicable Diseases	52½p
Rheumatology in General Practice	52½p
The Management of Staff in General Practice	52½p
Man, Milieu and Malady	52½p
A Future in General Practice	52½p
Report of Transport Services in General Practice	75p
The Prescribing of Psychotropic Drugs	75p



**'...indomethacin is a powerful
compound, capable of giving
relief of symptoms and
reduction of inflammatory
signs in several rheumatic
disorders.'**

*Brit. med. J.,
1966, 1, 80 (8 Jan)*

**for use in acute
musculoskeletal
disorders – bursitis,
tendinitis, synovitis,
tenosynovitis, capsulitis
of the shoulder**

In most patients
Indocid
Indomethacin/MSD ®

Capsules/Suppositories

**rapidly reduces
inflammation, relieves pain,
restores mobility**

'Indocid' is available as 25 mg and
50 mg capsules, 100 mg suppositories,
and a suspension (25 mg/5 ml).
Detailed information is available to physicians
on request. ® denotes registered trademark.



Merck Sharp & Dohme Limited
Hoddesdon, Hertfordshire
Telephone Hoddesdon 67123

where today's theory is tomorrow's therapy

2-2524



Tanderil®

(Oxyphenbutazone B.P.)

Geigy

**now
Tanderil® Alka
(mantle tablets)
for those patients
who experience
gastric upset**

*"Many patients who had
been incapacitated and
in pain for long periods,
in some cases for years,
responded dramatically
to Tanderil within a few
days or a week"*

Clin. Med. 73, 65-68 (1966)

**helps
arthritic
joints
to move
again
without
pain**

**Tanderil® Alka mantle
tablets contain
oxyphenbutazone B.P.
100 mg, Dried
Aluminium Hydroxide
Gel. B.P. 100 mg and
Magnesium Trisilicate
150 mg*

*Detailed literature
describing any Geigy
product will be supplied
on request.*

*Geigy Pharmaceuticals
Macclesfield, Cheshire
SK10 2LY*

Upjohn Travelling Fellowships

for General Practitioners

In 1972 Upjohn Limited is once more making available grants of up to £200 to enable Doctors in General Practice to undertake postgraduate courses of their own choice or design within the British Isles (other than those available under Section 63).

Selection for an award will be made by the Royal College of General Practitioners. Applicants must be registered medical practitioners working in general practice in the United Kingdom or the Republic of Ireland, and shall not have held an Upjohn Travelling Fellowship in the last five years.

Application forms and conditions of entry have been mailed by Upjohn Limited to doctors on their mailing lists, but may also be obtained from:

The Secretary,
Education Foundation Board,
The Royal College of General Practitioners,
14 Princes Gate, London SW7 1PU.

Closing Date for Applications – 31 May 1972.

Upjohn

UPJOHN LIMITED • FLEMING WAY • CRAWLEY • SUSSEX

U75

Are you in your Pre-Registration Year —or recently fully registered?

Before you commit yourself to your permanent pattern of life, consider what the Royal Air Force has to offer.

The chance to practise total medical care, as a GP

Your first job would probably be a Junior Medical Officer on a large RAF Station. There would be at least one other doctor. Between you, you would have a 'list' of 2000 to 3000 people—servicemen and their families. You would meet all the usual clinical problems of a GP—and get plenty of experience in pediatrics. As well as this, you would be actively involved in the practice of aviation medicine and gain experience in the preventive, occupational and social fields.

Conditions of work are extremely good. You would have a consulting room in a specially built *Medical Centre*—like a small hospital with its own treatment room, theatre and resuscitation room, and wards for a dozen or so short-stay patients. There is a full secretarial and nursing staff. Your clinical freedom would be absolute.

The chance to specialise, too

Because General Practice is so highly developed in the RAF, this does not mean you have no chance to specialise. The contrary is true. 47% of all RAF doctors are now working in specialist departments. On a 'full career' contract you have every opportunity to reach consultant status in your late or middle thirties—perhaps earlier.

The chance to study for higher qualifications


Any RAF doctor, whether specialist or GP (as long as he is not on the very shortest of contracts) can apply for six months study leave on full salary. On a permanent commission, he may have up to two years' external study leave.

The chance to travel

The RAF operates in many different conditions and climates. Abroad, the RAF doctor looks after RAF personnel and their families and, very often, the local population as well. Your gain in clinical experience would be marked.

The chance of a good social and family life

The RAF is a young community, with a full and active social life. There are facilities for almost every kind of sport and, which is most important, the time to enjoy your family while you are still a young man. Living conditions are excellent. If you are single you live in the Officers' Mess, which has all the amenities of a good hotel. If you are married, you will nearly always have a furnished house that goes with the job; rent for this is very modest; and it can save a large financial outlay at the beginning of your career.



General Practice? With a difference. At this RAF Clinic, in the busy town of Limassol, in Cyprus, almost all the patients are women and children (specially children). Staff is 7 doctors, each with his (or her) own panel of patients; and 5 dentists. There are 5 SRN Nurses, and 7 Health Visitors. Next door is the RAF's Child Guidance Clinic, with psychiatrist, educational psychologist and speech therapist.

A realistic pay scale

Pay is based on the average earnings of a civilian GP. Immediately after full registration, the present basic salary is £3668; after 5 years it rises to £4424; after 13 years to £5453. There are various other allowances; for instance, with children at boarding school the figures are £330 (net) for one child, £723 (net) for two children, £1194 (net) for three children. There are tax-free gratuities of £1500 after 3 years, or £3000 after 5 years. After service of 16 years or more there is a pension, payable for life, and a generous terminal grant.

For full information please write, giving your age, nationality, and date of full registration, to Group Captain J. G. Donald, OBE, MB, ChB, MRCP, DTM&H, RAF, Ministry of Defence, 1-6 Tavistock Square (811 JZ1), London, WC1H 9NL.
Or visit your nearest RAF Careers Information Office.

Royal Air Force



Madam prefers Esbatal



"Seventy-five per cent of patients spontaneously complained of various degrees of tiredness on methyl dopa, as against 10 per cent on bethanidine (ESBATAL) and 17 per cent on guanethidine."⁽¹⁾

"Side-effects are fewer and milder...."⁽²⁾

"The lower incidence of side-effects, and the more rapid response to change in

dosage makes bethanidine (ESBATAL) a more satisfactory drug."⁽³⁾

"Thus bethanidine (ESBATAL) not only on grounds of cost but also because of its therapeutic effectiveness has a strong claim to be considered as today's first choice of drug treatment of severe hypertension."⁽⁴⁾

1 Brit med J, (1968), 1, 135. 2 Brit med Abst, (1967), 7, 309. 3 Brit med J, (1971), 1, 99. 4 Brit med J, (1968), 1, 313.

Full information about ESBATAL* (bethanidine sulphate) is available on request.

*Trade Mark




Burroughs Wellcome & Co.
(The Wellcome Foundation Ltd.),
Dartford, Kent. DA1 5AH



ESBATAL

the effective antihypertensive with fewer side-effects

for a patient with cardiac failure



MODURETIC[®] DIURETIC

◆ 'Moduretic' provides a smooth and highly effective diuresis and, at the same time, *helps the body to conserve its natural potassium*. These features are of additional benefit when, perhaps unknown to the physician, an oedematous patient is also living on a diet which is low in potassium.

◆ 'Moduretic' offers a most acceptable alternative to the numerous and often unpalatable potassium supplements required during prolonged diuretic therapy. Oral potassium should not be given with 'Moduretic'.

◆ By conserving the body's natural potassium, 'Moduretic' helps the patient whose symptoms of weakness and lethargy are not 'just old age', but are in fact caused by potassium depletion.

◆ 'Moduretic' should always be considered for oedematous patients who also require digitalis. The potassium-conserving effect of 'Moduretic' can play an important part in reducing the risk of digitalis intoxication.

a highly effective diuretic that entirely obviates the need for potassium supplements

'Moduretic' is available as peach-coloured, diamond-shaped tablets containing 5 mg amiloride hydrochloride and 50 mg hydrochlorothiazide. Detailed information is available to physicians on request.
® denotes registered trademark.



Merck Sharp & Dohme Limited, Hoddesdon, Hertfordshire
Telephone Hoddesdon 67123

**When the
mind magnifies...**



Integrin—an entirely new type of agent—relieves the symptoms of anxiety by correcting the disturbed brain chemistry.

Integrin rapidly restores perspective in the worried and apprehensive patient⁴, enhances mood and relieves depressive overlay³.

**Restores emotional stability
effective in the majority of all cases of anxiety**

“Improvement on the Anxiety Rating Scale was seen in 95% of patients scored at the end of 2 weeks.”²

**Enhances mood
relieves any depressive overlay**

“It was found to normalize anxious mood and effected a valuable restoration of perspective in the patient’s attitude towards worries and fearful apprehensions.”³

“It is noteworthy that among the 35 patients to whom no previous treatment had been given immediately before the trial, only six failures occurred, the remainder responding very well to treatment, including some patients with a depressed mood overlying the anxiety neurosis.”²

**Rapid action
fast clinical response**

“... at the end of the first week with oxypertine, 6% had been completely relieved of symptoms, and 42% partially relieved ... At the end of the fourth week there were now 35% completely relieved with oxypertine [Integrin] and 43% partially relieved ...”⁴

**Causes less drowsiness
less effect on reaction time**

In reaction time tests, patients treated with Integrin showed more rapid response to stimuli and less incoordination than with diazepam.¹ Other investigators commenting on the low incidence of drowsiness with Integrin agree that when drowsiness does occur it can be relieved by adjustment of dosage with little reduction in therapeutic effectiveness.^{2, 3}

“Significantly superior to diazepam”¹

INTEGRIN
capsule 10mg

the ‘fundamental’ treatment for anxiety

**... Integrin restores
perspective**



unlike other tranquillizers

INTEGRIN
capsule 10mg

**combats the basic biochemical
disturbance associated with anxiety**

Refs.

- 1 Curr. Therap. Res. (1971) 13:561
- 2 Med. Digest (1971) 16:472
- 3 Clin. Trials J. (1971) 8:3
- 4 Practitioner (1971) 206:822

Indications

Acute and chronic anxiety states and psychosomatic conditions whether or not accompanied by depressive overlay; tension, apprehension, agitation and sleep disturbances.

Dosage

The usual adult dose is one 10mg capsule three times daily, with a further capsule at bedtime if required. In certain cases up to 60mg daily may be needed. Should a milder effect be required the midday dose may be omitted.

Side Effects

Even in high doses, Integrin is well tolerated, with only minor, often transient, side effects. Some patients may experience some drowsiness. Dry mouth and dizziness have also been reported.

Precautions

Alcohol or other tranquillizers may potentiate the effect of Integrin and patients intending to drive should be made aware of this. Where MAO inhibitors have been used, 2-3 weeks should elapse before Integrin is started.

Safety Margins

No substantiated reports of toxicity have been received, even where patients have taken up to the equivalent of 56 capsules in 24 hours. Neither dependence nor withdrawal symptoms have been reported.

Presentation

Containers of 100 capsules. Each grey/green capsule contains 10mg oxypertine.

Basic NHS Cost

One week's treatment (1 capsule 10mg t.d.s.) is 36p

Integrin is a registered trade mark.

Full information is available from
Winthrop Laboratories, Surbiton-upon-Thames, Surrey.

a product of WINTHROP research

ARE NOT TWO CHILDREN ENOUGH?

No doubt you are already referring suitable candidates for **VASECTOMY**.

Would you find a leaflet describing the operation helpful to put in your waiting room or to hand to interested couples?

If so, may we send you some? There is no charge for these.

Please send requests to:

The Hon. Director,
Crediton Project,
West Longsight,
Crediton, Devon.

THE ROYAL COLLEGE OF GENERAL PRACTITIONERS

Applications are invited for the post of

SENIOR RESEARCH FELLOW

in the Research Unit of the Royal College of General Practitioners in Birmingham. This Unit includes the Harborne and Birchfields Practices of the Royal College of General Practitioners.

The successful applicant will work with the Director and the Research Adviser to the Unit on the design of research methods, the setting up of projects and the operation of an advisory service for research workers in general practice. He will have a clinical commitment to the work of the Birchfields Study Practice.

The field of work covers clinical, observational and operational research including medical auditing. The programme also includes the field of environmental health and the development of teaching programmes of research methods.

The appointment is for a period of up to five years initially, at a gross salary commencing at £5150 per annum. Applications to:

D. L. Crombie, *O.B.E.*, M.D., F.R.C.G.P., Royal College of General Practitioners Research Unit, Arthur Thompson House, 146 Hagley Road, Birmingham B16 9PA.

FOURTH PARTNER

Fourth partner required in Harrow-Northolt area. Half-hour from central London. Ten minutes from green belt. Modern premises. Good ancillary help. Full open access at new Northwick Park hospital. Research and educational facilities available. Night and weekend rota. Complete appointment system. Parity in 2-3 years. Male graduate of British university. Apply in writing to Dr B. C. S. Slater, *O.B.E.*, F.R.C.G.P., 32a Eastcote Lane, South Harrow, Middlesex.

TRAINEE ASSISTANT

Trainee assistant wanted to join group of eight principals in Boreham Wood, 12 miles from Central London, starting June, 1972. Full community care involvement with attached staff. Research projects encouraged, training courses arranged, hospital attachments if required. Single accommodation available. Own car essential.

Dr G. D. Ripley, 121 Theobald St., Boreham Wood, Herts, WD6 4PU. Tel.: 01-953-3355 or Radlett 4357 evenings and weekends.

SALARIED PARTNER

A salaried partner required to join group of eight. Hours by arrangement. Suitable single or married woman. Accommodation possibly available for single person.

Dr Godfrey Ripley, 121 Theobald St., Boreham Wood, Herts, WD6 4PU. 01-953-3355, or Radlett (779) 4357 evenings and weekends.

POSTALOANS (grms) £20 to £5000.
No security.

RICHMOND INVESTMENTS
4 The Green, Richmond, Surrey,

Readers are asked to mention *The Journal of the Royal College of General Practitioners* when replying to all advertisements.

Now you can prescribe aspirin
LONG-TERM
in rheumatoid and
osteo arthritis

Levius

Each tablet contains 35,000 microgranules of aspirin individually protected by a coating of inert ethylcellulose

Magnification x 15

The ethylcellulose coating is designed to protect the gastric mucosa against the irritant action of aspirin without reducing the effectiveness of the drug. Aspirin is released through the coating of the microgranules at a controlled rate enabling relief of pain to be prolonged.

long-term aspirin

Levius

*Microcapsules magnified 250 times.
The coating can be clearly seen*

Levius:
each tablet contains 500mg. of acetylsalicylic acid
in micro-encapsulated form.

Levius: registered trade mark

Full information and samples on request



Pharmitalia (UK) Limited, Kingmaker House, Barnet, Herts. Telephone: 01-440 7171