PUBLICATIONS

The following have been published by *The Journal of the Royal College of General Practitioners*. They can be obtained, while still in print, from The Longman Group Ltd., 33 Montgomery Street, Edinburgh EH7 5JX, Scotland.

REPORTS FROM GENERAL PRACTICE

No. 1	l Special Vocational Train		• • .					25 p					
	4 General Practice in the							ЗОр					
No.	No. 5 Evidence of the Royal College of General Practitioners to the Royal												
	Commission on Medical	Educat	tion					33р					
No.	6 Implementation of Vocat	ional T	raining					20p					
No. 10	The Practice Nurse							50p					
No. 11	1 General Practitioner Tea												
	Schools							52p					
No. 13	3 Present State and Future							60р					
	The Future General Prac							25p					
	Teaching Practices							100p					
110. 1.	reaching fractices	• •	• •	• •	• •	• •	• •	100р					
SUPPLEMENTS TO THE JOURNAL OF THE ROYAL COLLEGE OF GENERAL PRACTITIONERS													
Classic	Section of Disease							25-					
	fication of Disease		• •	• •	• •			25p					
	l Health and the Family Do		• •	• •	• •	• •	• •	25 p					
		• •	• •	• •	• •	• •	••	30p					
	ng for General Practice	••.	• •	• •	• •	• •	• •	22p					
	de to Research in General P	ractice	• •	• •	• •	• •		20 p					
	ion in General Practice		• •	• •				38p					
	tis in General Practice							25p					
	azards of Middle Age							25p					
Rehabi	ilitation							25p					
The A	etiology of Congenital Abnor	rmalitie	es					38p					
The Pr	roblems of Sex in General P	ractice						30p					
The A	rt and the Science of Genera	l Pract	ice					38p					
Preven	tive Medicine and General I	ractice						52p					
	arly Stages of Chronic Brono							52p					
	uality of Medical Care							~					
_	linical Problems of Practice			• •	• •			40					
	ng for General Practice			••	• •								
	ia in General Practice	• •	• •	• •	• •			22p					
		••	• •	• •	• •			30p					
	rt of Listening		••	·· .				38p					
	Practice, Ancillary Help and					••		38p					
	Diagnosis	• •	• •	• •	• •	• •	• • •	43р					
	ge of Discretion 20-40	··	••	• •	• •	• •		38p					
	arly Detection of Imported a	nd End	emic Di	sease	• •			. 38р					
	cence and its Problems	• •		• •	• •	• •		. 52 p					
	unicable Diseases	• •	• •			• •		. 52p					
	atology in General Practice					• •		. 52p					
	lanagement of Staff in Gener	al Prac	ctice			• •		. 52p					
	Milieu and Malady							. 52p					
	re in General Practice					• •		. 52p					
Report	of Transport Services in Ge	neral F	Practice					. 75p					
The Pr	rescribing of Psychotropic Di	rugs						. 75p					
								-					



CHURCHILL LIVINGSTONE

OUTLINE OF FRACTURES

including Joint Injuries

J. CRAWFORD ADAMS

1972 Sixth Edition

320 pages 267 illustrations £2.25

'Within the limits implied by its title, this book is probably the best of its kind yet published. All the common bone injuries, and their complications are here described, and all the usual methods of managing them are enumerated.'

—l ancet

THE NORMAL CHILD

Some problems of the early years and their treatment

RONALD S. ILLINGWORTH

1972 Fifth Edition

416 pages 52 illustrations £3.00

The author deals with problems, other than disease, which occur in young children. A chapter on the whole child brings into focus the various special skills in modern paediatrics.

'This is one of the musts for general practitioners.'—Practitioner

THE EYE IN GENERAL PRACTICE

C. R. S. JACKSON

1972 Sixth Edition

188 pages 48 illustrations £2.00

'Mr Jackson's excellent little book will go a long way towards helping general practitioners in the diagnosis and treatment of ophthalmic cases, in deciding which cases can be referred to hospital and in understanding the specialist's reports which they may receive about patients who may have been thus referred.'

-British Journal of Clinical Practice


'This book has established itself firmly as a sound synopsis of the practical essentials of ophthalmology. It continues to fill a gap in the needs of the busy general practitioner.'

-British Medical Journal

CHURCHILL LIVINGSTONE

Teviot Place

Edinburgh



In major and minor psychoses, drug with-drawal, senile dementia, control of terminal pain, and nausea and vomiting, the name to write is 'Largactil'. The established one. And the versatile one – because of its wide variety of presentations 'Largactil' allows treatment to be tailored to the individual needs of each patient at a very reasonable cost.

'Largactil' is available as tablets, syrup, forte suspension, injection solution and suppositories.

Full information is available on request

'Largactil' is a trade mark of May & Baker Ltd Dagenham Essex RM10 7XS for its preparations of chlorpromazine.







This Angina patient has Trinitrin in his pocket.

Eraldin will help keep it there.

Over 80% of Angina patients treated with 'Eraldin' can do more work(1), have less frequent attacks of pain⁽²⁾ or consume less trinitrin(2).

And, because 'Eraldin' is cardioselective, it is unlikely to precipitate or aggravate heart failure(3) and may also be used

4. Lancet, (1969), ii, 1092.

in patients with obstructive airways disease(4).

Detailed information is available on request.



Imperial Chemical Industries Ltd., Pharmaceuticals Division, Alderley Park, Macclesfield, Cheshire.









the simpler, safer, cardioselective beta blocker

PH 779/3

Postgrad. med. J., Jan 1971, Suppl. vol. 47, 64.
 Brit. med. J., (1970), 2, 402.
 Postgrad. med. J., Jan. 1971, Suppl. vol. 47, 25.







HELP PREVENT CRUELTY TO ADULTS

Every adult with a cruel, hacking, useless cough deserves the full treatment afforded by ACTIFED* COMPOUND LINCTUS. Codeine—to suppress the cough reflex by central action. Triprolidine and pseudoephedrine—to clear congestion and dry up that cough triggering post-nasal drip. Blackcurrant flavour—one of the few fruity flavours with universal adult appeal.

Be as kind to adults as you are to children.

*Trade Mark

Full information is available on request.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.)
Dartford, Kent, DA1 5AH

R ACTIFED COMPOUND LINCTUS FOR COUGH

The need for Septrin is







frequent, urgent and burning

Superior to ampicillin or sulphadimidine

In a comparative trial,1 cure rates achieved in urinary tract infections were 85% with SEPTRIN*, 70% with ampicillin and 40% with sulphadimidine. SEPTRIN was judged "clearly superior to either of the other treatments".2

(Cure criterion = eradication of infecting organism 1 week after end of treatment).

REFERENCES

- 1. Brit med J, (1969), 1, 541.
- 2. Leading Article, Brit med J, (1969), 1, 525,
- 3. Med J Austr, (1971), 1, 526.
- 4. Symposium: The Synergy of Trimethoprim and the Sulphonamides. S Afr med J (1970), 44, Supplement (August) 12.

High success rate

"... one is struck by the tremendous success rate, certainly superior to any other antibacterial we have tested..."3

"Of the easily administered primary treatments for urinary tract infection. this combination is probably the best."4

*Trade Mark

SEPTRIN Tablets, Adult Suspension, Paediatric Suspension, and Paediatric Tablets contain trimethoprim and sulphamethoxazole. Full information is available on request.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Wellcome Dartford, Kent, DA1 5AH





First in Urinary Infections double blockade of bacterial metabolism means resistance is unlikely to develop

Peptic ulcers don't disappear overnight

Roter

simply covers their painless retreat

HITTHIN HAMEN OF VANHABION

THE PROPERTY OF THE PARTY OF TH

With the World with the Williams

Roter, once dispersed, provides a 'bandage' of micronised particles that literally covers the gastric or duodenal ulcer and protects it from chemical or mechanical irritants.

The result is almost immediate relief of pain; actual healing of the ulcer and avoidance of surgery.

There's a wealth of clinical evidence to demonstrate the effectiveness of Roter - and 24 years' successful use in General Practice.

Each Roter tablet contains: micronised Bismuth Subnitrate (Roter) 300mg., Magnesium Carbonate 400mg., Sodium Bicarbonate 200mg., and Frangula 25mg.

Roter: trademark

Full information (and samples) on request
F.A.I.R. Laboratories Limited, Twickenham, Middlesex.



"... no doctor should miss an opportunity to record the blood pressure of a young or middle-aged patient who is a rare visitor to the surgery."

'Screening for hypertension has attracted less detailed discussion than screening for diabetes, anaemia, cervical cancer, glaucoma, or phenylketonuria. This is surprising, since it is common, dangerous, affects an economically important age-group, is usually symptomless, and is treatable at primary-care level with proven effect on mortality.'2

'Generally... [high blood pressure] comes to the attention of the doctor only when it is severe enough to cause symptoms, or when some major complication has supervened. Such cases represent no more than the tip of the iceberg, and epidemiological and

Two extra minutes of your time could add years to his life.

His complaint is wax in the earsbut what is his blood pressure?

actuarial studies have shown that the far more numerous cases of less severe hypertension represent a major hazard to life and health.'3

'A man of 40 with a blood pressure of 160/100 mm. Hg has approximately two-and-a half times the chance of dying before he is 65 than has a man of the same age with a blood pressure of 120/80 mm. Hg.²⁴

References
1. Prognosis in hypertension. Brit. med. J., 1970, 4, 697 (19 Dec).
2. Semicontinuous screening of a whole community for hypertension. Lancet, 1970, ii, 223 (1 Aug).
3. Screening for hypertension. Health Trends, 1971, 3, 2 (Feb).
4. Advances in the treatment of hypertension Practitioner, 1970, 298, 186 (10%).

'Aldomet'—for the treatment of all grades of hypertension

'Aldomet' is supplied as tablets containing 125 mg, 250 mg, and 500 mg methyldopa/MSD, and for emergency use as an injection. Detailed information is available to physicians on request. 'Aldomet' is a registered trademark.




Migril masters millions of migraines

- The leading anti-migraine preparation for over eight years
- Ergotamine is potentiated by caffeine
- Acts between initial warning and the full-blown attack
- Contains its own anti-emetic (cyclizine)
- Treats all symptoms of the attack

Each MIGRIL* Ergotamine Compound Tablet contains Ergotamine tartrate, BP 2mg Cyclizine hydrochloride, BP 50mg Caffeine hydrate, BP 100mg *Trade Mark







No traditional tranquillizer works in the way that Integrin does.

Integrin not only relieves the symptoms but corrects the disturbed brain chemistry in anxiety – a factor making it "significantly superior to diazepam."

Integrin gives rapid clinical improvement², enhances mood and relieves depressive overlay.³

And its dosage can be adjusted to suit individual patient response.

Isn't Integrin just what's needed these days, to help your patient cope?

Improvement in 90% of all cases of anxiety

Fast clinical response


Improves on the results of previous treatments

Less effect on reaction time

Relieves depressive overlay



the 'fundamental' treatment for anxiety



The 'fundamental' treatment for anxiety



combats the basic biochemical disturbance in the brain

helps your patient come to better terms with her problems

provides a better treatment basis than traditional tranquillizers

Each Integrin capsule contains oxypertine 10mg Integrin is a registered trade mark

Full information is available from Winthrop Laboratories, Surbiton-upon-Thames, Surrey

WINTHROP

3 Clin. Trials J. (1971) 8:3

² Practitioner (1971) 206:822

ARE NOT TWO CHILDREN ENOUGH?

No doubt you are already referring suitable candidates for **VASECTOMY**.

Would you find a leaflet describing the operation helpful to put in your waiting room or to hand to interested couples?

If so, may we send you some? There is no charge for these.

Please send requests to:

The Hon. Director, Crediton Project, West Longsight, Crediton, Devon.

Symposium on Safety, Survival or Sudden Death



The Medical Commission on Accident Prevention will be holding a major Symposium on "SAFETY, SURVIVAL OR SUDDEN DEATH" in the Exhibition Halls of the Hotel Metropole, Brighton on Friday, 29 September, and Saturday, 30 September 1972, supported by live colour television.

There will be papers and demonstrations by distinguished speakers of international repute on the many aspects of prevention and early treatment of life threatening injuries and sudden illness with particular reference to those events associated with violence, exposure, environmental stresses and cardiac arrest.

The Conference will be of particular interest to the General Practitioner (and recognised under Section 63) and members of the hospital emergency services at all levels.

Practical demonstrations through the medium of the EIDOPHOR Outside Broadcasting Unit (large cinema screen closed circuit colour television with two way communication between audience and camera site—the Royal Sussex County Hospital Accident Unit) will be widely used to support the speakers and show modern techniques and equipment. Lunch will be provided at the meeting.

Please complete the application form and send it to, Norman Capener, C.B.E., F.R.C.S., Chairman of The Medical Commission on Accident Prevention.

APPLICATION FORM

The Chairman
The Medical Commission on
Accident Prevention,
50 Old Brompton Road,
London S.W.7.

Please send me details of the Symposium on "Safety, Survival or Sudden Death".									
Doctor's name (Block Capita		nitials: .		• • • • • • • • • • • • • • • • • • •	•••••	••••••	· · · · · · · · · · · · · · · · · · ·		
Address:		• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
	• • • • •			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
				· • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •		

A seat will be reserved for you on receipt of your cheque for the Total Registration Fee of 50p made payable to M.C.A.P.

UNIVERSITY OF ABERDEEN

Lecturer in General Practice

Applications are invited for this post in an expanding academic department with undergraduate and postgraduate teaching duties, and an active research programme. Opportunity for clinical work in a service practice will be arranged.

Salary on scale: £2070-£4206, with placing according to qualifications and experience. Superannuation (F.S.S.U.) and removal allowance.

Further particulars from The Secretary, The University, Aberdeen with whom applications (10 copies) should be lodged by 21st July, 1972.

GENERAL PRACTICE LOCUMS WANTED:

LOCUM required from end August for 3-6 months in partnership of eight. Apply Dr M. B. Noble, Nuffield Health Centre, Witney, Oxon. Tel. day, Witney 3641, evening, Witney 2700.

PARTNERSHIPS OFFERED:

EIGHTH PARTNER required after preliminary assistantship for group working from modern health centre with diagnostic facilities and consultant clinics on the premises. Full attachment of H.V. and D.N. Obstetrics required. Written applications with full details to Dr M. A. Slee and Partners, Nuffield Health Centre, Witney, Oxon. Tel. 3461 (day).

Readers are asked to mention *The Journal* of the Royal College of General Practitioners when replying to all advertisements.

NEW ZEALAND College member, 39, seeks exchange of practice with British general practitioner for 2-3 months next year. Position offered in 2 man partnership in central North Island, 6 man roster, 3 bedroom house and car, close to major tourist attractions including trout fishing, skiing, and thermal spa. Salary \$NZ 250 per week plus allowances.

Write P.O. Box 127, Tokoroa, New Zealand.'

Learning & Teaching in General Practice—Cambridge Seminar No. 3. *The Teaching Practice* Churchill College, 21-24 September, 1972. Further details from Dr B. B. Reiss, 125 Newmarket Road, Cambridge.

Tel: Cambridge 50198

PARTNERSHIP OFFERED

Graduate of British University, under 35, wanted to fill vacancy as fifth partner in expanding group practice. Large G.P. hospital, 140 beds, with full consultant cover. Full ancillary help. Excellent opportunities to follow special interests, particularly anaesthetics. Night and weekend rota. First-rate prospects for keen applicant. Apply Dr J. C. Lloyd, M.R.C.G.P., Riverhead Surgery, Nr. Sevenoaks, Kent.

Tel. Sevenoaks 58589 or 51230 any evening or weekends.

POSTALOANS (grms) £20 to £5000. No security. RICHMOND INVESTMENTS 4 The Green, Richmond, Surrey,

CLASSIFIED ADVERTISEMENTS

Classified advertisements are welcomed and should be sent to: The Journal of the Royal College of General Practitioners, Classified Advertisement Department, 5 Bentinck Street, London W1M 5RN.

The charge for this service is 40p per line, plus 20p if a box number is required. Fellows, members and associates of the Royal College of General Practitioners may claim a ten per cent reduction.

The inclusion of an advertisement in this Journal does not imply any recommendation and the editor of the Journal of the Royal College of General Practitioners reserves the right to refuse or stop the insertion of any advertisement.

THE ROYAL COLLEGE OF GENERAL PRACTITIONERS

EXTRAORDINARY GENERAL MEETING 1972

NOTICE is hereby given that an Extraordinary General Meeting* of the Royal College of General Practitioners will be held in the Long Room, Royal College of General Practitioners, 14 Princes Gate, Hyde Park, London SW7 1PU, on Saturday, September 16th, 1972 at 15.00 hrs.

AGENDA

- 1. Apologies.
- 2. To elect Fellows of the College. (Australian members of the College only, recommended by the Council for Fellowship).
- 3. Any other business.
- * This Extraordinary General Meeting has been called because the joint meeting with the Australian College in Melbourne affords a unique opportunity to present new Fellows in their own country.

Now you can prescribe aspirin



_ONG-TERM


in rheumatoid <u>and</u> osteo arthritis

Levius

Each tablet contains 35,000 microgranules of aspirin individually protected by a coating of inert ethylcellulose

Magnification x 15

The ethylcellulose coating is designed to protect the gastric mucosa against the irritant action of aspirin without reducing the effectiveness of the drug. Aspirin is released through the coating of the microgranules at a controlled rate enabling relief of pain to be prolonged.



Microcapsules magnified 250 times, The coating can be clearly seen



long-term aspirin

Levius

Levius:

each tablet contains 500mg. of acetylsalicylic acid in micro-encapsulated form.

Levius: registered trade mark

Full information and samples on request

