

CHURCHILL LIVINGSTONE

An Introduction to

Clinical Rheumatology

WILLIAM CARSON DICK

1972 200 pages 41 illustrations £1.25

Extract from the preface

This introductory textbook on the rheumatic diseases is based upon lectures given to undergraduate medical students at Glasgow University and to post-graduate practitioners at the Royal College of Physicians and Surgeons, Glasgow.

Contents

Foreword

Preface

Introduction

The normal joint

Osteoarthrosis and disc degeneration

Rheumatoid arthritis

Articular pathology and radiology

Still's disease

Systemic lupus erythematosus (S.L.E.)

Sjogren's syndrome

The arteritides

Rheumatic fever

Ankylosing spondylitis

Gout

Infectious arthritis

Arthritis associated with general medical diseases

Miscellaneous locomotor system derangements

Drugs used in the treatment of the chronic arthritides

Appendix I: The eye in arthritis

Appendix 2: Diagnostic criteria for rheumatoid arthritis

Index

CHURCHILL LIVINGSTONE

Teviot Place

Edinburgh



In major and minor psychoses, drug with-drawal, senile dementia, control of terminal pain, and nausea and vomiting, the name to write is 'Largactil'. The established one. And the versatile one – because of its wide variety of presentations 'Largactil' allows treatment to be tailored to the individual needs of each patient at a very reasonable cost.

'Largactil' is available as tablets, syrup, forte suspension, injection solution and sup-

positories.

Full information is available on request

'Largactil' is a trade mark of May & Baker Ltd Dagenham Essex RM10 7XS for its preparations of chlorpromazine.







"Seventy-five per cent of patients spontaneously complained of various degrees of tiredness on methyldopa, as against 10 per cent on bethanidine (ESBATAL) and 17 per cent on guanethidine." "Side-effects are fewer and milder..." (2)

"Side-effects are fewer and milder..."⁽²⁾
"The lower incidence of side-effects, and the more rapid response to change in

dosage makes bethanidine (ESBATAL) a more satisfactory drug."(3)

"Thus bethanidine (ESBATAL) not only on grounds of cost but also because of its therapeutic effectiveness has a strong claim to be considered as today's first choice of drug treatment of severe hypertension." (4)

ESBATAL

1 Brit med J, (1968), 1, 135. 2 Brit med Abst, (1967), 7, 309. 3 Brit med J, (1971), 1, 99. 4 Brit med J, (1968), 1, 313.

Full information about ESBATAL* (bethanidine sulphate) is available on request.

*Trade Mark



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.), Dartford, Kent. DA1 5AH



&

the effective antihypertensive with fewer side-effects

JOURNAL PUBLICATIONS

The following have been published by *The Journal of the Royal College of General Practitioners*. They can be obtained, while still in print, from The Longman Group Ltd., 33 Montgomery Street, Edinburgh EH7 5JX, Scotland.

REPORTS FROM GENERAL PRACTICE

No.	1	Special Vocational Train			··				• •	25p
No.	4							·· _	• •	30p
No.									yal	
	_	Commission on Medical			• •	• •	• •	• •	• •	33p
No.		Implementation of Vocati				• •	• •	• •	• •	20p
		The Practice Nurse								50p
No.	11	General Practitioner Tea	ching o	f Unde	rgradua	ates in	British	Medi	cal	
		Schools				• •	• •	• •	• •	52p
		Present State and Future				on)	• •	• •	• •	60p
		The Future General Prac	titioner	Part	one	• •	• •	• •	• •	25p
No.	15	Teaching Practices	• •	• •	• •	• •	• •	• •	1	100p
	SUE	PPLEMENTS TO THE J	OURN	AL OF	THE	ROYA	L CO	LLEGI	E OF	
GENERAL PRACTITIONERS										
Clas	-ciA	ation of Disease								25p
		ation of Disease Health and the Family Doc	tor.	••	• •	• •	• •	• •	• •	25p
A california Mama mamama					••	• •	• •	• •	• •	30p
		for General Practice	• •	• •	• •	• •	• •	• •	• •	30ր 22p
** · * · * * * * * * * * * * * * * * *						• •	• •	• •	• •	38p
Andhridin in Commel Property							• •	• •	• •	25p
TTL - TT3 T A (1331 - A							• •	• •	• •	25p
Debekiltetten							• •	• •	• •	
The Assistance of Committee Alexander 1945							• •	• •	• •	25p 38p
The Duckley of Coming Council Duckley								• •	• •	30р
The Andread Ale Colombia of Comment Decoding								• •	38p	
Described Marine and Committee							• •	• •	• •	;-
		ve Medicine and General P ly Stages of Chronic Bronc		• •	• •	• •	• •	• •	• •	52p 52p
_		ily Stages of Chronic Brone ality of Medical Care		• •	• •	• •	• •	• •		
_	•	nical Problems of Practice	••	• •	• •	• •	• •	• •	• •	25p
			••	• •	• •	• •	••	• •	• •	43p
	_	for General Practice in General Practice	• •	••	• •	• •	• •	• •	• •	22p
			• •	••	• •	• •	• •	• •	• •	30p
		of Listening	 1 Caman		 Zamanal	••	• •	• •	• •	38p
		ractice, Ancillary Help and					• •	• •	• •	38p
	•	iagnosis	••	••	••	• •	••	• •		43p
	_	of Discretion 20–40	 -3 17-3-	 !a Di	••	• •	• •	• •	• •	38p
		ly Detection of Imported as						• •		38p
		ence and its Problems	• •	••	••	••	••	• •		52p
		nicable Diseases	• •	••	• •	••	••	• •		52p
Rheumatology in General Practice							• •	• •	• •	52p
								• •	• •	52p
	•	•	• •	••	• •	• •		• •	• •	52p
	-	e in General Practice	··	••	• •	• •		• •		52p
		rt Services in General Prac			••	• •		••	• •	75p
		scribing of Psychotropic Di		••	• •	• •	• •	• •	• •	75p
Gen	erai	Practitioners and Abortio	11	• •	••	• •	• •	••	• •	75p

The need for Septrin is







frequent, urgent and burning

Superior to ampicillin or sulphadimidine

In a comparative trial,1 cure rates achieved in urinary tract infections were 85% with SEPTRIN*, 70% with ampicillin and 40% with sulphadimidine. SEPTRIN was judged "clearly superior to either of the other treatments".2

(Cure criterion = eradication of infecting organism 1 week after end of treatment).

REFERENCES

- 1. Brit med J, (1969), 1, 541.
- 2. Leading Article, Brit med J, (1969), 1, 525.
- 3. Med J Austr, (1971), 1, 526.
- 4. Symposium: The Synergy of Trimethoprim and the Sulphonamides. S Afr med J (1970), 44, Supplement (August) 12.

High success rate

"... one is struck by the tremendous success rate, certainly superior to any other antibacterial we have tested..."3

"Of the easily administered primary treatments for urinary tract infection. this combination is probably the best."4

*Trade Mark

SEPTRIN Tablets, Adult Suspension, Paediatric Suspension, and Paediatric Tablets contain trimethoprim and sulphamethoxazole. Full information is available on request.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Wellcome Dartford, Kent, DA1 5AH





First in Urinary Infections double blockade of bacterial metabolism means resistance is unlikely to develop



Two extra minutes of your time could add years to her life

Her complaint is a burnt armbut what is her blood pressure?

"... no doctor should miss an opportunity to record the blood pressure of a young or middleaged patient who is a rare visitor to the surgery."

'Screening for hypertension has attracted less detailed discussion than screening for diabetes, anaemia, cervical cancer, glaucoma, or phenylketonuria. This is surprising, since it is common, dangerous, affects an economically important agegroup, is usually symptomless, and is treatable at primary-care level with proven effect on mortality.'2

'Generally... [high blood pressure] comes to the attention of the doctor only when it is severe enough to cause symptoms, or when some major complication has supervened. Such cases represent no more than the tip of the iceberg, and epidemiological and actuarial studies have shown that the far more numerous cases of less severe hypertension represent a major hazard to life and health.'3

'A man of 40 with a blood pressure of 160/100 mm. Hg has approximately two-and-a-half times the chance of dying before he is 65 than has a man of the same age with a blood pressure of 120/80 mm. Hg.'4

References

- 1. Prognosis in hypertension. Brit. med. J., 1970, 4, 697 (19 Dec).
 2. Semicontinuous screening of a whole community for hypertension.
 Lancet, 1970, ii, 223 (1 Aug).
- 3. Screening for hypertension. Health Trends, 1971, 3, 2 (Feb).
 4. Advances in the treatment of hypertension. Practitioner, 1970, 205, 486 (Oct).

'Aldomet'— for the treatment of all grades of hypertension

'Aldomet' is supplied as tablets containing 125 mg, 250 mg, and 500 mg methyldopa/MSD, and for emergency use as an injection. Detailed information is available to physicians on request. 'Aldomet' is a registered trademark.



- The leading anti-migraine preparation for over eight years
- Ergotamine is potentiated by caffeine
- Acts between initial warning and the full-blown attack
- Contains its own anti-emetic (cyclizine)
- Treats all symptoms of the attack

Each MIGRIL* Ergotamine Compound Tablet contains Ergotamine tartrate, BP 2mg Cyclizine hydrochloride, BP 50mg Caffeine hydrate, BP 100mg *Trade Mark





prouding of the second of the

No traditional tranquillizer works in the way that Integrin does.

Integrin not only relieves the symptoms but corrects the disturbed brain chemistry in anxiety – a factor making it "significantly superior to diazepam."

Integrin gives rapid clinical improvement², enhances mood and relieves depressive overlay.³

And its dosage can be adjusted to suit individual patient response.

Isn't Integrin just what's needed these days, to help your patient cope?

Improvement in 90% of all cases of anxiety

Fast clinical response

Improves on the results of previous treatments

Less effect on reaction time

Relieves depressive overlay



the 'fundamental' treatment for anxiety



The 'fundamental' treatment for anxiety



combats the basic biochemical disturbance in the brain

helps your patient come to better terms with her problems

provides a better treatment basis than traditional tranquillizers

Each Integrin capsule contains oxypertine 10mg Integrin is a registered trade mark


Full information is available from Winthrop Laboratories, Surbiton-upon-Thames, Surrey

I Curr. Therap. Res. (1971) 13:561

2 Practitioner (1971) 206:822

3 Clin. Trials J. (1971) 8:3

Now you can prescribe aspirin



LONG-TERM


in rheumatoid <u>and</u> osteo arthritis

Levius

Each tablet contains 35,000 microgranules of aspirin individually protected by a coating of inert ethylcellulose

Magnification x 15

The ethylcellulose coating is designed to protect the gastric mucosa against the irritant action of aspirin without reducing the effectiveness of the drug. Aspirin is released through the coating of the microgranules at a controlled rate enabling relief of pain to be prolonged.



Microcapsules magnified 250 times, The coating can be clearly seen



long-term aspirin

Levius

Levius:

each tablet contains 500mg. of acetylsalicylic acid in micro-encapsulated form.

Levius: registered trade mark

Full information and samples on request



Pharmitalia (UK) Limited, Kingmaker House, Barnet, Herts. Telephone: 01-440 7171