
AS A NAVAL DOCTOR, YOU'D GETAWHOLE LOT MORE OUT OF LIFE.

(AND SO WOULD YOUR FAMILY)

Right from the start, you'd have a complete change of scene.

Serving either with the Navy at sea or among service personnel and their families at a naval establishment. Very likely in another



Either way, you'd never find yourself short of assistance. (Every naval doctor is fully supported by medical staff).

Equally important, you'd never find yourself getting into a rut - for in two years or so you'd receive a new appointment.

In a new place. Doing a different job. Perhaps with the chance to learn something of the special problems of diving, aviation, or tropical medicine for example.

It's a stimulating life. Not only for yourself but for your family too.

For in most cases they'd accompany you. And wherever you go there are usually married quarters - fully furnished houses or flats, equipped with everything you need. And at very reasonable rents.

What's more, a generous education



allowance is made for your children if they are at boarding school. £330 p.a. for a first child, £393 p.a. for a second, £471 p.a. for a third. On top of this, removal and other allowances are also provided.

Add this to the salary and you'll see how well a naval doctor's pay compares with a

civilian doctor's.

For instance, with five years' post registration experience you would join us as a Surgeon Lieutenant-Commander on £4,767 a year.


And any specialist qualifications/experience you have could increase your salary even more.



There are opportunities, too, to keep up with the latest developments in medicine. For the Navy fully recognises the need for ? such opportunities both in the interests of naval medicine and a doctor's professional advancement.

That's not all. You can join on a 3-year or 5-year commission (each carrying a taxfree terminal gratuity of £1,500 and £3,000 respectively) and you can transfer to a full 16-year pensionable commission if you wish.

Applicants should be of British nationality and parentage. To find out more, write to Surgeon Cdr. F. M. Kinsman, O.B.E., R.N. (811AB2), Dept. of the Medical Director-General (Navy), Empress State Building, London S.W.6.



'Tryptizol' can help to relieve anxiety-depression that hinders sleep

usually obviates the need for sleepinducing drugs when insomnia is involved

combines proven antidepressant activity with rapidly apparent antianxiety effect

relieves the anxiety as it treats the depression

When anxiety-depression is behind such common complaints as insomnia, anxiousness, functional G.I. disorders, and headache

Tryptizol[®]

Amitriptyline hydrochloride/MSD

a single solution to a dual problem

'Tryptizol' is supplied as tablets containing 10 mg, 25 mg, and, especially convenient when a relatively large dose is prescribed at bedtime, 50 mg amitriptyline hydrochloride/MSD. 'Tryptizol' is also available as a syrup, and as an injection. Detailed information is available to physicians on request.

© denotes registered trademark.



Merck Sharp & Dohme Limited, Hoddesdon Hertfordshire Telephone Hoddesdon 67123 where today's theory is tomorrow's therapy

helps arthritic joints to move again without pain landerii (Oxyphenbutazone B.P.) Geigy now Tanderil® Alka (mantle tablets for those patients who experience gastric upset "Many patients who had been incapacitated and in pain for long periods, in some cases for years, responded dramatically to Tanderil within a few days or a week Clin. Med. 73, 65-68 (1966) *Tanderil* Alka mantle tablets contain oxyphenbutazone B.P. 100 mg, Dried Aluminium Hydroxide Gel. B.P. 100 mg and Magnesium Trisilicate 150,mg Detailed literature describing any Geigy product will be supplied on request.

Geigy Pharmaceuticals Macclesfield, Cheshire There's no catch



Stedman's Medical Dictionary

The most up-to-date, comprehensive and authoritative medical dictionary available to-day

Stedman's Medical Dictionary twenty second edition 1620 pages price £8.00, 7,199 new vocabulary entries 24,877 revised entries

New information on 30% of the Vocabulary

Examine a copy see for yourself

CHURCHILL LIVINGSTONE



This Angina patient has Trinitrin in his pocket.

Eraldin will help keep it there.

Over 80% of Angina patients treated with 'Eraldin' can do more work⁽¹⁾, have less frequent attacks of pain⁽²⁾ or consume less trinitrin⁽²⁾.

And, because 'Eraldin' is cardioselective, it is unlikely to precipitate or aggravate heart failure⁽³⁾ and may also be used in patients with obstructive airways disease⁽⁴⁾. Detailed information is available on request.



PRACTOLOL TRADE MARK

966 9970 DE MARK

Postgrad. med. J., Jan. 1971, Suppl. vol. 47, 64.
 Brit. med. J., (1970), 2, 402.
 Postgrad. med. J., Jan. 1971, Suppl. vol. 47, 25.

4. Lancet, (1969), ii, 1092.

the simpler, safer, cardioselective beta blocker

PH795/1

- The leading anti-migraine preparation for over eight years
- Ergotamine is potentiated by caffeine
- Acts between initial warning and the full-blown attack
- Contains its own anti-emetic (cyclizine)
- Treats all symptoms of the attack

Each MIGRIL* Ergotamine Compound Tablet contains Ergotamine tartrate, BP 2mg Cyclizine hydrochloride, BP 50mg Caffeine hydrate, BP 100mg *Trade Mark





A new acquaintance a good



can soon become

Amoxil can soon become a good friend because of its reliability in the routine treatment of a wide range of infections.

Outstanding oral absorption, not greatly affected by the presence of food, broad spectrum of activity and bactericidal action are among the more notable qualities of Amoxil.

Rapid decisive action coupled with the degree of safety associated with penicillin therapy inspires a high level of confidence in everyday use.

A convenient t.d.s. dosage, independent of meal times, a range of highly acceptable presentations, treatment costing as little as 16p per day – further good reasons why Amoxil represents practical antibiotic therapy at its best.



To help you further in your practice Amoxil starter packs are available from your Bencard representative or from the Company

Prescribing information ·

Dosage: Adults 250 mg three times a day. Children—up to 10 years: 125 mg three times a day. In the case of severe infections the dosage should be doubled.

Contra-Indication: Amoxil is a penicillin and should not be given to penicillin-hypersensitive patients.

patients.

Side Effects: In clinical trials involving more than 1,500 patients no serious side effects were reported. Those side effects which were encountered were of a mild transitory nature.

Extensive clinical trials have demonstrated that in Upper and Lower respiratory infection, Urinary tract and Skin and Soft tissue infections, Amoxil is dependable and trustworthy – as all good friends should be.

Further information on Amoxil (amoxycillin) is available from: Bencard, Freepost, Great West Road, Brentford, Middlesex.

URTI Chest infections UTI Skin and soft tissue infections



an excellent antibiotic for routine treatment



make him cough up

Even the meanest of bronchial conditions "give" with LINCTIFED EXPECTORANT; the formula which really assists and maintains free mucus flow. LINCTIFED EXPECTORANT loosens thick tenacious sputum, decreases mucosal congestion and controls irritating, unproductive cough.

LINCTIFED EXPECTORANT* contains gualphenesin, pseudoephedrine, triprolidine and codeine in a balanced formulation. Full information is available on request.

*Trade Mark.

Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Berkhamsted, Herts.



LINCTIFED EXPECTORANT LINCTIFED EXPECTORANT PAEDIATRIC

The need for Septrin is







frequent, urgent and burning

Superior to ampicillin or sulphadimidine

In a comparative trial, 1 cure rates achieved in urinary tract infections were 85% with SEPTRIN*, 70% with ampicillin and 40% with sulphadimidine. SEPTRIN was judged "clearly superior to either of the other treatments". 2 (Cure criterion=eradication of infecting organism

(Cure criterion≔eradication of infecting organism 1 week after end of treatment).

REFERENCES

- 1. Brit med J, (1969), 1, 541.
- 2. Leading Article, Brit med J, (1969), 1, 525.
- 3. Med J Austr, (1971), 1, 526.
- Symposium: The Synergy of Trimethoprim and the Sulphonamides. S Afr med J (1970),
 Supplement (August) 12.

High success rate

"... one is struck by the tremendous success rate, certainly superior to any other antibacterial we have tested..."

"Of the easily administered primary treatments for urinary tract infection, this combination is probably the best."4
*Trade Mark

SEPTRIN Tablets, Adult Suspension, Paediatric Suspension, and Paediatric Tablets contain trimethoprim and sulphamethoxazole. Full information is available on request.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.)

Berkhamsted, Herts.





First in Urinary Infections double blockade of bacterial metabolism

double blockade of bacterial metabolism means resistance is unlikely to develop

YOUR DEAF PATIENTS

can rarely be cured and there comes a time when you can do no more than commiserate.

It is then that the R.N.I.D. might be able to help. Tell them to write to us or come and see us.

We have our own residential homes, hostels, a training centre for maladjusted deaf boys, a personal welfare service, many booklets and publications, one of the biggest deaf Libraries in the world. Technical Departments with anechoic chamber and sound measuring equipment. All freely at your or their service.

All of the R.N.I.D. Publications, including Special Aids to Hearing, Conversation with the Deaf, Clinical Aspects of Hearing, Highway Code for Children, a monthly magazine, Hearing which covers all aspects of deafness are available on request.



ROYAL NATIONAL INSTITUTE FOR THE DEAF

105 Gower Street, London, WCIE 6AH Tel: 01-387 8033

Patron: The Duke of Edinburgh K.G.

9.2% 8.16% A.2% your money 14% 10.6% and its 8.6% earning power

Interest rates offered to big investors and small savers alike are many and varied, but each investment has its own particular set of terms and conditions.

Some investments tie up your savings for a fixed period of years, whilst others offer prompt withdrawal facilities.

Some are designed to provide regular income; others offer capital growth. Either may or may not be taxable.

Both may incorporate life assurance and the income tax relief then obtainable can further improve the attractiveness of the investment.

MEDICAL INSURANCE AGENCY LIMITED

BRITISH MEDICAL ASSOCIATION HOUSE, TAVISTOCK SQUARE, LONDON, WC1H 9JD

Telephone: 01-387 6031/9

Telegrams: MEDINAGE, LONDON, WC1H 9JD.

It's all very confusing unless you are a financial expert. How else can you choose a plan to suit your own particular needs and be safe in the knowledge that the Company to which you are to entrust your savings is absolutely secure?

Whether you are interested in saving a monthly sum out of salary, or making a single investment, you would be wise to consult the experts at the M.I.A. They are there to help you, as they have helped thousands of your colleagues—their advice is free and entirely without obligation.

BRANCHES IN: ABERDEEN, BELFAST, BIRMINGHAM, BRISTOL, BROMLEY, CAMBRIDGE, CARDIFF, DUBLIN, EDINBURGH, EXETER, GLASGOW, KINGSTON-UPON-THAMES, LEEDS, LIVERPOOL, LONDON, MANCHESTER, DEWCASTLE UPON TYNE, NOTTINGHAM, OXPORD, ROMFORD, SOUTHAMPTON, TUNBRIDGE WELLS, WATFORD.

The Journal of the Royal College of Physicians of London

This Journal is concerned with the integration of scientific disciplines in the practice of medicine and, by providing a wide ranging commentary on the growing points of medicine, it is an essential complement to the specialised journals.

CONTENTS OF VOLUME 7, No. 1

A. Bloom

R. Fife and others

R. Hall

L. S. Illis

H. Keen

F. O'Grady

J. M. Stowers

J. W. Todd

E. N. Wardle

Oral Therapy in Diabetes

The Glasgow Blood Pressure Clinic

Diagnosis and Management of Hypopituitarism

Treatment of Herpes Simplex Encephalitis

The Prevalence of Blindness in Diabetics Pharmacokinetics of the Treatment of Fungal Infections

A Critical Appraisal of Insulin Treatment

Diabetes Mellitus

The Role of Platelets in Glomerulonephritis and Trans-

plantation

Editor:

Publication:

Subscription:

Publisher:

All inquiries to Editorial Office:

A. Stuart Mason, M.D., F.R.C.P.

Published quarterly in October, January, April and July

£4 per annum (including postage)

Royal College of Physicians of London, 11 St. Andrew's Place, Regent's Park, London, NW1 4LE

Sir Isaac Pitman and Sons Ltd., 39 Parker Street, Kingsway,

London WC2B 5PB

EPIDEMIOLOGY IN COUNTRY PRACTICE

by

W. N. PICKLES

This classic book from general practice has not been available for many years.

A special facsimile of the 1939 edition has now been published by the Royal College of General Practitioners in a limited edition of 1,000 copies. Any profits will go to the college appeal.

Copies are available from the address below and orders will be dealt with in turn while stocks last.

Cheques should be made payable to the Royal College of General Practitioners and orders sent to: Bookpack Department, The Royal College of General Practitioners, Kitts Croft, Writtle, Chelmsford CM1 3EH. Price: £3 post free, cash with order.

You can't solve your patient's problems...



No traditional tranquillizer works in the way that Integrin does.

Integrin not only relieves the symptoms but corrects the disturbed brain chemistry in anxiety – a factor making it "significantly superior to diazepam."

Integrin gives rapid clinical improvement², enhances mood and relieves depressive overlay³

And its dosage can be adjusted to suit individual patient response.

Isn't Integrin just what's needed these days, to help your patient cope?

Improvement in 90 % of all cases of anxiety

Fast clinical response

Improves on the results of previous treatments

Less effect on reaction time

Relieves depressive overlay



the 'fundamental' treatment for anxiety



'fundamental' reatment for anxiety



combats the basic biochemical disturbance in the brain

helps your patient come to better terms with her problems

provides a better treatment basis than traditional tranquillizers

Each Integrin capsule contains oxypertine 10mg Integrin is a registered trade mark

Winthrop Laboratories, Surbiton-upon-Thames, Surrey

Full information is available from

1 Curr. Therap. Res. (1971) 13:561

2 Practitioner (1971) 206:822

3 Clin. Trials J. (1971) 8:3


JOURNAL PUBLICATIONS

The following have been published by *The Journal of the Royal College of General Practitioners* and can be obtained, while still in print, from the Longman Group Ltd., 43 Annandale Street, Edinburgh EH7 4AT, Scotland.

REPORTS FROM GENERAL PRACTICE

No. 1 Special Vocational Training	••	• •	••	25p
No. 4 General Practice in the New Towns		• •	••	30p
No. 5 Evidence of the Royal College of Ge	eneral Praction	tioners to t	he Royal	
Commission on Medical Education	••	• •	••	33p
No. 6 Implementation of Vocational Training		• •	••	20p
No. 10 The Practice Nurse		• •	••	50p
No. 11 General Practitioner Teaching of Un	ndergraduates	in British	Medical	
Schools		• •	••	52p
No. 13 Present State and Future Needs (see		• •	••	60p
No. 14 The Future General Practitioner—Pa		• •	••	25p
No. 15 Teaching Practices	••	• •	••	100р
				_
SUPPLEMENTS TO THE JOURNAL OF THE ROYAL COLLEGE OF				
GENERAL PRAC	TITIONERS	5		
Classification of Disease				25p
Mental Health and the Family Doctor		••		25p
Accident Management		••	•• ••	30p
Training for General Practice		••	•• ••	22p
Nutrition in General Practice		••		38p
Arthritis in General Practice		••		25p
The Hazards of Middle Age		•••		25p
Rehabilitation		••		25p
The Aetiology of Congenital Abnormalities	••	••	••	38p
The Problems of Sex in General Practice	••	••		30p
The Art and the Science of General Practice	••	••	••	38p
Preventive Medicine and General Practice		• •		52p
The Early Stages of Chronic Bronchitis		• •		52p
The Quality of Medical Care		••		25p
The Clinical Problems of Practice		• •		43p
Training for General Practice		• •		22p
Anaemia in General Practice		• •		30p
The Art of Listening	•• ••	• •	••	38p
Group Practice, Ancillary Help and Governme	nt Controls	• •	••	38p
Early Diagnosis	••	• •	••	43p
The Age of Discretion 20-40		• •	••	38p
The Early Detection of Imported and Endemic	Disease	• •	••	38p
Adolescence and its Problems	••	• •	••	52p
Communicable Diseases	••	• •	••	52p
Rheumatology in General Practice	••	• •	••	52p
The Management of Staff in General Practice	••	••	••	52p
Man, Milieu and Malady	•• ••	• •	••	52p 52p
	••	• •	••	52р 7 5 р
Transport Services in General Practice The Prescribing of Psychotropic Drugs	••	• •	••	75p 75p
General Practitioners and Abortion		••	•• ••	<i>75</i> թ
General Practitioners and Contraception		••		75p
General Practice in the London Borough of Ca		••	•• ••	75p
		• •		2

Now you can prescribe aspirin



in rheumatoid <u>and</u> osteo arthritis

Levius

Each tablet contains 35,000 microgranules of aspirin individually protected by a coating of inert ethylcellulose

Magnification x 15

The ethylcellulose coating is designed to protect the gastric mucosa against the irritant action of aspirin without reducing the effectiveness of the drug. Aspirin is released through the coating of the microgranules at a controlled rate enabling relief of pain to be prolonged.



long-term aspirin

Levius

Microcapsules magnified 250 times, The coating can be clearly seen

Levius: each tablet contains 500mg, of acetylsalicylic acid in micro-encapsulated form.

Levius: registered trade mark

Full information and samples on request



Pharmitalia (UK) Limited, Kingmaker House, Barnet, Herts. Telephone: 01-440 7171