

gives distance to rheumatic pain

Detailed literature describing Tofranil is available on request

Geigy Pharmaceuticals, Macclesfield, Cheshire, SK10 2LY a new approach to the treatment of chronic rheumatic pain

Availability.
Tofranil (5-(3-dimethylaminopropyl)-10,
11-dihydrodibenz [b,f] azepine
(imipramine) hydrochloride)
is available as 25mg tablets and
capsules, 10mg tablets, syrup
containing 25mg/5ml and ampoules
containing 25mg/2ml.

A good friend in

Amoxil can be relied on to treat commonly occurring bacterial infection of the ear, nose and throat. This was demonstrated in a recent clinical trial¹ involving 150 children where Amoxil was clinically successful in 94% of cases.

Amoxil's broad spectrum of activity coupled with its outstanding oral absorption² ensure that high bactericidal serum levels are available

to act quickly and decisively at the site of infection.

Add to this the convenience of a three times daily dosage regime. the degree of safety associated with penicillin therapy, treatment costing as little as 16p per day, and a wide range of highly acceptable oral

presentations - further good reasons why Amoxil represents practical antibiotic

therapy at its best.

Amoxil is a good friend in throat infections - this happy eight year old certainly thinks so.

Further information on Amoxil regd (amoxycillin) is available from: Bencard,

Freepost, Great West Road, Brentford, Middx. Bencard

Prescribing information.

Dosage: Adults 250 mg three times a day.

Children - up to ten years: 125 mg three times a day. In the case of severe infections the dosage should be

doubled.

Presentation: Amoxil capsules 250 mg.

Amoxil syrup 250 mg/5 ml, 100 ml bottle. Amoxil syrup 125 mg/5 ml, 100 ml bottle.

Amoxil Paediatric Suspension 125 mg/1.25 ml, 20 ml bottle with pipette.

Amoxil presentations contain amoxycillin as the

trihydrate.

Contra-indication: Amoxil is a penicillin and should not

be given to penicillin-hypersensitive patients.

Side effects: In clinical trials involving more than 1,500 patients no serious side effects were reported. Those side effects which were encountered were of a mild

transitory nature.

URTI Chest infections UTI Skin and soft tissue infections

an excellent antibiotic for routine treatment



1. Practitioner (1972) 209, 363 2. Brit. med. J. (1972) 3, 13

throat infections.



- The leading anti-migraine preparation for over eight years
- Ergotamine is potentiated by caffeine
- Acts between initial warning and the full blown attack
- Contains its own anti-emetic (cyclizine)
- Treats all symptoms of the attack


Each MIGRIL* Ergotamine Compound Tablet contains Ergotamine tartrate, BP 2mg Cyclizine hydrochloride, BP 50mg Caffeine hydrate, BP 100mg *Trade Mark



Full information is available on request. Wellcome Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Berkhamsted, Herts.







HELP PREVENT CRUELTY TO ADULTS

Every adult with a cruel, hacking, useless cough deserves the full treatment afforded by ACTIFED* COMPOUND LINCTUS; Codeine—to suppress the cough reflex by central action. Triprolidine and pseudoephedrine—to clear congestion and dry up that cough triggering post-nasal drip. Blackcurrant flavour—one of the few fruity flavours with universal adult appeal.

*Trade Mark

THE CONTRACTOR OF THE CONTRACT

Full information is available on request.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.)

Berkhamsted, Herts.

R ACTIFED COMPOUND LINCTUS FOR COUGH

Pain and restricted movement can be a 24-hour-a-day problem

Consider 'Indocid' Capsules by day and Suppositories by night in the active stages of

Osteoarthritis

'Indomethacin is consistently effective in relieving the pain of osteoarthritis of the hip.'

Drug Therapy, 1971, 1, 34 (Jan)



MB

3-2677(IMC)

Merck Sharp & Dohme Limited, Hoddesdon Hertfordshire Telephone Hoddesdon 67123

Rheumatoid arthritis

"... in the classical [rheumatoid arthritic] group, which is notoriously resistant to treatment, the percentage of favorable results [with indomethacin] was surprisingly high"

J. Amer. med. Ass., 1966, 195, 1102 (28 Mar)

Ankylosing spondylitis

"... indomethacin seems to be almost consistently effective in ankylosing spondylitis."

Arthr. and Rheum., 1968, 11, 56 (Feb)

'Indocid' is available as capsules containing 25 mg and 50 mg indomethacin, and as 100 mg suppositories. Detailed information is available to physicians on request. ® denotes registered trademark.

In many patients

Indomethacin/MSD

rapidly reduces inflammation, relieves pain, increases mobility throughout day and night

By day, 'Indocid' Capsules exert the desired antiinflammatory effect that permits many patients to move with less pain. At night, 'Indocid' Suppositories can provide 13 to 16 hours of relief, to allow more normal body movement in sleep.



make him cough up

Even the meanest of bronchial conditions "give" with LINCTIFED EXPECTORANT: the formula which really assists and maintains free mucus flow. LINCTIFED EXPECTORANT loosens thick tenacious sputum, decreases mucosal congestion and controls irritating, unproductive cough.

LINCTIFED EXPECTORANT* contains gualphenesin, pseudoephedrine, triprolidine and codeine in a balanced formulation. Full information is available on request.

*Trade Mark.

Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Berkhamsted, Herts.



LINCTIFED EXPECTORANT LINCTIFED EXPECTORANT PAEDIATRIC





Over 1,000 people reach "65" each week. Instead of retirement being a time of contentment, for too many it is associated with cerebral deterioration and failing intellectual powers.

The difficulties resulting from these changes

create problems for the immediate family and friends, often leading to disharmony and deteriorating relationships.

Lucidril helps patients through retirement

Lucidril improves the ability of the older patient to cope with everyday life. By its action on cerebral metabolism, it diminishes the harmful effects on social behaviour of ageing and arteriosclerosis.

Lucidril (meclofenoxate) is available in tablets of 300 mg, at a basic N.H.S. cost of £2.86 per 100 + p.t. Medical literature is available on request from:

Lloyd Anphar Ltd., 103 Mount Street, London W.1.

Product Licence 0098/5002 Ref. No. AC2439-1

Lucidril is a trademark

JOURNAL PUBLICATIONS

The following have been published by *The Journal of the Royal College of General Practitioners* and can be obtained, while still in print, from the Longman Group Ltd., 43 Annandale Street, Edinburgh EH7 4AT, Scotland.

REPORTS FROM GENERAL PRACTICE

No. 1 Special Vocational Training						25p
No. 5 Evidence of the Royal College of Ge	neral Pr	actitio	ners to	the R	loyal	_
Commission on Medical Education				• •		33p
No. 6 Implementation of Vocational Training	,					20p
No. 10 The Practice Nurse			• •			50p
No. 11 General Practice Teaching of Undergraduates in British Medical						
Schools						52p
No. 13 Present State and Future Needs [second			• •	• •		60p
No. 14 The Future General Practitioner—Par	t one	• •	• •	• •	• •	25p
No. 15 Teaching Practices	••	• •	• •	• •	• •	100p
SUPPLEMENTS TO THE JOURNAL	OF TH	E RO	YAL C	OLLE	GE O	F
GENERAL PRACTITIONERS						
	•					
A Classification of Disease	• •	• •	• •	• •	• •	25p
Mental Health and the Family Doctor	• •	• •	• •	• •	• •	25p
Accident Management	••	• •	• •	• •	• •	30p
Training for General Practice (first edition)	• •	• •	• •	• •	• •	22p
Nutrition in General Practice	• •	• •	• •	• •	• •	38p
Arthritis in General Practice	• •	• •	• •	• •	• •	25p
The Hazards of Middle Age	• •	• •	• •	• •	• •	25p
Rehabilitation	• •	• •	• •	• •	• •	25p
The Aetiology of Congenital Abnormalities.	• •	• •	• •	• •	• •	38p
The Problems of Sex in General Practice	••	• •	• •	• •	• •	30p
The Art and the Science of General Practice	••	• •	• •	• •	• •	38p
Preventive Medicine and General Practice	• •	• •	• •	• •	• •	52p
The Early Stages of Chronic Bronchitis	• •	• •	• •	• •	••	52p
The Quality of Medical Care		• •	• •	• •	••	25p
The Clinical Problems of Practice	••	• •	• •	• •	• •	43p
Training for General Practice (second edition)	• •	• •	• •	• •	• •	22p
Anaemia in General Practice	• •	••	•	• •	• •	30p
The Age of Discretion 20-40	 Disease	• •	• •	• •	• •	38p
The Early Detection of Imported and Endemic Rheumatology in General Practice		• •	• •	• •	• •	38p 52p
The Management of Staff in General Practice	••	• •	• •	• •	• •	52ր 52ր
	••	• •	••	••	• •	52ր 52ր
	• •	• •	• •	• •	• •	52ր 52ր
	• •	• •	• •	• •	• •	75p
Transport Services in General Practice	• •	• •	••	• •	• •	75p 75p
General Practitioners and Abortion	••	••	• •	••	••	75p
General Practitioners and Contraception		• •	• •	• •	••	75p
General Practice in the London Borough of Camden						
The Renaissance of General Practice	· ·	••	• •	• •	• •	75p
University Departments of General Practice	• • •	• •	• • •	• • •	• • •	75p
omitality beparements of concini ridente	••	••	••	••	••	. J
· · · · · · · · · · · · · · · · · · ·						

IS IT TRUE . . .

they don't make aspirin any longer



If aspirin is the choice for chronic rheumatic patients, then longer action is the true criterion of aspirin. And no-one makes it any longer—in effectiveness—than Levius.

Longer sojourn—in the form of aspirin—for relief of day-time pain, with continuing comfort through the night. Sustained high level of total salicylate for anti-inflammatory effect, reducing stiffness and aching joints the following morning.

The Levius tablet rapidly disintegrates into 35,000 separately-encased microgranules, which release the aspirin at a controlled rate. With full dosage, high concentrations are avoided—greatly lowering the incidence of gastro-intestinal irritation, nausea and anorexia.

In the long term treatment of rheumatic diseases, few drugs have gained the wide acceptance of aspirin. And Levius is the logical extension of aspirin.



Levius

Levius: Registered trademark

Each tablet contains 500 mg acetylselicylic acid in microencapsulated



Long-acting aspirin for long term relief

Full information and samples on request.

Pharmitalia (UK) Limited, Kingmaker House, Barnet, Herts. Telephone: 01-440 7171