Resolve 110W

to prevent your patients' Hay Fever problems this summer!

By planning to immunise your Hay Fever patients with Allpyral *- G, consisting of only 8-9 injections, you may avoid the use of antihistamines or steroids, with their well known, undesirable side-effects.

A pre-seasonal course of treatment with Allpyral *- G has been shown to be effective in 90% of patients treated in British clinical trials. 1.2

Allpyral-G

In order to assist you in contacting your Hay Fever patients in time for treatment, a poster is available for display in your surgery.

Full information on Allpyral *-G and copies of the poster are available from:

- 1. Practitioner (1966) **196,** 771.
- 2. Practitioner (1966) **196**, 766.
- * Trade Mark DM 602



Dome Laboratories, Division of Miles Laboratories Ltd, Stoke Court Stoke Poges, Slough, Bucks. Tel: Farnham Common 2151.



This is what we call practising medicine.

A career in Naval medicine can be a rewarding experience. Opportunities to specialise abound. And perhaps above all else, there is an immense satisfaction to be gained from the wide variety of work you will be involved in.

At sea, for instance, you could be anywhere from the Mediterranean to the Pacific Ocean. Looking after the health and well being of the company of a modern warship.

And though you could spend as long as the first eighteen months of your five year Short Service Commission on board different ships, you need have no fear of losing contact with mainstream medicine. For no matter where you are, you will be kept informed of current medical opinion.

After this, the choice is yours. Post graduate medical training and a career in the clinical disciplines at one of our naval district general hospitals. Haslar or Plymouth, for instance, with their wide spectrum of clinical material drawn from naval personnel, their dependants and the local civilian population as well. There are also naval hospitals in Malta, Gibraltar and Mauritius, with opportunities for exchange appointments elsewhere.

Or you might prefer occupational medicine in our research orientated naval dockyards. Aviation medicine with its accent on rotary wing support of the Fleet. And for those with an administrative turn of mind, community medicine.

Royal Naval expertise in maritime medicine is recognised world wide and research into underwater medicine, nuclear medicine and the closed submarine environment is centred at the Institute of Naval Medicine at Alverstoke.

Naval general practice in well staffed and equipped medical centres extend as far afield as Hong Kong and Singapore. And new training schemes are now under way in the United Kingdom.

Should you be moved or sent abroad at any time, all expenses will be paid by us. We will help you with accommodation (at very reasonable rents) and provide allowances for the education of your children, if you have a family.

If you enter the Royal Navy immediately after registration you will be given the rank of Surgeon Lieutenant and a salary of £4,099, rising to £4,249 after four years.

On the other hand, if you are older (up to the age of forty) and more experienced, we can offer you a number of opportunities in general practice and the specialities. And, depending on your post-registration experience, you could enter as a Surgeon Lieutenant Commander at a salary of £5,161, rising to £5,658.

Then, at the end of your five year Short Service Commission you could leave with a tax free gratuity of £3,000.

But if it is mutually agreeable, you could apply for a Full Career Commission or a 16 year pensionable commission. The choice is yours.

In the meantime if you would like further information, write giving details of your age and qualifications to Surgeon Commander L.C. Banks, R.N., (26BUI) Department of the Medical Director General (Naval), Empress State Building, Fulham, London SW6.

The Practitioner Jan. 1974 W/P 100 Screen Job no. RN 54.

Normacol makes work for idle bowels By increa

By increasing the bulk of the faecal mass Normacol brings about a natural stimulation of the peristaltic reflex. Normacol absorbs up to sixty times its own volume of water—this increase in bulk stimulates peristalsis and the bowels are allowed to function as they should.





CHURCHILL LIVINGSTONE

SIMPLE EYE DIAGNOSIS

HECTOR B. CHAWLA

1973 96 pages illustrated £1.00

Non-ophthalmologists will find from this book that they already know more about the eye than they supposed. But to help them in the further management of eye troubles they will also find:

- information grouped around symptoms—just as the patient describes them
- explicit instruction in the recognition and treatment of common disorders
- an explanation, at the end of each section, of the 'reason why' with as little recourse to jargon as a medical subject allows.

SIR JAMES MACKENZIE, M.D. 1853-1925 GENERAL PRACTITIONER

ALEX MAIR

1973 390 pages 20 illustrations £4.00

This book is an official biography of one who, by his example and achievements in general practice, must rank in the very forefront of clinicians and leaders of medicine, not only in Great Britain, but throughout the world.

This is a factual and objective account which portrays the great man as he was, with all his attributes (and his failings), as depicted by private correspondence, his success and failure in research and his prodigious writing of textbooks.

PSYCHOSOMATIC MEDICINE

Edited by ALISTAIR MUNRO

1973 112 pages £1.75

This book consists of twelve articles on the subject that were published in *The Practitioner* throughout 1972. Between them they present a balanced review of the subject which should prove of value, not only to general practitioners, for whom they were primarily written, but to all clinicians who look upon their patients as individuals with minds as well as bodies.

CHURCHILL LIVINGSTONE

23 Ravelston Terrace

Edinburgh EH4 3TL

THE ROYAL COLLEGE OF GENERAL PRACTITIONERS

SECOND NATIONAL CONFERENCE FOR TRAINEE GENERAL PRACTITIONERS

"The Future General Practitioner and his Training"

EDINBURGH MARCH 30th-31st 1974

Following the highly successful First Conference in Newcastle, 1972, a Second National Conference has been arranged in Edinburgh. It aims are to assess the present position of Post-Graduate training, to compare features of existing schemes, to discuss future development in this field and to promote social and educational contact between Trainees, Trainers and Training Scheme Architects.

The conference is designed for Trainees, Trainers and Regional Advisers and has been approved under Section 63 for claiming subsistence and travelling expenses. It will count as 3 sessions. Accommodation is available for the nights of 29th and 30th March.

Full details are being sent to all Trainees, Trainers and Regional Advisers in Great Britain. For further information please write to:

Organising Secretary,
Second National Conference of Trainees,
Livingston House,
39 Canongate,
Edinburgh, EH1 1JR.

Better and kinder than antispasmodics



PRIMPERAIN®

Also available as tablets and injections

metoclopramide



Further information is available from Berk Pharmaceuticals Ltd, Shalford, Surrey, England.

® Registered Trade Mark.

Alistair is an he has only on

It's all around him, all the time, yet he's never seen it. Because at only 0.3mm in length, the common dust mite doesn't advertise itself.

Yet this minute creature is responsible for a disabling disease in an estimated 300,000 Britons. Now, at last, there is a new answer. A short immunisation course that is simple and very effective. A fundamental treatment that for the first time gives you, the family doctor, real control over this type of allergic asthma. And a new quality of life for your asthma patients.

Migen is effective. Allergy has always been recognised as one of the most common causes of asthma. Recently it has been established that the most important allergenic factor in house dust is the house dust mite; in fact, more than 90% of house dust sensitive patients are sensitive to house dust mite. And, "The rise in the mite content of dust from September to October has been shown to be directly related to an increase in asthma during this period."*

Migen immunises against the house dust mite. Immunisation against this powerful allergen raises the patients' overall level of tolerance. If he is multi-sensitive, he may well find that he no longer reacts to contact with other allergens which have previously provoked attacks. And the stress caused by fear of attack is reduced.

vaccine which contains pure extract of Dermatophagoides pteronyssinus, the most common British house dust mite. Just six injections form a complete course of treatment for asthma and


is pre-filled to ensure accurate dosage.

Migen - minimal side effects. Migen's active material is released slowly but completely for maximum efficiency and minimum risk of adverse effects. Migen is adsorbed onto tyrosine, a naturally occurring amino acid, fully metabolisable in the human body.

Migen is a Bencard product. Prepared by Bencard, leaders in allergy research, Migen is the first asthma treatment to give you control over your asthma patients. Migen may be prescribed on the basis of case history alone, no complicated testing techniques are necessary. However a simple confirmatory skin test kit is available on request, together with patient record cards and advice notes.

Migen. Many products have been advocated for use in the treatment of asthma. Most have drawbacks that you and your patients suffer for the sake of some relief. Now Migen offers an opportunity to treat asthma simply and effectively.

Allergy has always had a strong hold on the asthmatic. From today a powerful and very common



asthmatic, e real enemy.










allergen can be controlled from your surgery, with Migen. It's asthma immunisation made easy.

Full information on Migen (regd.) is available on request from Bencard, Great West Road, Brentford, Middx.

"Windmills." A shoulder loosening exercise designed to aid asthmatics. The child should stand with weight thrown forwards onto the ball of the foot, making sure that his head is kept straight at all times. Breathing should be natural with the mouth shut.

Migen

asthma immunisation made easy.



A recent clinical trial* again confirms that Ventolin is superior to isoprenaline in improving respiratory function.

Ventolin sets a higher standard in bronchodilator therapy

Measurements Made*	Ventolin more effective	Isoprenaline more effective			
FORCED VITAL CAPACITY	/	_			
FORCED EXPIRATORY VOLUME		_			
FORCED EXPIRATORY FLOW	✓	_			
AIRWAYS RESISTANCE	✓	_			
FUNCTIONAL RESIDUAL CAPACITY	✓	_			
SPECIFIC CONDUCTANCE		_			
i)			

The duration of effect was at least 4 hours with Ventolin but with isoprenaline it was only about 2 hours.

*The body plethysmograph was used to compare the effectiveness of salbutamol, administered as Ventolin Inhaler, with that of isoprenaline by aerosol in a double-blind, controlled trial in patients with stable asthma (J. Amer. med. Ass. 1972, 221, 682). The results showed that statistically significant differences in favour of Ventolin were observed in all the parameters measured (See Table).

Ventolin is the ONLY adrenergic bronchodilator which is recommended for asthmatic or bronchitic patients who also have any form of heart disease or severe hypertension.



VENTOLIN INHALER — for rapid, long-lasting relief of acute bronchospasm. VENTOLIN TABLETS 2mg and 4mg - for routine oral bronchodilator therapy.

VENTOLIN SYRUP - fruit-flavoured for ready acceptability by children.

VENTOLIN SPANDETS - sustained-action tablets, particularly suitable where nocturnal bronchospasm is a problem.

Ventolin Inhaler contains salbutamol BP. Oral preparations of Ventolin contain salbutamol BP as sulphate.

For the relief of bronchospasm... prescribe VENTOLIN



ull information is available on request. Ventolin and Spandet are trade marks of ALLEN & HANBURYS LTD LONDON E2 6LA



MOST DOCTORS DO!

MIGRIL Its success has gone to their heads

- *The leading antimigraine preparation for over 9 years.
- * Acts between initial warning and full-blown attack.
- * Ergotamine and caffeine control the migraine headache.
- * Anti-nauseant action provided by cyclizine.

MIGRIL* Ergotamine Compound tablets contain ergotamine cyclizine and caffeine.

Full prescribing information is available on request. Wellcome Medical Division

Wellcome Medical Division The Wellcome Foundation Ltd Berkhamsted Herts HP4 2DY

Trade Mark





MASTERS MILLIONS OF MIGRAINES

ESBATAL*

(Bethanidine Sulphate)

Controls all grades of hypertension







Simple Dosage Few Side Effects Low Cost Effective Control of Hypertension

Full information is available on request.



Calmic Medical Division, (The Wellcome Foundation Ltd.) Berkhamsted, Herts. HP4 2DY.

"I've had a bit of an accident, Doctor.."



A MINOR INCIDENT PERHAPS, BUT JUST TWO EXTRA MINUTES OF YOUR TIME COULD ADD YEARS TO HER LIFE

... no doctor should miss an opportunity to record the blood pressure of a young or middle-aged patient who is a rare visitor to the surgery. Prognosis in hypertension. Brit. med. J., 1970, 4, 697 (19 Dec) The general practitioner probably has 250 (10 per cent) undiagnosed hypertensives in his practice.* *See Present state and future needs of general practice, 2nd Edition, The Royal College of General Practitioners, Report XIII, 1970, p 20



When hypertension is revealed and treatment is indicated, consider 'Aldomet'



'Aldomet' is available as 125 mg, 250 mg (the standard strength), and 500 mg tablets—and an Injection for emergency use. Detailed information is available to physicians on request. 'Aldomet' (registered trademark) contains methyldopa/MSD





timely release from tea & toast anaen

'Fesovit' timed release capsules replace iron stores depleted by poor eating habits, and help to meet the daily requirements for essential vitamins B and C.

The unique 'Spansule' capsule is formulated to release the majority of the iron not in the stomach where it can cause gastric irritation but in the duodenum and jejunum where the absorption of iron is optimal.

*This is not a clinical diagnosis. It is merely a convenient and familiar way of describing those anaemias caused by poor eating habits, e.g. a diet made up almost exclusively of tea and toast.

When the next 'tea and toast' anaemia walks in, remember Fesovit', it makes prescribing simpler.








Smith Kline & French Laboratories Limited Welwyn Garden City, Hertfordshire.

'Fesovit' and 'Spansule' are trade marks Full information is available upon request

'Fesovit'contains ferrous sulphate, vitamin B complex and vitamin C.

SFT: PA 103



He's back with a

There's now considerable evidence to show that Amoxil is more effective than other broad spectrum antibiotics in the treatment of chest infections, 1.2.3.4

There are some good reasons for this: Firstly, Amoxil is extremely well absorbed by the oral route,⁵ attaining high bactericidal concentrations.

And secondly, the overall absorption is

unaffected by the presence of food⁵ which means your patient doesn't have to remember to take Amoxil half an hour or whatever before meals.

Couple this with Amoxil's apparently excellent ability to penetrate into bronchial secretions^{3,6}, and you've probably explained why Amoxil out – performs other broad spectrums, 1-2-3-4

Amoxil t.d.s. – a far better routine for you and your patients.



avirtuoso



better routine

Further information on Amoxil (regd.), amoxycillin, is available from: Bencard, Brentford, Middlesex.

Brit J. Dis, Chest, (1972), 66, 185.
 Chemotherapy, (1973), 18, 1.
 S.A Med, L. (1973), 47, 717.
 To be published in Practitioner.
 Brit Med L. (1972), 3, 15, 6. Chemotherapy of Chronic

Bronchitis, Second Edition, (1973).



performer in chest infections



Bencard inject commonsense into the hay fever picture

Pollinex is a new vaccine from Bencard consisting of a course of only three injections. These are administered pre-seasonally and protect the hay fever patient right through the summer. Pre-filled disposable syringes ensure trouble-free administration and accuracy of dosage.

This commonsense approach to preventive therapy results

from two recent advances in allergy research by Bencard. Firstly, the grass pollen extracts are modified by a unique process so that unwanted side-effects are largely eliminated without diminution of antibody production. Secondly, the modified material is adsorbed on to a natural base which is metabolised in the body.

Pollinex provides safer, simpler, immunological treatment of hay fever, so more patients can experience the relief which comes from preventive

therapy.
Pollinex is
directly available
from stock on an
E.C.10 – and can
be prescribed any
time from now
till early April.



Pollinex

Commonsense in hay fever

Further information is available from Bencard, Freepost, Brentford, England.

WE WOULD LIKE TO MAKE IT PERFECTLY CLEAR



When mucous congestion spoils the picture and the quality of life for the bronchitic-LINCTIFED* EXPECTORANT really assists and maintains free mucous flow.LINCTIFED EXPECTORANT loosens thick, sticky, tenacious sputum and helps the bronchitic to breathe more easily.

LINCTIFED EXPECTORANT and LINCTIFED EXPECTORANT PAEDIATRIC contain guaiphenesin, pseudoephedrine, triprolidine and codeine in a balanced formulation. Full prescribing information is available on request.

*Trade Mark.



Wellcome Medical Division, The Wellcome Foundation Ltd. **Velicome** Berkhamsted, Herts.

LINCTIFED EXPECTORANT effective expectoration in bronchitis

JOURNAL PUBLICATIONS

The following have been published by *The Journal of the Royal College of General Practitioners* and can be obtained, while still in print, from the Longman Group Ltd., 43 Annandale Street, Edinburgh EH7 4AT, Scotland.

REPORTS FROM GENERAL PRACTICE

No. 1 Special Vocational Training	.: _	•••	••			25p		
No. 5 Evidence of the Royal College of General Practitioners to the Ro						22-		
Commission on Medical Education		• •	• •	• •	• •	33p 20p		
No. 6 Implementation of Vocational Training		• •	• •	••	• •	20р 50р		
No. 10 The Practice Nurse								
No. 11 General Practice Teaching of Undergraduates in British Medical Schools No. 13 Present State and Future Needs of General Practice (second edition)								
					• •	25p		
No. 14 The Future General Practitioner—Part one								
No. 15 Teaching Practices								
140. 10 Present State and Puttile Precus of Gen	uciai i iac	cuce (i	ши си	ition)	£1	. 50		
SUPPLEMENTS TO THE JOURNAL	OF TH	E RO	YAL C	OLLE	GE O	F		
GENERAL PRACTITIONERS								
Classification of Disease						25p		
Classification of Disease Mental Health and the Family Doctor	• •	• •	• •	••	• •	25p		
4 43 436	••	• •	• •	• •	• •	30p		
Training for General Practice (first edition)	• •	••	• •	• •	• •	22p		
·- ·	••	. ••	• •	••	• •	38p		
Nutrition in General Practice Arthritis in General Practice	• •	• •	• •	• •	• •	25p		
The Hazards of Middle Age	• •	• •	• •	• •	• •	25p		
Rehabilitation		• •	• •	• •	• •	25p		
The Aetiology of Congenital Abnormalities	• • •	• •	••		• • •	38p		
The Art and the Science of General Practice	••	• •	• •	• •	••	38p		
Preventive Medicine and General Practice	••	• •	• •	••	• •	52p		
The Early Stages of Chronic Bronchitis	• • •	•••		••	••	52p		
The Quality of Medical Care	••	• • •		• •	• • •	25p		
The Clinical Problems of Practice	• • •	• •				43p		
Training for General Practice (second edition)		• •			• •	22p		
Anaemia in General Practice	•	• •	• • •		• •	30p		
Group Practice, Ancillary Help and Governme			••			38p		
The Age of Discretion 20-40	.,					38p		
The Early Detection of Imported and Endemic		• •				38p		
Rheumatology in General Practice						52p		
The Management of Staff in General Practice						52p		
Man, Milieu and Malady						52p		
A Future in General Practice						52p		
Transport Services in General Practice						75p		
The Prescribing of Psychotropic Drugs	• •					75p		
General Practitioners and Abortion						75p		
General Practitioners and Contraception						75p		
General Practice in the London Borough of C	amden		• •		• •	75p		
The Renaissance of General Practice		• •	• •	• •	• •	75p		
University Departments of General Practice			• •	• •	••	75 _p		
The Medical Use of Psychotropic Drugs	• •	• •	• •	• •		.75		
A General-Practice Glossary	• •	••	• •	• •	£	l·00		

THE MOST SIGNIFICANT ADIANC IN THE TREATMENT OF PARKINSONIS/M



Carbidopa and Levodopa

IN THE TREATMENT OF PARKINSON'S DISEASE

... the combination of levodopa with alpha-methyldopa hydrazine [carbidopa] is an effective, rapid, and efficient means of reversing the parkinsonian state.' Trans. Amer. neurol. Ass., 1971, 96, 55

- 'Sinemet' provides effective, long-lasting levodopa plasma levels at doses approximately 75 per cent lower than those needed with plain levodopa.
- 'Sinemet' offers prompt relief of many of the major symptoms of Parkinson's disease — fully effective doses are usually reached within seven days.

• 'Sinemet' usually reduces and in some patients completely avoids certain distressing side effects caused by plain levodopa.

'Sinemet' is available as dapple-blue, halfscored oval tablets marked 'MSD 654', containing 25 mg carbidopa and 250 mg levodopa, in bottles of 100. Detailed information is available to physicians on request. R' denotes registered trademark.



Merck Sharp & Dohme Limited Hoddesdon, Hertfordshire

®

VOCATIONAL TRAINING for General Practice

UNIVERSITY OF EXETER/EXETER AND MID DEVON HOSPITAL MANAGEMENT COMMITTEE

Post of Senior House Officer in general medicine/acute geriatric medicine offered starting 1 April 1974 at the Royal Devon and Exeter Hospital, Heavitree, Exeter. The geriatric component will include case conferences and experience in all aspects of rehabilitation.

The post will be incorporated in the vocational training scheme being started in 1974 by the new Department of General Practice at the Postgraduate Medical Institute of Exeter University. The course will consist of two years of senior house officer appointments and 12 months in an approved teaching practice. A half-day release course will be held throughout the three years.

Applications should be sent as soon as possible to:

The Hospital Secretary,
Royal Devon and Exeter Hospital,
Heavitree,
Exeter.

Enquiries about the vocational training scheme should be sent to Dr D. J. Pereira Gray, The Department of General Practice, Exeter Postgraduate Medical Centre, Barrack Road, Exeter. Telephone: Exeter 70018.

NOTTINGHAM

Vocational Training for General Practice

Applications are invited for a three-year scheme to start on 1st May 1974. Following an initial period in General Practice of between one and three months, 2 years will be spent in rotating hospital posts at S.H.O. level with a degree of choice from General Medicine, Obstetrics and Gynaecology, Paediatrics, Geriatrics, Psychiatry, Accident and Emergency. There will then be a further period in General Practice of between 9 and 11 months. Opportunities will be available to gain experience in the "minor specialities."

A 3-year undergraduate half-day release programme is run in conjunction with the Department of Community Health at Nottingham University. This is attended by Trainers and Trainees in both the Nottingham and Derby Vocational Training Schemes.

The Course is primarily designed for those who are recently registered. However applications may be considered from those who have suitable post-registration experience and who do not require a three-year programme.

The Course is recognised for high qualifications including the M.R.C.G.P.

Hospital accommodation will be available.

Letters of application containing full details and curriculum vitae, should be addressed to: The Group Secretary, Nottingham and District Hospital Management Committee, Sherwood Hospital, Hucknall Road, Nottingham, NG5 1PD, together with the names and addresses of two referees by 16th February, 1974. Full details of the scheme will be issued on receipt of application.

Opinions expressed in *The Journal of the Royal College of General Practitioners* and the supplements should not be taken to represent the policy of the Royal College of General Practitioners unless this is specifically stated.

Any similarity between Burinex and other diuretics is purely beneficial (and so are the differences.)

Different in Chemistry

Burinex* is a new chemical entity, being derived from metanilamide; it is quite distinct from any available diuretic. Despite careful search by such techniques as autoradiography, it has not been possible to detect any metabolite in the human.

Different in Pharmacology

Burinex differs in pharmacological potency, with a dose about one-fortieth flat of any other short-acting diuretic. After oral administration, diuresis normally begins at 30 minutes — "peaks" at 90 minutes and is largely complete within three hours.

Beneficial in Effect

Burinex has been shown to be of value in clinical practice, not only for the seriously ill patient where a rapid diuresis is required but also for maintenance, where the predictable effect can be utilised to fit the patient's domestic circumstances and work routine. During long term treatment Burinex has proved to be very well tolerated.

Beneficial in Price

The price of Burinex is significantly less than any comparable diuretic. The long term use of Burinex would therefore represent a considerable saving in cost.



a major new diuretic



Full information available on request



Leo Laboratories Limited, Hayes Gate House, Hayes, Middlesex. "Surinex is a registered trade mark Burinex is Bumetanide.