

timely release from tea & toast anaemia

'Fesovit' timed release capsules replace iron stores depleted by poor eating habits, and help to meet the daily requirements for essential vitamins B and C. The unique 'Spansule' Capsule is formulated to release the majority of the

FesoVit

좛

Smith Kline & French Laboratories Limited, Welwyn Garden City, Hertfordshire AL7 1EY iron not in the stomach where it can cause gastric irritation but in the duodenum and jejunum where the absorption of iron is optimal.

 This is not a clinical diagnosis, it is merely a convenient and familiar way of describing those anaemias caused by poor eating habits, e.g. a diet made up almost exclusively of tea and toast.

'Fesovit' and 'Spansule' are trade marks Full information is available upon request 'Fesovit' contains ferrous sulphate, vitamin B complex and vitamin C.

'SPANSULE' CAPSULES

Latest U.T.I. results: Septrin first again

Antibacterial	All Gram- negatives	Strep. faecalis	All bacteria
SEPTRIN	99.4%	100%	99.1%
Nalidixic acid	98.9	0	89.8
Nitrofurantoin	88.2	100	88.0
Ampicillin	83.3	100	84.4
Tetracycline	79.3	55.0	76.9
Sulphonamide	81.3	0	73.8

Septrin b.d. right for urinary tract infections

In a study¹ involving 173 general practitioners in Scotland, *in-vitro* sensitivities of isolates from acute urinary infections were tested against 6 oral and 5 parenteral antibacterials.


Percentage sensitivities to the 6 oral antibacterials are tabulated above.

FULL PRESCRIBING INFORMATION IS AVAILABLE ON REQUEST.

Wellcome Medical Division The Wellcome Foundation Ltd Berkhamsted, Herts.

Septrin contains trimethoprim and sulphamethoxazole.









How to live without dyspepsia!

Conveniently formulated in small tablets, Maxolon actually prevents unpleasant symptoms arising. At best, antacids provide only temporary relief.

That's why Maxolon is so much better. A month's

That's why Maxolon is so much better. A month's course of treatment will allow four out of five of your dyspeptic patients to enjoy complete freedom from symptoms.

Full information is available on request.

MCXOON
achieves what antacids can't





VOCATIONAL TRAINING FOR GENERAL PRACTICE Taunton Scheme

Exciting opportunities exist for doctors planning their careers ahead and seeking training posts beginning 1976.

Applications are now invited for two posts in this two-stream threeyear programme which has been carefully planned in every detail and already has ten doctors in very successful training.

Stream 'A' February '76	Stream 'B' August '76
-------------------------	-----------------------

General practice
Paediatrics
General practice
Accident emergency

Psychiatry Geriatrics
Ear, Nose and Throat Obstetrics
Medicine Paediatrics

A different general practice A different general practice

Organisation will be held by the Somerset Postgraduate Centre and includes half-day release training in ophthalmology, community medicine, laboratory medicine, chest diseases, family planning and organisation and methods of practice — with continuous 'feed back' involvement.

Recognition: The D.H.S.S. regulations for the vocational training allowance.

The R.C.G.P. Examination for membership.

The D. Obst. R.C.O.G.

The D.C.H.

Married accommodation is provided throughout the scheme.

Applications by 31 August for appointment interviews end of September: The Sector Administrator, Musgrove Park Hospital, Taunton. Tel. 3444 Ex. 4040.

Have you seen




Recent microscopic studies have provided further explanation of the outstanding clinical success of Amoxil. They showed clearly that Amoxil produced more rapid bacterial cell death than other antibiotics.

Clinical features reported

in numerous studies on Amoxil include faster absorption, higher urinary concentrations, and better penetration through bronchial membrane barriers; all contributing to the greater clinical success achieved with this antibiotic. In fact, the Lancet concluded recently "Amoxycillin [Amoxil], seems to be a genuine improvement on ampicillin..."5

Experience in practice confirms Amoxil's safety and convenience. Amoxil patients benefit from the simple t.d.s. dosage which can be taken with or without food. In addition, there are very pleasant tasting paediatric syrups. Amoxil, the antibiotic that's currently making all the difference in respiratory, urinary tract and paediatric infections.



- References

 1. 'Antibiotics under the microscope'. A film freely available to the medical profession.

 2. Brit. med. J., (1972), 3, 13.

 3. Curr. Med. Res. & Opin., (1972), 1, 10.

 4. Brit. J. Dis. Chest., (1972), 66, 185.

 5. Lancet, (1975), 505.

Full prescribing information on Amoxil (regd), amoxycillin, is available from Bencard, Brentford, Middlesex.



makes all the difference.

Amoxil





'For those patients who cannot or will not tolerate bran...



.the best alternative is Normacol: *

A high residue diet with added fibre in the form of unprocessed bran is rapidly being recognised as the most effective treatment for diverticular disease. However, there are patients who cannot tolerate bran or who find it unpalatable. And of course there are always those who will not take something unless it's 'medicine'. For them, the best alternative to bran is Normacol.


Normacol provides the bulk which is necessary to prevent segmentation of the sigmoid colon and effect a lowering of the intracolonic pressure. Symptoms can thus be rapidly relieved and bowel habits restored to normal.

*Painter NS, Paper read at the Annual Meeting of the Association of Surgeons of Great Britain and Ireland, Aberdeen 4th February 1973.

Normacol Standard brown coated granules containing Sterculia BPC 62% and Frangula BPC 1949 8% Normacol Special white coated granules containing Sterculia BPC 62% alone Normacol Antispasmodic orange coated granules containing Sterculia BPC 62% and Alverine Citrate 0.5% Normacol Diabetic brown coated granules is identical with Normacol Standard except for the absence of sugar Further information and samples on request



NORGINE LIMITED 26-28 Bedford Row London WC1B 4RC



Migraine attacks often begin with the eyes. MIGRIL, taken at the first warning, prevents the full-blown attack. MIGRIL combines a fast-acting vasoconstrictor with an effective antinauseant.

When carrying MIGRIL your patients have a comprehensive treatment for the migraine attack, and are thus spared the anxiety associated with an impending attack.

MIGRIL is the most widely used symptomatic anti-migraine preparation in Britain.

MIGRIL contains ergotamine, cyclizine and caffeine. Full prescribing information is available on request.

Wellcome Medical Division, The Wellcome Foundation Ltd., Berkhamsted, Herts.



Migril masters millions of migraines



John died last week from ischaemic heart disease-Now his immediate family is your concern

Ischaemic heart disease now causes more than 25% of all deaths in the United Kingdom.'

Patients with familial hypercholesterolaemia (Type II) are particularly at risk. Moreover, the family and relatives of affected individuals are also prone to premature death from IHD.²

Prompt identification and treatment offer the only opportunity to prevent early onset of the condition. The most significant therapeutic advance is QUESTRAN. A QUESTRAN restores the normal lipid balance, reducing plasma cholesterol by as much as 40%. In this respect QUESTRAN is superior to Clofibrate.

JUESTRAN

Restores lipid balance and protects your patients at risk from IHD

blic Health (1973) p.31, H.M.S.O.

rteam (1373) p.31, 11.M.S.O. 12, 1380 (1973) Arch. Dis. Childhood 48:370 Brit. Med. J. 2: 187 1968) p. 71 Ils Int. Med. 77: 267

i8) p. 71 Int. Med. **77: 2**67 d Metabolism and Atherosclerosis,



Further information available on request from:


BRISTOL LABORATORIES,

Division of Bristol-Myers Company Ltd., Stamford House, Langley, Slough, SL3 6EB.

MAY HERODUCT MEDIL CHEA

Ludienal is a new tetracyclic antidepressant with a unique planmacological profile. In some respects its effects are similar to earlier antidepressants such as amittaptivities and impramise. There are also against differences which should prove advantageous:

Once in hydrosage availed t



Theoretically predicted blood-concentration patterns for Ludiomil in man resulting from two different dosage schedules.

Ludiomil is less sedative than amitriptyline but more so than impramine, so given at night it helps the patient to sleep and may reduce the need for electing tablets. 14

Rull dosage right from the start

Ludiemil can be given in full desage at once in the majority of patients, particularly with a once daily desage at night. 3.3.5 Even in 150mg daily dose at the outset for severa depression, several well controlled studies have shown that Ludiemil did not produce more side effects than a 75mg daily dose of amitripty line or impromise. 5.4.7

*Where preferred t.d.s. regimes may be used

References

J. S. Proc. Symp. Depressive Illness. Bern. 1972; L.3.5. Symp. Stratford. 1974;
 J. Derrymonogenial. 1971. 6, 236; 9. Jul. de Pharmacel. 1925. J. Seppl. 2, 100;
 J. S. Mermal. J. 1976, Lan. 32; a 47. (Symposium Problectings accellable on requiert).

Simplificating treatment Particulations of the solution of the

The second secon

Days of treatment	Ludiomil f %		amitriptyline f %		
1	_	_		Ι _	
2	1	4.76		 _	
3	7	33.33	3	15.00	
4	12	57.14	3	15.00	
5	3 13	61.90	3	15.00	
6	14	66-67	4	20.00	
7	15	71.43	6	30.00	
14	19	90.48	16	80.00	
21	21	100	20	100	
	2 cases not reported		2 cases n	ot reported	

Cumulative frequency record of onset of effect (S.Afr.med.J., 1974, 48, 47)

Moreolleves associated anxiety

to the second control of the second s

, , , , ,	* //*/	cappera Set	(Ala)
Fri		Set	Sun
_			
	$N \nearrow$		
	ノヽ	ノソ	シブ
	11	71	
	ノト) (ピ

IR Liudiomil 75mg | mitte 28

for moderate depression sign these

(C) distribute Registrated States are a

Religiores de la constante de

Limitional in available as 25mg. Sume and 10mg tablets in 10m, and arrighte 75mg abbits in tably reminder packs containing 26 tablets.

When Minocin* was compared with co-trimoxazole it was found to be...



'There was a more rapid and complete resolution of symptoms with minocycline . . .

The mean time taken for symptoms to resolve with minocycline was 4.2 days as against 5.4 days with co-trimoxazole.

At both 5 and 10 days the results with minocycline were better than with co-trimoxazole . . . '

Complete resolution of symptoms without recurrence.

5 days 10 days 100% minocycline co-trimoxazole

...and particularly

The small dose of minocycline is particularly convenient for use by ambulant patients, especially those who are going to work.'

Minocycline 100 mg; one twice daily.

Full information is available on request:
Lederle Laboratories
A division of Cyanamid of Gt Britain Ltd
Fareham Road Gosport Hants PO13 0AS

Presentation: blister packs of 9 and 45 tablets each containing 100 mg minocycline

*Trade Mark

General Practitioner Research Group Practitioner (1975) 214, 110

Journal of the Royal College of Physicians of London

This Journal is concerned with the integration of scientific disciplines in the practice of medicine and, by providing a wide ranging commentary on the growing points of medicine, is an essential complement to the specialised journals.

CONTENTS OF VOLUME 9, NO. 3

W. I. Card Mathematical Method in Diagnosis
D. V. Lindley Probability and Medical Diagnosis

R. P. Knill-Jones The Diagnosis of Jaundice by the Computation of Probabili-

F. T. de Dombal, Jane C. Horrocks Computer-aided Diagnosis and Decision-making in the

G. Warmsley and P. D. Wilson Acute Abdomen

D. Teather and W. Hilder
D. V. Lindley
The Analysis of Diagnostic Data
The Role of Utility in Decision-making
Predicting Outcome after Head Injury

R. P. Knill-Jones

Publishing Office:

Peter A. Emerson Decision Theory in the Prevention of Thrombo-embolism

after Myocardial Infarction

C. C. Spicer and J. E. Lennard-Jones The Prediction of Success or Failure of Medical Treatment for Acute Colitis

ment for Acute Contis

D. A. W. Edwards Discriminative Information in the Diagnosis of Dysphagia

W. I. Card Choice of Diagnostic Tests

Sir Douglas Hubble William Osler and Medical Education

Editor: A. Stuart Mason, MD, FRCP

Publication: Published quarterly in October, January, April and July

Subscription: £6 per annum (including postage)

All Inquiries to Editorial Office: Royal College of Physicians of London, 11 St. Andrew's

Place, Regent's Park, London NW1 4LE Pitman Medical, Tunbridge Wells, Kent

CLASSIFIED ADVERTISEMENTS

Classified advertisements are welcomed and should be sent to: The Journal of the Royal College of General Practitioners, Longman Group, Burnt Mill, Harlow, Essex.

The charge for this service is 50p per line, plus 25p if a box number is required. Fellows, members and associates of the Royal College of General Practitioners may claim a ten per cent reduction.

The inclusion of an advertisement in this *Journal* does not imply any recommendation and the Editor of the *Journal of the Royal College of General Practitioners* reserves the right to refuse or stop the insertion of any advertisement.

Grants for Convalesence

The Fredrick Andrew Convalescent Trust makes grants to professional women such as teachers, nurses, social workers, civil servants and office workers (married or single) towards the cost of recommended convalescence. Enquiries welcomed.

Further information and application forms from:

ANDREW & CO., St. Swithin's Square, Lincoln

(Phone 0522 32123)

Opinions expressed in *The Journal of the Royal College of General Practitioners and the supplements* should not be taken to represent the policy of the Royal College of General Practitioners unless this is specifically stated.

UNIVERSITY OF GLASGOW Lectureship in Psychological Medicine

Applications are invited for a Lectureship in the Department of Psychological Medicine in the University of Glasgow. The post will be based jointly at the Southern General Hospital and in the University Department of General Practice. Salary according to placement on the University scale for clinical teachers. The maximum on the Lecturers' scale is £6,915 a year. Appropriate superannuation scheme will apply.

There are excellent opportunities for participation in undergraduate and postgraduate teaching. Research into the psychiatric problems of general practice patients is envisaged and applications from general practitioners with a strong interest in psychiatry will be welcome.

Further particulars may be had from the Secretary of the University Court (Room 18), University of Glasgow, Glasgow G12 8QQ, with whom applications (12 copies) giving the names and addresses of three referees, should be lodged on or before 22 August 1975.

In reply please quote Ref. No. 3656/1.

THE BALINT SOCIETY

New weekly seminars for the Study of Emotional Problems in General Practice will be starting shortly at University College Hospital

Any doctor who is interested should write to the Secretary of the Balint Society, 11 Briardale Gardens,

London NW3

THE RUDOLF FRIEDLAENDER MEMORIAL FUND AWARD SCHEME

The Trustees of the Rudolf Friedlaender Memorial Fund are able to provide annual grants of up to £400.00.

- (a) to enable General Practitioners to travel within the United Kingdom or abroad to study new medical treatments or clinical techniques.
- (b) to enable General Practitioners to prepare for publication information concerning medical treatments acquired in the course of their practices, by paying for necessary secretarial services and incidental expenses.

Please write for application forms to:

Trustees, The Rudolf Friedlaender Memorial Fund, c/o Midland Bank Limited, Eccles, Manchester M30 0LS.

Closing date for applications 30 Sept. 1975.

Readers are asked to mention The Journal of the Royal College of General Practitioners when replying to all advertisements.

COLLEGE ACCOMMODATION

Charges for college accommodation are reduced for members (i.e. fellows, members and associates). Members of overseas colleges are welcome when rooms are available. All charges for accommodation include breakfast and are subject to Value Added Tax; a service charge of 12½ per cent is added. Members are reminded that children under the age of 12 years cannot be admitted and dogs are not allowed.

Charges are:	Members	Others
	£	£
Single room	3.50	4.50
Double room	6.00	9.00
Flat 1	8.00 or 50.00 per week	10.00 or 60.00 per week
Flat 3	9.00 or 55.00 per week	12.00 or 70.00 per week

Charges are also reduced for members hiring reception rooms compared with outside organisations which apply to hold meetings at the College. All hirings are subject to approval and VAT is added.

Charges are:	Members	Others
•	£	£
Long room	30.00	40.00
Damask room	20.00	30.00
Common room		
and terrace	20.00	30.00
Kitchen	_	10.00
Dining room	10.00	10.00

Enquiries should be addressed to the Accommodation Secretary, Royal College of General Practitioners, 14 Princes Gate, Hyde Park, London SW7 1PU. (Tel. 01 584 6262). Whenever possible bookings should be made well in advance.

PRESENT STATE AND FUTURE NEEDS OF GENERAL PRACTICE

Reports from General Practice Number 16

Wherever general practice or family medicine is studied the *Present State and Future Needs of General Practice* series is read. The latest edition was published in March 1973 and surveys the problems and position of general practice. It was produced by the Royal College of General Practitioners and is available now from The Longman Group, 43-45 Annandale Street, Edinburgh, EH7 4AT, Scotland. Price: £1.50 (\$5).

JOURNAL PUBLICATIONS


The following have been published by *The Journal of the Royal College of General Practitioners* and can be obtained, while still in print, from the Longman Group Ltd., 43 Annandale Street, Edinburgh EH7 4AT, Scotland.

REPORTS FROM GENERAL PRACTICE.

No.	1	Special Vocational Training	25p
No.	5	Evidence of the Royal College of General Practitioners to the	_
		Royal Commission on Medical Education	33p
No.	6	Implementation of Vocational Training	20 p
No.	10	The Practice Nurse	50p
No.	11	General Practice Teaching of Undergraduates in British Medical	
		Schools	5 2 p
No.	13	Present State and Future Needs of General Practice (second edition)	60p
No.	15	Teaching Practices	£1.00
No.	16	Present State and Future Needs of General Practice (third edition)	£1·50

SUPPLEMENTS TO THE JOURNAL OF THE ROYAL COLLEGE OF GENERAL PRACTITIONERS

Mental Health and the Family Doctor.		• • •	•••	•••	• • •	25p
Accident Management		• • •	• • •	•••	• • •	30p
Training for General Practice (first edi	ition)	•••	• • •	• • •	• • •	22 p
Arthritis in General Practice		• • •	• • •	•••	• • •	25p
The Hazards of Middle Age		•••	• • •	•••	• • •	25p
Rehabilitation				•••	•••	25p
The Aetiology of Congenital Abnormal	ities	•••		•••	• • •	38p
The Art and the Science of General Pra	actice	•••	• • •	•••	• • •	38p
Preventive Medicine and General Practi	ice	• • •	• • •	•••	• • •	52p
The Clinical Problems of Practice .		•••		•••	• • •	43p
Training for General Practice (second	edition)	• • •		• • •	• • •	22p
Anaemia in General Practice		•••	•••	• • •	• • •	3 0 p
The Age of Discretion 20-40		• • •		•••	• • •	38p
The Early Detection of Imported and 1	Endemic	Disease		•••	• • •	38p
Rheumatology in General Practice .		• • •	• • •	• • •	• • •	5 2 p
The Management of Staff in General P	ractice					52p
Man, Milieu and Malady	···	•••	• • •		:	5 2 p
A Future in General Practice		• • •				52p
Transport Services in General Practice .		• • •	• • •			75p
General Practitioners and Abortion .		• • •		• • •		75p
General Practitioners and Contraception	n	• • •		•••	:	75p
General Practice in the London Boroug	gh of Ca	ımden		• • •	• • •	75p
The Renaissance of General Practice .		•••		•••	• • •	75p
University Departments of General Pra		•••	• • •	• • •		75p
The Medical Use of Psychotropic Drug	gs	•••		• • •		£1·75
A General-Practice Glossary	•••		•••	• • •		£1·00
		•••	•••			£1·25
A Visit to Australia and the Far East.		•••	•••	• • •	• • •	£1·00



Please send me a sample wallet of Centyl K containing starter doses for three patients.

Name
Address.....

Further information available on *Centyl is a registered trade mark. Centyl K contains 2.5 mg bendroff 573 mg potassium chloride (7,7 mE in a slow release core.

Leo Laboratories Limited, Hayes Gate House, Hayes, Middx.