


No more wide-awake dawns with

REM NOS

First choice Nitrazepam for safer, natural sleep



Remnos is the trade mark for pharmaceutical preparations containing Nitrazepam BP 5mg Further information is available on request from: DDSA Pharmaceuticals, 310 Old Brompton Road, London SW5 9JQ

FOCUS ON HYPERTENSION



with 'Moduretic'

- * Highly effective control of thiazide-responsive hypertension.
- * Helps conserve potassium; supplements are contra-indicated.
- * Encourages patient compliance.

MODURETIC[®]

Amiloride hydrochloride and hydrochlorothiazide, MSD

MULTI-PURPOSE DIURETIC

'Moduretic' is available as peach-coloured, diamond-shaped tablets containing 5 mg amiloride hydrochloride and 50 mg hydrochlorothiazide. Detailed information is available to physicians on request.

© denotes registered trademark.



Merck Sharp & Dohme Limited
Hoddesdon, Hertfordshire, EN11 9BU

MINOCIN



eradicates infection *FAST*^{1,2}

In
chronic
bronchitis

1. Proc. Minocycline Symp., 1971 54-59 2. J. Int. Med. Res. 1975 3 304-306 Minocin is a trademark for minocycline hydrochloride
Full prescribing information is available from  Lederle Laboratories A division of Cyanamid of Great Britain Ltd Gosport Hants PO13 0AS



Amoxil patients recover faster
from bronchitis.

22

LONDON TRANSPORT


Faster Recovery.

In ambulant patients with purulent sputum and dyspnoea, 5 days therapy with Amoxil proved significantly more effective than oxytetracycline in all symptoms assessed.¹

Simple trouble free dosage.

Low incidence of side effects.²

Amoxil
makes all the difference everywhere.



References

1. Practitioner, (1978), 212.
 2. Drugs, (1975), 9, 81.
- Full prescribing information on Amoxil (reg. amoxycillin), is available from

 **Bencard**

Great West Road,
Brentford, Middlesex.

A 99.1% chance of success in U.T.I.



The chart above shows the percentage sensitivities of isolates from acute urinary infections against five commonly-used antibacterials. (From an *in-vitro* study involving 173 general practitioners). SEPTRIN was superior to all other oral antibacterials tested, with 99.1% of urinary pathogens sensitive.

J int med Res (1974), 2, 400



Wellcome

Septrin contains trimethoprim and sulphamethoxazole.

FULL PRESCRIBING INFORMATION IS AVAILABLE ON REQUEST.

Wellcome Medical Division
The Wellcome Foundation Ltd
Berkhamsted, Herts

SEPTRIN first

TRADE MARK

in urinary tract infection

A doctor can gain a lot from 5 years in the Royal Navy.

As a qualified doctor, you can join the Royal Navy for 3 or 5 years on a Short Service Commission.

In that time, you'll spend up to a year practising medicine in a Naval ship.

You could have the chance of working and living overseas for a time.

And you'll be able to do your General Professional Training in one of the clinical and medical scientific disciplines at a Naval hospital or an RN establishment.

At sea.

After a short Officers course at the Royal Naval College, Dartmouth, and a basic course in maritime medicine at the Institute of Naval Medicine, Alverstoke, you'll normally go to sea for about 12 months.

You'll be responsible for the medical care of some 250 to 500 men in your ship (and advise the Captain on health and environmental problems).

You won't lose touch with modern medicine, as you can visit local hospitals in ports of call and use the teaching aids provided by your Naval tutor.

Postgraduate training and specialisation.

After your sea-time, career counselling will determine your postgraduate training programme.

There are opportunities for General Professional Training in preparation for a clinical career in general practice, the hospital specialities, or the medical scientific disciplines such as Aviation, Underwater, Submarine and Nuclear Medicine; or in Occupational and Community Medicine.

If you decide to transfer to a 16-year pensionable Commission, or a permanent Commission, you could move on to recognised higher training programmes which include research training and higher training posts in civilian units.

At Alverstoke, the Dean of Naval Medicine co-ordinates postgraduate medical training and research.

Naval hospitals.

The two largest are at Haslar (near Portsmouth) and Plymouth.

They undertake the care of Naval personnel, their families and NHS civilians, providing a broad spectrum of clinical material. Both hospitals are recognised for higher training in the major specialities.

There is a full range of modern, technical equipment, and the nursing and paramedical staff are highly skilled.

There are smaller hospitals in Malta and Gibraltar.

Salary.

If you join us immediately after registration, your salary will be £5,997 as a Surgeon Lieutenant.

You can, however, join at any age up to 39. In that case, your postgraduate experience is taken into account, and you could join as a Surgeon Lieutenant Commander earning £8,015 a year.


If you leave at the end of your 3 year Commission, you'll receive a tax-free gratuity of £1,500, or, after 5 years, £3,000.

If you decide to stay on, you can apply for a 16-year pensionable Commission or a permanent Commission.

The salary structure is based on an analogue computed from the average earnings of general practitioners in the NHS, with an additional X factor. There is extra pay for recognised postgraduate qualifications and Senior Specialist or Consultant status.

If you're posted overseas, you can, of course, take your family with you. There are, too, generous boarding school allowances for your children, starting at £807 for your first child.

For more information, write to Surgeon Commander H. B. Blackstone, MRCS, LRCP, MRCGP, RN, (811 MF5), Medical Directorate General (Navy), Ministry of Defence, Empress State Building, London SW6 1TR.



UNIVERSITY OF BRISTOL

AVON VOCATIONAL TRAINING SCHEME FOR GENERAL PRACTICE

Applications are invited for a three-year traineeship in Vocational Training for General Practice, consisting of two years' hospital training and a one-year traineeship in an approved practice.

After a short period of orientation of not more than three months in the training practice, trainees will start hospital appointments at S.H.O. level in a Bristol hospital. Two of the rotations offered are: six months in medicine, six months in obstetrics with gynaecology, three months in paediatrics and three months in geriatrics; the remaining six-month period in hospital will be partly of wholly elective, when opportunities will be given to gain experience in special hospital, and other, departments. The trainee will complete the year in practice before or after this elective period. The third rotation will consist of four six-month appointments in the following specialties: accident and emergency, paediatrics, geriatrics, and psychiatry. A half-day release course is run during University term-time throughout the three years.

The orientation period in practice should start in June 1977, the first hospital appointments to commence on 1 August 1977.

Applicants who are suitably qualified should write giving details of previous experience, the names and addresses of two referees and quote a date when they would anticipate being able to start the preliminary orientation period in practice. Applications should be received by 30 November 1976.

It may also be possible to assist practitioners who have already partly fulfilled the necessary criteria and who wish to complete the requirements for vocational training. The course is recognised for the Vocational Training Allowance by the D.H.S.S. and also for the M.R.C.G.P.

Applications and requests for further information should be sent to:

The Course Organiser,
Medical Postgraduate Department,
University of Bristol,
21 Woodland Road,
Bristol, BS8 1TE.

Journal of the Royal College of Physicians of London

This Journal is concerned with the integration of scientific disciplines in the practice of medicine and, by providing a wide ranging commentary on the growing points of medicine, is an essential complement to the specialised journals.

CONTENTS OF VOLUME 11, NO. 1

John Pemberton	Some Failures of Modern Medicine. The Milroy Lecture 1976.
D. G. McDevitt, R. G. Shanks and B. N. C. Prichard	The Clinical Pharmacology of Beta Adrenergic Blocking Drugs.
B. N. C. Prichard, D. G. McDevitt and R. G. Shanks	Uses of Beta-Adrenoceptor Blocking Drugs.
J. S. Tobias and J. M. A. Whitehouse	Achievements of Cancer Chemotherapy.
Graeme R. D. Catto	Renal Bone Disease.
J. A. Tulloch and D. G. Adamson	Dominant Inheritance Diabetes Mellitus.
R. W. E. Watts	Uric Acid Biosynthesis and its Disorders.
A. G. W. Whitfield	Ankylosing Spondylitis.
Editor:	A. Stuart Mason, M.D., F.R.C.P.
Publication:	Published quarterly in October, January, April and July.
Subscription:	UK and Republic of Ireland £8 p.a. (including postage). Other countries £10 or US \$25 (including postage).
All Inquiries to Editorial Office:	Royal College of Physicians of London, 11 St. Andrew's Place, Regent's Park, London NW1 4LE.
Publishing Office:	Pitman Medical, 42 Camden Road, Tunbridge Wells, Kent.

The London Hospital, Whitechapel, E1 1BB.
Tower Hamlets Health District
City and East London A.H.A. (T)

**THE EAST LONDON GENERAL
PRACTITIONER VOCATIONAL
TRAINING SCHEME IN
CONJUNCTION WITH THE LONDON
HOSPITAL**

Applications are invited for the first four posts in this scheme, starting on 1 February 1977. Each trainee will spend one month in general practice, two years rotating in posts at The London Hospital and, finally, one year in general practice. The hospital posts include Obstetrics and Gynaecology, Geriatrics, General Medicine, Paediatrics, Psychiatry, and the Emergency and Accident Department. A half-day release course for all the trainees in the scheme will be held at the East London Post-graduate Medical Centre, Bethnal Green. Applicants will be welcome to visit the training practices.

Further details may be obtained from the Course Organiser, Dr R. M. Griffiths, 35, High Street South, East Ham, London, E.6, or from the Medical Staffing Officer. Applications (no forms provided), giving the names and addresses of two referees, should be received by 5 November 1976 and addressed to The Medical Staffing Officer, The London Hospital, Whitechapel, E1 1BB.

REPLIES TO ADVERTISEMENTS

Readers are asked to mention *The Journal of the Royal College of General Practitioners* when replying to all advertisements.

CLASSIFIED ADVERTISEMENTS

Classified advertisements are welcomed and should be sent to: *The Journal of the Royal College of General Practitioners*, Longman Group, Burnt Mill, Harlow, Essex.

The charge for this service is 50p per line, plus 25p if a box number is required.

Fellows, members and associates of the Royal College of General Practitioners may claim a ten per cent reduction.

The inclusion of an advertisement in this *Journal* does not imply any recommendation and the Editor of the *Journal of the Royal College of General Practitioners* reserves the right to refuse or stop the insertion of any advertisement.

**Cornwall Postgraduate Medical
Centre**

**TWO-DAY REFRESHER COURSE FOR
GENERAL PRACTITIONERS**

11-12 November 1976

A two-day refresher course will be held at the Royal Cornwall Hospital (Treliske), Truro. One study day is devoted to cardiology and one to diabetes.

The Course is approved under Section 63 and will be restricted to not more than 40 applicants. Enquiries and applications should be sent to: **The Secretary, Cornwall Postgraduate Medical Centre, R.C.H. (Treliske), Truro. TR1 3LJ Cornwall.**

Opinions expressed in *The Journal of the Royal College of General Practitioners* and the supplements should not be taken to represent the policy of the Royal College of General Practitioners unless this is specifically stated.

Old established practice in Hull requires 4th man to replace retiring senior. Equal work and rota system of seven for night duty. All diagnostic and postgraduate facilities at new general hospital within half mile of central surgery with no branches. New Health Centre is planning to take the seven doctors in existing rota. District nurses and health visitor attachments. Appointment system. G.P. maternity unit. Deputising service available. Opportunity for clinical assistantships. £6,000 p.a. for 3 months as assistant commencing January then partnership with parity in 4 years. Write Drs Haigh, Thomas and Knox, 264-266 The Boulevard, Hull.

Replacement 4th partner required S. Devon resort practice. G.P. hospital; Maternity; Open access on pathology and x-rays; Postgrad medical centre at Torbay Hospital; Equal rota; D.(Obst) and/or D.C.H. advantage. Terms by negotiation.
Box No. 114 Longman Group, Journals Division, Burnt Mill, Harlow, Essex.

JOURNAL PUBLICATIONS


The following have been published by the *Journal of the Royal College of General Practitioners* and can be obtained, while still in print, from the Longman Group Ltd., 43 Annandale Street, Edinburgh, EH7 4AT, Scotland.

REPORTS FROM GENERAL PRACTICE

No. 1 Special Vocational Training	25p
No. 5 Evidence of the Royal College of General Practitioners to the Royal Commission on Medical Education	33p
No. 6 Implementation of Vocational Training	20p
No. 10 The Practice Nurse	50p
No. 11 General Practice Teaching of Undergraduates in British Medical Schools	52p
No. 13 Present State and Future Needs of General Practice (second edition) ..	60p
No. 15 Teaching Practices	£1.00
No. 16 Present State and Future Needs of General Practice (third edition) ..	£1.50
No. 17 The Assessment of Vocational Training for General Practice	£2.25

SUPPLEMENTS TO THE JOURNAL OF THE ROYAL COLLEGE OF GENERAL PRACTITIONERS

Mental Health and the Family Doctor	25p
Accident Management	30p
Training for General Practice (first edition)	22p
Arthritis in General Practice	25p
The Hazards of Middle Age	25p
Rehabilitation	25p
The Aetiology of Congenital Abnormalities	38p
The Art and the Science of General Practice	38p
Preventive Medicine and General Practice	52p
The Clinical Problems of Practice	43p
Training for General Practice (second edition)	22p
Anaemia in General Practice	30p
The Age of Discretion 20-40	38p
The Early Detection of Imported and Endemic Disease	38p
Rheumatology in General Practice	52p
The Management of Staff in General Practice	52p
Man, Milieu and Malady	52p
A Future in General Practice	52p
Transport Services in General Practice	75p
General Practitioners and Abortion	75p
General Practitioners and Contraception	75p
General Practice in the London Borough of Camden	75p
The Renaissance of General Practice	75p
University Departments of General Practice	75p
The Medical Use of Psychotropic Drugs	£1.75
A General-Practice Glossary	£1.00
Hostile Environment of Man	£1.25
Visit to Australia and the Far East	£1.00




**Longer acting-
day and night protection**


**Effective-
anginal attacks down 84%**

**No ill effects-
even in chronic heart failure**

The charts below illustrate two outstanding qualities of Beta-Cardone: first its prolonged action and, second, its effective reduction of anginal attacks even in patients who also had chronic heart failure.*



Exercise tachycardia inhibition
24 hours after a 400 mg dose there is still 18.5% reduction in exercise heart rate.
after Brown, H.C. et al. (1976) *Eur.J.clin. Pharmac.*, 9,367.



Beta-Cardone in high risk anginal patients
"A total of 38 high risk cardiac patients with heart failure and angina pectoris were selected."
"At the end of 12 weeks anginal attacks were down by 84.1% and nitroglycerin consumption by 89.8% at an average dose of 309.5 mg/day (range 160-400 mg/day)."
"Side effects were not observed during the 3 months of treatment."
"Patients were allowed to continue digitalis and thiazide diuretics for the control of cardiac failure, if needed."
Milei, J. et al. (1974) In: *Advances in Beta-adrenergic Blocking Therapy-Sotalol*, ed. Smart, A.G., 2,43. Amsterdam: Excerpta Medica.

The longer-acting beta-blocker
Beta-Cardone
Protection for the heart day and night



Beta-Cardone (Sotalol Hydrochloride) is a trademark of
DUNN H. FLOOY & CO. LTD., LONDON E2 8EA. For more information it is available on request.

Beta-Cardone is a beta-blocker which is effective in the treatment of angina pectoris, hypertension, and in the prevention of myocardial infarction.

Beta-Cardone is a beta-blocker which is effective in the treatment of angina pectoris, hypertension, and in the prevention of myocardial infarction.