


Introducing

'ILOSONE'

LAURYL SULPHATE

SUSPENSION



'Ilosone' brand propionyl erythromycin ester gives quicker, higher and longer-lasting blood levels than the older erythromycin preparations. It is available as the lauryl sulphate salt, in a readily acceptable suspension. Each 5cc. contains the equivalent of 125mg. erythromycin base.

The dose is a half to two teaspoonfuls every six hours (four times daily) depending on age. 'Ilosone' Lauryl Sulphate 125 for Oral Suspension is supplied in bottles to make 60cc., each with a 5cc. plastic spoon.

® TRADE MARK

*Lilly*

ELI LILLY AND COMPANY LIMITED • BASINGSTOKE • ENGLAND



# 'SECROSTERON'


DIMETHISTERONE TABLETS

TRADE MARK

## — the new name in steroids

WITH SIMPLER DOSAGE SCHEMES, INCREASED POTENCY AND  
PURELY PROGESTATIONAL ACTION

'Secrosteron' marks a significant advance in its specific field. It is a highly potent, orally active progestational agent. It brings about true secretory changes in the endometrium; and it has no oestrogenic or androgenic action. Above all it has increased potency over ethisterone and is active in wide range of conditions, at many times smaller dosage levels.



**DOSAGE:** 'Secrosteron' dosage schemes are simple—5 mg. three times daily in cases of Premenstrual Tension, Threatened Abortion, Menorrhagia, Metrorrhagia, Toxæmia of Pregnancy and Amenorrhœa. 5 mg. daily for Habitual Abortion.

*Tablets 5 mg. Bottle of 30 at 19/2*

*Bottle of 100 at 53/4*

*Bottle of 500 at 226/8*

THE BRITISH DRUG  
HOUSES LTD.  
MEDICAL DEPARTMENT  
LONDON N.1



THE WORLD'S GREATEST BOOKSHOP

**FOYLES**  
\* \* FOR BOOKS \* \*

‘A bookshop such as booklovers dream of.  
There is no other bookshop, anywhere,  
to compare with Foyles.’

—A Customer's Letter

**FOYLES TRAVEL BUREAU**

*Winter Sports holidays at all-inclusive  
prices. Write for details.*

**119-125 CHARING CROSS ROAD, LONDON W.C.2**

Gerrard 5660 (20 lines)



Open 9—6 (including Saturdays)

Nearest Station : Tottenham Court Road

## BRITISH MEDICAL JOURNAL

*the leading  
medical Journal  
and the  
most widely  
read*

★  
*Published weekly*

★  
*Subscription  
£7 7s. p.a.*



## SPECIALIST JOURNALS

### ABSTRACTS OF WORLD MEDICINE

*Monthly. Subscription £4 4s. p.a.*

### BRITISH JOURNAL OF OPHTHALMOLOGY

*Monthly. Subscription £6 p.a.*

### ARCHIVES OF DISEASE IN CHILDHOOD

*Bi-monthly. Subscription £4 4s. p.a.*

### JOURNAL OF CLINICAL PATHOLOGY

*Bi-monthly. Subscription £4 4s. p.a.*

### ANNALS OF THE RHEUMATIC DISEASES

### BRITISH HEART JOURNAL

### BRITISH JOURNAL OF INDUSTRIAL MEDICINE

### BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

### BRITISH JOURNAL OF VENEREAL DISEASES

### JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY

### MEDICAL AND BIOLOGICAL ILLUSTRATION THORAX

*Published quarterly. Subscription £3 p.a.*

### BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY


*Published quarterly. Subscription £4 4s. p.a.*

### OPHTHALMIC LITERATURE

*Subscription £4 4s. p.a.*

*or combined with British Journal of Ophthalmology £9 p.a.*

**BRITISH MEDICAL ASSOCIATION**



**Tofranil® Geigy Thymoleptic**  
**A major**  
**breakthrough in**  
**the treatment**  
**of depression**



running noses...



and nasal congestion

orally with

**'Triominic'**

WANDER

**THE NEW CONCEPT FOR RELIEF OF  
THE COMMON COLD**

**Relief in minutes—lasts for hours**

An orally administered decongestant has much better distribution to the mucous membranes of the respiratory tract than nasal sprays, drops and inhalants, and this "affords opportunity for shrinkage in areas that could not be approached by sprays, drops or actual topical application."\*

'TRIOMINIC' "dries" and decongests nasal passages combats allergic symptoms—with little likelihood of rebound congestion or pathological changes in the nasal mucosa, and without the risk of local over-treatment or "nose drop addiction." Especially valuable for night-time cough caused by postnasal drip.

\* *Arch. Otolaryng.*, 1954, 59, 48.

Each "timed-release" 'TRIOMINIC' Tablet contains:

Phenylpropanolamine-HCl . . . 50 mg.  
(nephedrine-HCl)  
Mepyramine maleate B.P. . . . 25 mg.  
Pheniramine maleate . . . . 25 mg.

'Triominic' Wander is Schedule 4

**Dosage** 1 tablet in the morning, afternoon and in the evening if needed. An average prescription is 12 tablets.

**Packs:** Supplied for dispensing in bottles of 50 and 250.


**Price :** N.H.S. Basic Price for 12 tablets (4 days' treatment) is 2s. 1d. plus P.T.

**Also available:** 'Triominic' Syrup, for children and those adults who prefer a liquid medication, in bottles of 2 fl. oz. and 20 fl. oz. (dispensing). N.H.S. Basic Price for 2 fl. oz. is 2s. 6d. plus P.T.

**'Triominic' "timed-release"  
tablets provide relief in  
minutes . . . keep nasal  
passages clear for 6 to 8 hours**

FIRST

the outer layer dissolves within minutes to produce 3 to 4 hours' relief.



THEN

the inner core disintegrates to give 3 to 4 more hours' relief.

THUS

3 tablets daily 'unblock around the clock.'

*Literature and sample on signed request (S4) of physicians only*

**A. WANDER LTD., 42 UPPER GROSVENOR ST., LONDON W.1**



safe  
and  
effective  
treatment  
of



# COUGH

BENYLIN EXPECTORANT\* is of particular value in the treatment of cough and congestion due to colds, bronchitis and allergies. It contains the anti-histamine and anti-spasmodic agent Benadryl in combination with established expectorants. A palatable raspberry-flavoured syrup; soothing, decongestant and demulcent, it readily alleviates nasal stuffiness and sneezing and is entirely suitable for children.

## BENYLIN

expectorant

\* TRADE MARK

*Bottles of 4, 16 and 80 fl. ounces*

PARKE, DAVIS & COMPANY, Inc. U.S.A. Liability Limited,  
HOUNSLOW, MIDDLESEX

TEL. HOUNSLOW 2361



**"90%**  
**satisfactory**  
**response**  
**obtained in**  
**ambulant**  
**patients"**

"The immediate clinical results were assessed after the first month's treatment (with Roter Tablets)....81% of cases became symptom-free—70% of them during the first week and 30% during the second week; a further 9% were relieved of the majority of their symptoms. Thus there was a satisfactory response in 90% of cases.... In 75% of cases the patients found they were able to take foods which they had avoided for years."

Extract from the **BRITISH MEDICAL JOURNAL**  
(1955) 2, 827

## **IMPROVED THERAPY FOR PEPTIC ULCER**

"In a series of 155 cases of peptic ulcer treated with... (Roter) tablets for three to six weeks, there was immediate relief of pain in 92% of cases and roentgenological healing of the ulcer in 81%...

The special features of this medication are immediate and prolonged relief of pain, correction of gastric hyperacidity, absence of side reactions, effectiveness for ambulatory patients, and early healing of the ulcer in most cases."

Extract from the **AMERICAN JOURNAL OF GASTROENTEROLOGY** (1957) 28, 439

**"Immediate  
relief of  
pain in**

**92%**  
**of cases"**




**TABLETS**

**PACKINGS:** Tins of 40, 120, 640 and dispensing size 720 (P.T. exempt). Basic N.H.S. price: 1/- for 10 tablets.

**ROTER Tablets are not advertised to the public and may be prescribed on E.C.10 forms. Literature on request.**

**F.A.I.R. LABORATORIES LTD TWICKENHAM MIDDLESEX**

**when coughs embarrass...**



# 'DISTOLYT'

TRADE MARK

## TABLETS

- **CHLORCYCLIZINE** minimises nasal congestion and suppresses persistent cough.
- **GUAIACOL GLYCERYL ETHER** promotes freer expectoration and reduces useless irritating cough.
- in tablet form for ready administration when coughs embarrass.

'Distolyt' is a balanced combination of chlorcyclizine hydrochloride and guaia-col glyceryl ether which facilitates expectoration of tenacious mucus and reduces the frequency of excessive un-productive cough.

### PACKS

*Each sugar-coated tablet contains 10 mg. chlorcyclizine hydrochloride and 100 mg. guaiaicol glyceryl ether.*

*Tube of 24 and bottle of 100 tablets.*

<i>Basic cost to N.H.S. of 12 tablets from dispensing pack of 100</i>	<i>1s. 1d. (P. Tax extra).</i>
---	--------------------------------



**THE DISTILLERS COMPANY (Biochemicals) LIMITED**

BROADWAY HOUSE, THE BROADWAY, WIMBLEDON, LONDON, S.W.19

TELEPHONE: LIBERTY 6600

owners of the trade mark 'DISTOLYT'

PPHS/59C





*for diarrhoea*

## **Cremosuxidine**<sup>Regd</sup>

'SULFASUXIDINE' SUSPENSION WITH KAOLIN

### **THE MOST WIDELY USED SULPHONAMIDE FOR INTESTINAL INFECTION**

'Cremosuxidine' provides the safe and effective sulphonamide 'Sulfasuxidine', together with kaolin, as a delightfully flavoured suspension for the treatment of specific and non-specific diarrhoea. It is very economical to prescribe. The average adult dosage is 1½ - 2 tablespoonfuls, 6 times a day.


*The United Kingdom N.H.S. basic cost of 1 fl. oz. is 1s. 1½d.*



**MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS**

'Cremosuxidine' and 'Sulfasuxidine' are regd. trademarks.

the first  
**READY-PREPARED**  
suspension of  
potassium penicillin V



Oral penicillin therapy makes another notable advance with the introduction of 'Distaquaine' V-K Suspension. This is the first and only *ready-prepared* suspension of potassium penicillin V—the highly efficient oral penicillin already widely prescribed in 'Distaquaine' V-K Tablets. Now, with the introduction of 'DQV-K' Suspension, the benefits of potassium penicillin V are made conveniently available to all your patients, from the youngest to the oldest. Smooth in consistency and particularly pleasant to take, 'DQV-K' Suspension is fully effective in *teaspoon* doses.

a  
most efficient  
oral penicillin  
in a  
most acceptable  
form

**DQV-K**

**SUSPENSION**

'Distaquaine' V-K Suspension is available in bottles of 60 ml. (approx. 2 fl. oz.). Each 5 ml. teaspoonful contains 125 mg. penicillin V as potassium salt. Basic Cost to N.H.S.—8s. 10d.



**THE DISTILLERS COMPANY (Biochemicals) LIMITED**

BROADWAY HOUSE, THE BROADWAY, WIMBLEDON, LONDON, S.W.19

Telephone: LIBerty 6600

Owners of the trade mark 'Distaquaine'

FTN 16/59A

**C I B A**

**New development**  
**Long acting sympathetic inhibitor**  
**with easily controllable**  
**antihypertensive effect**

**Ismelin** Reg. T.M.

**2 perhydroazocin-1'-yl-ethylguanidinium sulphate**  
**available in Tablets of 10 mg. and 25 mg. in 25's, 100's & 500's**

**A product of CIBA research (Brit. Pat. Pend.)**


**Ismelin is a potent antihypertensive which replaces ganglion blocking agents yet does not produce ganglionic blockade.**

**It exerts a smooth antihypertensive effect of exceptional duration; once-daily dosage controls blood pressure without fluctuations characteristic of earlier drugs.**

**Ismelin does not affect the parasympathetic system. Constipation, paralytic ileus and dry mouth do not occur.**

**Novel chemistry and pharmacology.**

**Please see detailed literature for unique dosage scheme.**



## SUSPENSION **CHLOROMYCETIN** PALMITATE

**A palatable liquid preparation of CHLOROMYCETIN\***

Indicated in the treatment of: early Pertussis, Laryngotracheo bronchitis, Staphylococcal Pneumonia, Infantile Gastro-enteritis, Non-Tuberculous Meningitis and urinary tract infections.



*Each 4 ml. teaspoonful contains the equivalent of 0.125 g. Chloromycetin.  
Supplied in bottles of 60 ml.*

\* TRADE MARK

**PARKE-DAVIS**

PARKE, DAVIS & COMPANY, Inc. U.S.A. Liability Limited.  
HOUNSLOW, MIDDLESEX. TEL. HOUNSLOW 2361.

FOR  
PATIENTS  
WHO  
'FEEL ROTTEN'  
... VILLESCON

after illness

Villescon is the first tonic truly capable of restoring vitality to "run down" patients. They find apathy and fatigue replaced by renewed interest in life and an inclination to greater activity and movement.

Villescon's action increases respiratory rate and volume, stimulates the appetite in most cases, and promotes a beneficial back-to-normal sense of physical and mental well-being.

Villescon can be prescribed whenever a tonic is indicated. *Villescon is contraindicated in the presence of thyrotoxicosis*



# FOR EVERY TONIC PRESCRIPTION VILLESCON

## VILLESCON\*

1-phenyl-2-pyrrolidino-pentane hydrochloride, with vitamins

THE FIRST TRUE TONIC




Manufactured and distributed in the U.K. by Pfizer Ltd., Folkestone,  
Kent for  
C. H. BOEHRINGER SOHN, INGELHEIM AM RHAIN  
Registered proprietors of the Trade Mark. \*Regd. Trade Mark.




in antepartum  
nipple conditioning  
and postpartum  
nipple care


**Ortho Pharmaceutical Limited    High Wycombe · England**



**Protein tissue building**



**Nilevar**



**Nilevar provides a potent protein anabolic  
action\* with little or no virilisation**

\*Brit. Med. J. (1958), *ii*, 1149, Lancet (1958), *ii*, 890,  
as well as over 140 other published reports.

**SEARLE**

HIGH WYCOMBE, BUCKS.

NV : P39





# Fentazin

PERPHENAZINE

*when nausea and vomiting pose clinical problems*

*the broad-span phenothiazine*

*unsurpassed anti-emetic*

FENTAZIN TABLETS contain 2mg., 4mg., or 8mg., perphenazine, in bottles of 50 and 500. FENTAZIN INJECTION contains 5mg. perphenazine in 1 c.c. Boxes of 5 and 100 ampoules of 1 c.c.

\*Fentazin is a trade mark

Alt99

ALLEN & HANBURY LTD *Bethnal Green London E 2*

In all types of insomnia, CARBRITAL\* secures a full night's refreshing sleep, with a fresh awakening on the morrow. Rapid onset of sleep is obtained by incorporating in the CARBRITAL formula a moderate dose of the quick-acting hypnotic, pentobarbitone sodium. This action is prolonged by the use of carbromal, a milder long-acting sedative, which maintains sleep for up to eight hours, leaving the patient with the minimum of depression on awakening.



# IN ALL TYPES OF INSOMNIA

***quick action***  
***prolonged sedation***  
***minimal after effects***



# CARBRITAL

\*Trade Mark


**Capsules:** In bottles of 25 and 250 capsules each containing pentobarbitone sodium ( $1\frac{1}{2}$  grs.) and carbromal (4 grs.)

**Elixir:** in bottles of 4, 16 and 80 fl. ozs.  
Each fluid drachm (one teaspoonful) represents pentobarbitone sodium ( $\frac{1}{2}$  gr.) and carbromal ( $\frac{1}{2}$  gr.)



PARKE, DAVIS & COMPANY, Inc. U.S.A. Liability Limited,  
Hounslow, Middlesex.

Telephone: Hounslow 2361



## Simple, safe and economical therapy

'Cremotresamide' is a reliable form of triple sulphonamide therapy which combines the best-known sulphonamides for systemic use: sulphadimidine, sulphamerazine and sulphadiazine.

Organisms which have developed resistance to penicillin and other antibiotics may still retain their sensitivity to sulphonamides. Thus 'Cremotresamide' is an effective preparation for treating B. coli cystitis, otitis media, upper respiratory infection, streptococcal sore throat and many similar conditions commonly seen in General Practice.


'Cremotresamide' is a most pleasantly flavoured suspension accepted by patients of all ages. It is given in a simple dosage and is economical to prescribe.

Average adult maintenance dose is 2 teaspoonfuls every 6 hours.


Maintenance dose for children is  $\frac{1}{2}$  to 2 teaspoonfuls every 6 hours according to age.

The United Kingdom N.H.S. basic cost is 5s. 0d. per 4 fl.oz. (an average course of treatment).

# CREMOTRESAMIDE <sup>Regd.</sup>



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS



**For those  
allergic  
patients whose  
symptoms are  
best controlled  
by  
antihistamine  
*plus*  
anticholinergic  
action**

## **Benadryl**

BENADRYL\* (Diphenhydramine hydrochloride B.P. Parke-Davis) in capsules of 25 mg. and 50 mg.

\*TRADE MARK

**PARKE-DAVIS**



Parke, Davis & Company,  
Inc. U.S.A. Liability Limited,  
Hounslow, Middlesex.  
Tel: Hounslow 2361

*highly effective in infantile diarrhoea*

## NEW ENTERFRAM

*kaolin with Framycetin*

ENTERFRAM, combining the adsorbent, demulcent action of Kaolin with the bactericidal effect of Framycetin, is highly effective in infectious diarrhoea. Framycetin is active against all the bacterial pathogens normally found in gut infections including staphylococci resistant to other antibiotics. Available evidence shows that it is not absorbed from the gut, so that its action is purely local. Bacterial resistance to Framycetin is rare indeed, and patient sensitivity unknown.

Whenever diarrhoea poses clinical problems, ENTERFRAM will be found to be rapidly, safely effective. The pleasantly flavoured vehicle and the safe, local action of the antibiotic make ENTERFRAM especially suitable for children.

*in acute or chronic diarrhoea  
bacillary dysentery  
infantile diarrhoea  
infantile gastro-enteritis  
food poisoning*

### NEW ENTERFRAM

kaolin with Framycetin—the ideal antibiotic for enteric use  
Each 30 ml. ENTERFRAM contains 0.3 G Framycetin sulphate and 6.0 G Light Kaolin BP.

**Genatosan Ltd** *Loughborough Leicestershire*



# The Latest Titles from Butterworths

## GENERAL ANAESTHESIA

Edited by FRANKIS T. EVANS, M.B., B.S., F.F.A.R.C.S., D.A. and CECIL GRAY, M.D., F.F.A.R.C.S. In two volumes: Vol. I, Pp. xiv+531+Index; Vol. II, Pp. xii+431+Index. 199 illustrations. £7 7s. net. Per set, by post, 2s. 9d. extra.

The whole wide field of anaesthesia is covered in these two volumes. The first takes in basic principles, covering those specialised aspects of anatomy, physiology and neurophysiology which are important to anaesthetists in their everyday work, pre-anaesthetic considerations, apparatus, blood transfusions, the different methods of administration and many other subjects. Techniques, special fields and hazards are detailed in the second, where the appropriate anaesthetic approach to every type of operation is minutely examined by accepted authorities writing on their own subjects.

## HANDBOOK OF HAEMATOLOGICAL AND BLOOD TRANSFUSION TECHNIQUE

By J. W. DELANEY, F.I.M.L.T. Pp. xiii+292+Index. 50 illustrations. 4 colour plates. 45s. net., by post 2s. 0d. extra.

This book, representing the accumulated knowledge and experience of a well-known teacher, is designed to carry the student from the Intermediate Examination of the Institute of Medical Laboratory Technology to the Finals in Haematology and Blood Transfusion. These subjects are covered in so clear-cut a manner and with such attention to practical detail that it will prove of immense value to all laboratory workers requiring a concise, up-to-date and comprehensive guide for both study and reference.

## SURGICAL ASPECTS OF MEDICINE

Edited by H. DAINTREE JOHNSON, M.A., M.B., B.CHIR., F.R.C.S. Pp. xi+382+Index. 18 illustrations. 65s. net, by post 1s. 9d. extra.

The aim of this book is to give guidance in deciding on operative treatment, and on the choice of operative treatment, having regard to all circumstances, while providing the fullest information on mortality, morbidity, side-effects and late complications of surgical procedures, as well as advice on the management of the patient's life after operation.

## Modern Trends in ACCIDENT SURGERY AND MEDICINE

Edited by F. G. BADGER, B.SC., F.R.C.S.(ED.), RUSCOE CLARKE, M.B.E., M.B.(LOND.), F.R.C.S.(ENG.), and SIMON SEVITT, M.D., M.SC., M.A., F.R.C.P.I., D.P.H. In preparation. Pp. vii+300+Index. Approx. 196 illustrations. 75s. net, by post 2s. extra.

The Birmingham Accident Hospital is a pioneer centre developed to deal exclusively and immediately with accidents to the exclusion of every other type of case, and this book, where the editors and contributors all are, or have been associated with the hospital, is the outcome of years of experience concentrated in the management of every type of accident—a fund of unique, specialized and practical knowledge.


**BUTTERWORTHS, 88 KINGSWAY, LONDON, W.C.2**

**Showroom: 11-12 BELL YARD, TEMPLE BAR, LONDON, W.C.2**

Many years of clinical experience have proved the value of METATONE\* in restoring normal metabolic function after debilitating illness.

Metatone is a combination of appetite-promoting vitamin B<sup>1</sup> with strychnine and mineral glycerophosphates designed to assist and speed the convalescent's return to full vigour.

**Restoration  
of the  
Patient**



**Metatone**

\*Trade Mark

*Supplied in bottles of 8, 16 and 80 fl. ounces*

**for rapid restoration of  
normal metabolic function  
after illness**



PARKE, DAVIS & COMPANY Inc. U.S.A Liability Limited, HOUNSLOW, MIDDLESEX.  
TEL: HOUNSLOW 2361

**more  
hæmoglobin  
in  
less time**



**IRON-CALCIUM TABLETS**




**Ortho Pharmaceutical Limited • High Wycombe • England**






***Durophet \****



***10 unknown diabetics in every GP's care...***



The diabetic population of Great Britain numbers almost 500,000 — yet only about half of them are known and under treatment. Statistically this means that every general practitioner has more than ten undetected diabetics in his care.

These unknown diabetics are at risk. Many already show retinal changes and other vascular abnormalities at the time of diagnosis. These changes are often irreversible: their prognosis could only be improved by early diagnosis and treatment of diabetes. CLINISTIX\* is the best aid to the diagnosis of diabetes. This simple dip-and-read test is specific for glucose; it takes only a few seconds, and has the correct sensitivity for significant results. Every patient whose urine is positive to CLINISTIX should be regarded as a potential diabetic.


***to detect diabetes  
simply dip-and-read  
Clinistix***

CLINISTIX Reagent Strips are available in bottles of 60 strips.  
U.K. Retail Price 6/-, less professional discount. From all chemists,




**Ames Company**  
Nuffield House Piccadilly London W 1

\*Trade Mark



AM142

**For a brighter outlook after illness**



For more than 25 years doctors ★  
have relied upon Minadex to give  
patients from 6 months old to over  
60 a brighter outlook during and  
after illness.

Minadex has no BP or BNF ★  
equivalent. It is the reliable,  
effective and palatable tonic which  
contains vitamins A and D, iron  
and other important minerals.

The vitamins in Minadex are ★  
made from start to finish by Glaxo  
themselves, the country's largest  
producers of vitamin A and first  
in Britain to make a vitamin D  
concentrate available in large  
quantities.

Minadex is still at its pre-war price. ★

# MINADEX

Trade Mark


## VITAMIN-MINERAL TONIC

*Composed of vitamins A and D, iron,  
copper and glycerophosphates of calcium,  
potassium and manganese.*



*Minadex is available in most countries*

**Glaxo Laboratories Ltd,  
Greenford, Middlesex    BYRon 3434**



an attack of migraine

has been averted...



*'Stemetil'*  
trade mark brand

PROCHLORPERAZINE

for the prevention and management of true migraine

Detailed information is available on request  
*'Stemetil' is supplied as*  
5 mg. tablets  
5 mg. and 25 mg. suppositories  
1.25% solution for injection

MANUFACTURED BY



**MAY & BAKER LTD**

*An M&B brand Medical Product*

*Distributors:*

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD • DAGENHAM



## Deep skin penetration in Arthritis and Rheumatism



**NICOTINIC, SALICYLIC  
and p-AMINO BENZOIC ACIDS**  
in Ester form

IN CASES of soft-tissue rheumatism, and arthritic disorders, many doctors are tending more and more to regard Transvasin as an indispensable adjuvant to treatment.

For Transvasin is composed of the esters of nicotinic, salicylic and p-aminobenzoic acids.

These esters readily pass the skin barrier in therapeutic quantities, and so enable an effective concentration of drugs to be built up where they are needed. \* Transvasin not only induces vasodilation of the skin with a superficial erythema, but also brings about a deep hyperaemia of the underlying tissues. It is non-irritant and can be safely used on delicate skins.

It is now being widely prescribed, with successful clinical results. Since a very small quantity is sufficient for each application, the cost of treatment is extremely low.



\*Therapeutische Umschau 1952, 8, 143

Tetrahydrofurfuryl salicylate.....	14%
Ethyl nicotinate .....	2%
n-Hexyl nicotinate .....	2%
Ethyl p-aminobenzoate.....	2%
Water-miscible cream base ad .....	100%

**LLOYD-HAMOL LIMITED** 11 Waterloo Place, London, S.W.1. Whitehall 8654/5/6

Transvasin is available in 1 oz. tubes, at a basic N.H.S. cost of 2/6 in the U.K. Samples and literature will be gladly sent on application.

*Transvasin is the registered trade mark of Lloyd-Hamol Ltd.*

***Just Published***

# **MODERN TREATMENT YEARBOOK 1960**

Edited by Sir Cecil Wakeley, B.T., K.B.E., C.B., LL.D., M.CH.,  
D.SC., F.R.C.S., F.R.S.E., F.A.C.S., F.R.A.C.S.

Now in its twenty-sixth year, the Modern Treatment Yearbook provides once again an unrivalled opportunity for the general practitioner to keep himself up to date with the latest therapeutic methods.

Each of its thirty-two chapters deals fully and concisely with a frequently encountered condition, and each is written by a leading authority on his subject who presents simply and clearly the most effective methods of management and treatment—all of which have been thoroughly tested and are the results of hospital experience.

There is no substitute for the Modern Treatment Yearbook—it is an essential part of every doctor's equipment.

320 pages    32 plates    33s. postage 2s. 3d.

**BAILLIÈRE, TINDALL & COX**

**788, Henrietta Street, London, W.C.2.**

## **THE FLORENCE NIGHTINGALE HOSPITAL for Gentlewomen**

**19 Lisson Grove, London, N.W.1**

*Telephone: Paddington 2341*

---

**FOR EDUCATED WOMEN OF LIMITED MEANS AND  
THOSE OF THE PROFESSIONAL CLASSES**

---

NEITHER CONTROLLED NOR SUPPORTED BY THE STATE, THIS HOSPITAL offers EVERY FACILITY to PHYSICIANS and SURGEONS, with private accommodation for their patients, at a cost of 10 or 15 guineas for a private room; 5 guineas for cubicle.

For further particulars apply to the Secretary.

## **THE COLLEGE OF GENERAL PRACTITIONERS**

### **41 Cadogan Gardens, London, S.W.3**

#### **Associateship**

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration within two years of qualification.)

#### **Membership**

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must :— (1) be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

#### **Entrance Fees and Subscriptions**

Associates make an annual subscription of £2 2s. 0d. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. 0d. and make an annual subscription of £3 3s. 0d. (After June 1959—£5 5s. 0d.).

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 41 Cadogan Gardens, London, S.W.3. 'Phone Sloane 8333.