

'ILOSOI

Too recent to be in the books of reference yet, but its virtues will ensure wide and early recognition as an outstanding antibiotic development.

'Ilosone' possesses a spectrum effective against most of the common pathogens. It gives quicker, higher and more prolonged activity than any other member of the erythromycin group. Moreover, 'Ilosone' is extraordinarily safe.

PRESENTATION

'PULVULES' 'ILOSONE'

125mg. 250mg.

SUSPENSION 'ILOSONE'

125mg. per 5cc. when prepared.

DOSAGE

250mg. every six hours (1 Gm. daily), doubled in serious infec-

Half to two teaspoonfuls or more.

A Lilly Discovery

ELI LILLY AND COMPANY LIMITED · BASINGSTOKE · ENGLAND



Improved mobility In Rheumatoid Arthritis with



Clinical experience has shown that 'Nivaquine' is often of outstanding value in the treatment of rheumatoid arthritis. Pain and joint tenderness are reduced, and more active movement is made possible. One tablet administered daily provides adequate dosage for most patients. An initial dose of two or three tablets daily may be necessary in certain resistant cases.

'NIVAQUIME' IS

★ economical ★ safe ★ easily administered

aupplies; carcologium; sanishies Taplita n.P. Containers of: 10 x 200 mg., 190 x 399 mg., 500 x 200 mg. (each tablet contains the equivalent of 150 mg. chloroquine base). arms: Bottles of 4 fi. cs. Each 3-6 ml. (approx; one teaspoonful) contains 68 mg. Chloroquine Sulphate H.P. (equivalent to 89 mg. chloroquine base).

Detailed information is available on request



ringworm in fectures

Gris vin

the ORAL antibiotic that acts the length and breadth of the body

Grisovin given orally exerts its activity systemically and endows newly formed keratin with the power to resist fungal attack. Even severe and long-standing infections respond well, and improvement can often be noted in glabrous skin within seven days. This remarkable and consistent activity against dermatophyte infections of the skin, hair and nails is obtained with a low incidence of side effects.

GRISOVIN



the ORAL antibiotic born and bred in Britain

Bottles of 100 and 1,000 tablets each containing 250 mg griseofulvin

GLAXO LABORATORIES LIMITED

DEEP SKIN PENETRATION IN ARTHRITIS AND RHEUMATISM

NICOTINIC, SALICYLIC AND p-AMINOBENZOIC ACIDS

in Ester form

In cases of soft-tissue rheumatism, and arthritic disorders, many doctors are tending more and more to regard Transvasin as an indispensable adjuvant to treatment.

For Transvasin is composed of the esters of nicotinic, salicylic and p-aminobenzoic acids. These esters readily pass the skin barrier in therapeutic quantities, and so enable an effective concentration of drugs to be built up where they are needed.*

Transvasin induces not only vasodilatation of the skin with a superficial erythema, but also induces a deep hyperaemia of the underlying tissues. It is nonirritant and can be safely used on delicate skins.

It is now being widely prescribed, with successful clinical results. Since a very small quantity is sufficient for each application, the cost of treatment is extremely low.

*Therapeutische Umschau 1952, 8, 143



LLOYD-HAMOL LIMITED

11 Waterloo Place, London, S.W.1. Whitehall 8654/5/6

Transvasin is available in 30g. tubes, N.H.S. price in the U.K. 2/6 plus P.T., and is not advertised to the public. Samples and literature will be gladly sent on application.

 Tetrahydrofurfuryl salicylate
 14%

 Ethyl nicotinate
 2%

 n-Heryl nicotinate
 2%

 Ethyl p-aminobenzoate
 2%

 Water-miscible cream base ad
 100%



Transvasin is the registered trade mark of Lloyd-Hamol Ltd.

THE WORLD'S GREATEST BOOKSHOP



• A bookshop such as booklovers dream of. There is no other bookshop, anywhere, to compare with Foyles. •

—A Customer's Letter

FOYLES TRAVEL BUREAU
Write for details of Foyles 1961 Holidays

119-125 CHARING CROSS ROAD, LONDON W.C.2

Gerrard 5660 (20 lines)

*

Open 9-6 (including Saturdays)

Nearest Station: Tottenham Court Road

THE

FLORENCE NIGHTINGALE HOSPITAL for Gentlewomen

19 Lisson Grove, London, N.W.1

Telephone: Paddington 2341

FOR EDUCATED WOMEN OF LIMITED MEANS AND THOSE OF THE PROFESSIONAL CLASSES

NEITHER CONTROLLED NOR SUPPORTED BY THE STATE, THIS HOSPITAL offers EVERY FACILITY to PHYSICIANS and SURGEONS, with private accommodation for their patients, at a cost of 10 or 15 guineas for a private room; 5 guineas for cubicle.

For further particulars apply to the Secretary.

E. & S. LIVINGSTONE LTD. =

TEXTBOOK OF MEDICINE

Thirteenth Edition. Edited by SIR JOHN CONYBEARE and W. N. MANN.

1.008 pages 102 illustrations 45s.

DISEASE IN INFANCY AND CHILDHOOD

Third Edition. By Professor RICHARD W. B. ELLIS. 328 illustrations 722 pages

55s.

CONGENITAL DEFORMITIES

By GAVIN C. GORDON.

149 illustrations 136 pages

37s. 6d.

THE EYE IN GENERAL PRACTICE

Second Edition. By C. R. S. JACKSON.

27 illustrations (22 in colour) 160 pages

2Is.

RE-EDUCATIVE TREATMENT OF SUPPRESSION **AMBLYOPIA**

By Professor JEAN SEDAN. Abridged English version by T. KEITH LYLE.

50 illustrations 147 pages

25s.

TOXOIDS. **VACCINES** ANTISERA, AND TUBERCULINS IN PROPHYLAXIS AND TREATMENT

Fifth Edition. By H. J. PARISH and D. A. CANNON. 56 illustrations 296 pages

37s. 6d.

TEVIOT PLACE, EDINBURGH

BRITISH MEDICAL JOURNAL

the leading medical Journal and the most widely read

Published weekly

Subscription £7 7s. p.a.

SPECIALIST JOURNALS-

ABSTRACTS OF WORLD MEDICINE
Monthly. Subscription £4 4s. p.a.
BRITISH JOURNAL OF OPHTHALMOLOGY

Monthly. Subscription £6 p.a.

ARCHIVES OF DISEASE IN CHILDHOOD Bi-monthly. Subscription £4 4s. p.a.

BRITISH HEART JOURNAL

Bi-monthly. Subscription £4 4s. p.a. BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

Bi-monthly. Subscription £6 6s. p.a.

JOURNAL OF CLINICAL PATHOLOGY Bi-monthly. Subscription £4 4s. p.a.

ANNALS OF THE RHEUMATIC DISEASES

BRITISH JOURNAL OF INDUSTRIAL MEDICINE BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

BRITISH JOURNAL OF VENEREAL DISEASES GUT

JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY

MEDICAL AND BIOLOGICAL ILLUSTRATION

THORAX

Published quarterly. Subscription £3 p.a.

OPHTHALMIC LITERATURE

Subscription £4 4s. p.a. or combined with British Journal of Ophthalmology £9 p.a.

BRITISH MEDICAL ASSOCIATION

the acceptable of disease


PAYNOCIL REGO. TRADE MARK

is palatable, dispersing rapidly and smoothly on the tongue, leaving no unpleasant aftertaste.

can be taken anywhere, at any time, without need of water. Each Paynocil tablet contains acetylsalicylic acid 10 grains and aminoacetic acid (glycine) 5 grains. Junior Paynocil tablets (quarter strength) are particularly recommended for children.

PAYNOCIL is a product of

BEECHAM RESEARCH Laboratories Ltd., Brentford, England



Benylin expectorant

A palatable raspberry-flavoured syrup containing BENADRYL* (diphenhydramine hydrochloride, B.P.), BENYLIN* EXPECTORANT is particularly valuable not only in controlling cough but also in alleviating congestion due to colds, bronchitis and similar conditions of the respiratory tract.

PARKE-DAVIS

TRADE MARK



PARKE, DAVIES & COMPANY · HOUNSLOW · MIDDLESEX
(Inc. U.S.A. Liability Limited) TEL: HOUNSLOW 2361

soothing · decongestant · demulcent Supplied in bottles of 4, 16 & 80 fl. ozs.

CAMDEN

PHARMACEUTICALS

TAMPOVAGAN and PRUVAGOL

FOR COMPREHENSIVE VAGINITIS THERAPY

POSALFILIN

FOR WARTS AND SENILE KERATOSES

LITHIUM CARBONATE TABLETS ('Camco' brand)

FOR MANIA AND HYPOMANIA

PRUVORAL

FOR MONILIA INFECTIONS OF THE MOUTH AND THROAT

ALCOS-ANAL

FOR HÆMORRHOIDS AND PRURITUS ANI Manufactured under licence from Chemische Fabrik von Heyden A.G., Munich, Germany.

KAMILLOSAN

FOR SORE AND CRACKED NIPPLES

*CYCLOSPASMOL (Cyclandelate)

FOR THE SAFE LONG TERM TREATMENT OF PERIPHERAL VASCULAR DISEASES

*DISIPAL (Orphenadrine Hydrochloride)

FOR PARKINSONISM, VERTIGO, DEPRESSIVE STATES AND FOR COMBINATION WITH NEUROPLEGICS IN PSYCHIATRY

*ELIMIT

ACUTE AND CHRONIC SCHIZOPHRENIA, SENILE AND CEREBRAL ARTERIOSCLEROTIC PSYCHOSES, PSYCHONEUROSES

*Manufactured under licence from N.V. Koninklijke Pharmaceutische Fabrieken v/h Brocades-Stheeman and Pharmacia, Amsterdam, Holland.

Literature available from: MEDICAL INFORMATION DEPARTMENT,

CAMDEN CHEMICAL CO. LTD.

61 GRAY'S INN ROAD, LONDON, W.C.I.

... at the Service of the Medical Profession



For those allergic patients whose symptoms are best controlled by antihistamine plus anticholinergic action

Benadryl

BENADRYL* (Diphenhydramine hydrochloride B.P. Parke-Davis) in capsules of 25 mg. and 50 mg.

*TRADE MARK

PARKE-DAVIS



Parke, Davis & Company, Inc. U.S.A. Liability Limited, Hounslow, Middlesex. Tel: Hounslow 2361

Products of the Wright-Fleming Institute of Microbiology are now available from **Beecham Research Laboratories** Limited

The following range of biological products of the Wright-Fleming Institute is now packaged and distributed to the medical profession. hospitals and pharmacists exclusively by Beecham Research Laboratories Ltd.

Acne Vaccine (Mixed) 'A'

Acne Vaccine (Mixed) 'B'

Bronchial Asthma,

Mixed Vaccine for

Catarrh Vaccine Cholera Vaccine

Diphtheria Prophylactic

(Formol Toxoid) Diphtheria - Pertussis Prophylactic

Diphtheria-Tetanus Prophylactic

Diphtheria – Tetanus – Pertussis Prophylactic

Influenza Vaccine (Bacterial)

Influenza Virus Vaccine

Pertussis Vaccine

Pollaccine

Rheumatic Vaccine

Staphylococcus Toxoid

Staphylococcus Vaccine (Mixed)

Staphylococcus Vaccoid

Tetanus Toxoid

Typhoid-Paratyphoid

A & B Vaccine

Typhoid-Paratyphoid

A, B & C Vaccine

Typhoid-Paratyphoid

A & B and Cholera Vaccine

Typhoid-Paratyphoid A & B

Vaccine & Tetanus Toxoid

Typhoid-Paratyphoid A & B

Vaccine for Protein Shock



Sole agents: Beecham Research Laboratories Ltd, Brentford, England Telephone: Isleworth 4111

Enavid

Brand of Norethynodrel and Ethinyloestradiol 3-methyl ether


for all
types of
abnormal
uterine
bleeding
of
functional
origin

SEARLE

For all sufferers from insomnia not due to pain, CARBRITAL* can provide sleep of natural duration and depth. Combined in this preparation are a quick-acting hypnotic (pentobarbitone sodium), and a mild longer-acting sedative (carbromal). Thus, CARBRITAL brings about rapid onset of sleep and sustains it for several hours, yet leaves the patient free from undesirable residual depression on awakening

CARBRITAL

in all types of insomnia



CAPSULES. In bottles of 25 and 250 capsules, each containing pentobarbitone sodium ($1\frac{1}{2}$ grs) and carbromal (4 grs).

ELIXIR: In bottles of 4, 16 and 80 fl. ozs. Each fluid drachm (one teaspoonful) represents pentobarbitone sodium (\frac{1}{2} gr) and carbromal (\frac{3}{2} gr).

*TRADE MARK

PARKE-DAVIS



PARKE, DAVIS & COMPANY, HOUNSLOW, MIDDLESEX. TEL: HOUNSLOW 2361.

Inc. USA Liability Limited.

completely new

CREMOSTREP arrests DIARRHOEA

'SULFASUXIDINE' WITH STREPTOMYCIN

'CREMOSTREP' is an oral anti-diarrhoeal agent containing succinylsulphathiazole (Sulfasuxidine*) and streptomycin, chosen for their powerful synergistic, anti-bacterial activity.

Advantages are:-

- (1) Speedy relief of symptoms
- (2) Well-tolerated, since absorption is minimal
- (3) Microfine suspension assuring maximal mucosal contact
- (4) Pleasant taste appeals to children
- (5) Contains two agents most likely to combat intestinal pathogens

Indications: Diarrhoeas, including bacillary dysentery, neonatal diarrhoeas, those due to Salmonella and E. coli, paradysentery.

Dosage: Average adult dosage — 4 teaspoonfuls (20 ml.) 2 to 4 times daily before meals.

For full information please refer to literature.
The United Kingdom N.H.S. basic cost is 2s. 2d. per fl. oz.
Supplied in bottles of 3 fl. oz.

CREMOSTREP'

'Sulfasuxidine'-streptomycin suspension

Each 100 ml. contains: Succinylsulphathiazole ('SULFASUXIDINE') — 10 G.; Streptomycin — 1 G.; Kaolin — 10 G.

* Trademarks



Made in England by

MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS



How would you bear the strain financially? This Society has a variety of policies that have been specially devised to meet the needs of the Medical Profession.

They specialise in

Non Cancellable With Profit SICKNESS AND ACCIDENT INSURANCE. LIFE ASSURANCE. PERSONAL PENSION POLICIES.

And for Students and newly qualified Practitioners—our unique 'Guinea' Policy.

When you are buying a car or equipment why not ask for details of the Hire Purchase Scheme of our subsidiary company—the Medical Sickness Finance Corporation of 7 Cavendish Square, London, W.I.

Telephone Museum 9348.



Write for particulars, mentioning this advertisement.

3 CAVENDISH SQUARE, LONDON. W.I.

Telephone Langham 0341 (10 lines)

Hypon



analgesic and antipyretic tablets

 $\mathsf{C} * \mathsf{D}$

A balanced formula containing codeine, phenacetin and acetylsalicylic acid plus caffeine and phenolphthalein to offset the side effects of depression and constipation.

Indications: Rheumatic conditions, spastic dysmenorrhoea, neuralgia, headaches and all conditions where an analgesic is indicated.

Dose: 1 or 2 tablets every four hours, or as prescribed.

Influenza, coryza, acute rheumatism, tonsillitis and all other pyrexial conditions.

Dose: 2 tablets every four hours, or as prescribed.

Formula: Acid Acetylsalicyl B.P. 200 mg.; Phenacet. B.P. 250 mg.; Caffein. B.P. 10 mg.; Codein. Phosph. B.P. 5 mg.; Phenolphthal. B.P. 5 mg.; (Each tablet 8 grains.)

Presentation: Tax Free Dispensing Packs 300 and 600 tablets.

Trade Price:

300 Tablets 16s. 11d. Exempt P.T. 600 Tablets 31s. 6d. Exempt P.T.

CALMIC

The things they say!!!



Some Practitioners, in less controlled moments, have been heard to say harsh and even uncomplimentary things about their ulcer and indigestion patients. Patients have been heard to say even harsher and more uncomplimentary things about their Doctors. We, however, blush at the complimentary letters we receive from both busy practitioners and their patients telling of DROXALIN'S efficacy and palatability in Gastric Ulcer, Hyperacidity and Sickness of Pregnancy.

'Droxalin gives rapid relief to abdominal pain and discomfort due to Hyperchlorhydria and Peptic Ulcer'. M.B., Ch.B., M.R.C.S., L.R.C.P. 'An excellent tablet for indigestion, and in particular for the indigestion of pregnancy'. M.B., B.S., D.A.

'I often have acute Dyspepsia and find it necessary to keep Droxalin by my bedside'. M.B., B.S., F.R.C.S., L.R.C.P.



speed of action plus palatability


ACTIVE INGREDIENTS

Dried Aluminium Hydroxide Gel. B.P. 2.5 grains Magnesium Trisilicate B.P. 2.5 grains

PACKING & PRICE

DROXALIN Tablets are hygienically packed in film strips of 6, in cartons of 30 and dispensing packs of 500. Prescribable on E.C. 10. Basic N.H.S. cost 2/2 for 50 tablets.

PHILLIPS, SCOTT & TURNER - SURBITON - SURREY



SUSPENSION CHLOROMYCETIN PALMITATE

A palatable liquid preparation of CHLOROMYCETIN*


Indicated in the treatment of: early Pertussis, Laryngotracheo bronchitis, Staphylococcal Pneumonia, Infantile Gastro-enteritis, Non-Tuberculous Meningitis and urinary tract infections.

Each 4 ml. teaspoonful contains the equivalent of 0.125 g. Chloromycetin. Supplied in bottles of 60 ml.

*TRADE MARK



PARKE, DAVIS & COMPANY, Inc. U.S.A. Liability Limited. HOUNSLOW, MIDDLESEX. TEL. HOUNSLOW 2361.



- * prompt relief of pain
- * continuous antacid action
- * 'drip' therapy for the ambulant patient
- * ideal conditions for ulcer healing—a constant 'safe zone' of pH 3.5-4.5
- * without acid rebound or systemic alkalosis EACH TABLET CONTAINS

Aluminium glycinate 0.9 gramme Light magnesium carbonate, B.P. 0.1 gramme




Prodexin is a product of

BEECHAM RESEARCH Laboratories LTD., BRENTFORD, ENGLAND

METATONE* is particularly valuable in getting convalescent patients back to full bodily vigour, after influenza and other debilitating illnesses.

A palatable reconstructive tonic, combining appetite-promoting vitamin B_1 with strychnine and mineral glycerophosphates . . .




METATONE speeds recovery

by rapidly restoring normal metabolic function



Supplied in bottles of 8, 16 and 80 fl. ozs. *Trade Mark





dependable weight loss without stimulation

Duromine contains.phenyl-tertiary-butylamine-a new non-amphetamine appetite suppressant-in the form of a long-acting ion-exchange resin complex.

for the ACTIVE obese patient

Duromine is of particular value in those cases where even mild stimulation is neither necessary nor desirable, as in the active obese patient.

one capsule provides 10-14 hours effect

Through ion-exchange release, Duromine provides smooth, prolonged effect for 10-14 hours from one capsule daily.

two strength capsules


15 mg, and 30 mg, capsules are available to meet individual needs.

basic N.H.S. prices 15 mg. 30 mg. bottles of 30 capsules 300 capsules



'Duromine' is a trade mark

RKDMJ 194



may depend on the safety of 'Distaval'

Consider the possible outcome in a case such as this-had the bottle contained a conventional barbiturate. Year by year, the barbiturates claim a mounting toll of childhood victims. Yet it is simple enough to prescribe a sedative and hypnotic which is both highly effective . . . and outstandingly safe. 'Distaval' (thalidomide) has been prescribed for nearly three years in this country, where the accidental poisonings rate is notoriously high; but there is no case on record in which even gross overdosage with 'Distaval' has had harmful results. Put your mind at rest. Depend on the safety of

DISTAVA

As as hypnotic at bedtime: ADULTS: 50 mg.—200 mg. INFANTS AND CHILDREN: 25 mg.— 100mg.

As a daytime sedative:

ADULTS: 25 mg. two or three times daily.
INFANTS AND CHILDREN: Half to one

25 mg. tablet, according to age, one to

Distaval' (25 mg. tablets).

Distaval' Forte (100 mg. tablets).

Basic cost to N.H.S. of 12 tablets from dispensing pack of one hundred—1/- or 2/8d. according to strength.

REFERENCES:

Practitioner, 1959, 183, 57.
J. clin. exp. Psychopath, 1959, 20, 243.
J. coll. gen. Pract., 1958, 1, 398.
Brit. med. J., 1959, 2, 635.
Med. Wld. (Lond.), 1960, 93, 26.
Prit. J. Pharmacal, 1960, 43, 26. Brit. J. Pharmacol., 1960, 15, 111.

THE DISTILLERS COMPANY (Biochemicals) LIMITED Broadway House, The Broadway, Wimbledon, London S.W.19 Telephone: LIBerty 6600 Owners of the trade mark 'Distaval'

PHOLTEX

one week's cough treatment for as little as 8d a day (basic NHS) from a 2oz, bottle of PHOLTEX specifically designed for prolonged effect

gives hours of relief with a single dose through ion-exchange release







up to ten hours effect from a single dose

by the smooth and prolonged release of *pholocodine* and *phenyltoloxamine* from the ion-exchange resins.

more complete relief of unproductive cough

because the cough suppressant activity of pholocodine is potentiated and reinforced by the antihistamine and antispasmodic action of phenyltoloxamine

dosage

I teaspoonful (4 ml.) at minimum intervals of eight hours.

composition

Each teaspoonful contains pholocodine 15 mg. and phenyltoloxamine 10 mg. as resin complexes in a thixotropic vehicle.


basic N.H.S. prices

2 fl oz. 5/4 20 fl oz. 49/4 (Dispensing Pack)

RIKER LABORATORIES LIMITED

Loughborough Leicestershire

for the tense and anxious patient



Squibb Fluphenazine Dihydrochloride





A Century of Experience Builds Faith 'MODITEN' is a trademark

E R SQUIBB & SONS LIMITED Edwards Lane Speke Liverpool 24


DOSAGE: 1 mg. daily. If necessary, the total daily dosage may be increased to 1 mg. b.i.d. or two 1 mg. tablets given as a single dose in patients with relatively severe symptoms who have had a trial at lower dosages. A daily dose in excess of 2 m.g. is rarely necessary, and when employed should be used with caution.

SUPPLY: Coated 1 mg. tablets, bottles of 25, 100 and 500.



significant new compound





For prompt, prolonged relief of allergic symptoms

- INHERENTLY SUSTAINED ACTION
- RAPID ABSORPTION-RAPID RELIEF
- LOW TOXICITY-MINIMAL SIDE EFFECTS
- INHIBITS CAPILLARY PERMEABILITY
 - AND CEDEMA
- * CLINICALLY PROVED IN A WIDE RANGE OF ALLERGIC AND PRURITIC CONDITIONS

Dosage

ADULTS: One tablet (8 mg.) twice daily. CHILDREN: One teaspoonful (4 mg.) twice

In some patients it may be necessary to adjust the dosage to meet individual requirements.

Packings

Tablets (compression coated) 8 mg., bottles of 25 tablets 5/- and 250 tablets 40/-. Syrup, 4 mg. per teaspoonful, 4 oz. bottles 5/-. Basic N.H.S. prices, purchase tax extra.



Descriptive literature and specimens for clinical use are available on request THE BRITISH DRUG HOUSES LTD. (MEDICAL DEPT.) LONDON N.I

12010

FOR PATIENTS WHO





VILLESCON*LIQUID

1-phenyl-2-pyrrolidino-pentane hydrochloride, with vitamins

THE MODERN TONIC IN TRADITIONAL FORM

Results of a recent survey conducted by this company and illustrated here graphically, indicate that more doctors would prefer to prescribe Villescon as a Liquid.



- 1 Gver 73 per cent of tonic prescribers prefer to prescribe liquid tonics—mainly because their patients prefer the traditional bottle of medicine.
- 2 No less than 60 per cent of tonic prescribers would prefer Villescon were it in liquid form.

The introduction of Villescon Liquid is in direct response to this situation.

DOSAGE Adults—2-3 teaspoonstul two or three times daily before meals. Children 1-1 teaspoonful according to age.

Patients on Villescon Liquid

EAT BETTER · BREATHE BETTER · FEEL BETTER



Manufactured and distributed in the U.K. by Pfizer Ltd., Sandwich, Kent for C. H. BOEHRINGER SOHN, INGELHEIM AM RHEIN

Registered proprietors of the Trade Mark.

*Regd. Trade Mark


NEW ACTION against moniliasis

SPOROSTACIN

TRADE MARK

CHLORDANTOIN CREAM

SOOTHING · ODOURLESS · NON-STAINING · CHEMICALLY DIFFERENT



EXCEPTIONAL FUNGICIDAL ACTIVITY

The unique molecular structure of the active agent penetrates the fatty barrier of the fungous cell membrane.

Active Ingredients: Chlordantoin 1.0% w/w Benzalkonium chloride 0.05% w/w

OUTSTANDING CLINICAL RESULTS

This new compound offers:
simplicity — patient acceptance
—rapid relief of symptoms—high
percentage of culture-free cures.
(Lapan.B., Am. J. Obst. & Gynec. 78:1320.1959)



advice she needs... yet hesitates to ask

When repeated pregnancies threaten health of the patient and welfare of her family, the physician's counsel is a timely safeguard.

Authoritative material is available on request, to assist the effective prescription and patient instruction in the method.

DELFEN Vaginal Cream PRECEPTIN Vaginal Gel **ORTHO-GYNOL** Vaginal Jelly **ORTHO-CREME** Vaginal Cream **ORTHO** Vaginal Dlaphragm



Ortho Pharmaceutical Limited

Saunderton · Buckinghamshire





IN ANXIETY AND TENSION

Fentazin

2 mg. three times daily

Fentazin tablets contain
2 mg or 4 mg perphenazine.
Bottles of 50 and 500.

ALLEN & HANBURYS LTD
Bethnal Green London E2

FENTAZIN' is a trade mark
AH 134

in the treatment of peptic ulcer

ROTER

has <u>particular</u> advantages





ROTER achieves a high cure rate and often gives effective control of even refractory chronic cases which have resisted other treatments.

ROTER in many cases obviates the need for hospitalization or surgical intervention.

ROTER helps patients to keep ambulant and sympton-free with a minimum of medication and with few, if any, dietary restrictions.

ROTER in general practice enables the physician to take adequate care of his gastric cases without frequent or prolonged supervision.

ROTER has no known side effects.

ROTER requires no supplementary medication such as sedatives or anti-spasmodics.

ROTER shows a saving in cost when compared with conventional methods of treatment.

REFERENCES

Therapie der Gegenwart, 1953, 3, 108
Gazz. Med. Ital., 1954, II 3, 343
Die Medizinische,1955, 4, 163
British Medical Journal, 1955, 2, 827
C.R.S. Biol. 1956, I50, 1019
Am J. Gastroenterology, 1957, 28, 439
Wiener Med. W., 1958, 108, 218
Arztliche Praxis, 1958, 10, 766
Journal Lancet, 1960, 80, 37

FORMULA

Each Roter tablet contains:

Bismuth Subnitrate Roter (350 mg.), Magnesium Carbonate (400 mg.), Sodium Bicarbonate (200 mg.) and Cortex Rhamni Frangulae (25 mg.).

PACKINGS OF ROTER TABLETS

Tins of 40 and 120, also dispensing sizes, 360 and 720 (P.T. exempt). Basic N.H.S. price: Under 1/- for 10 tablets.

ROTER TABLETS are in Category "S". Literature on Request,

F.A.I.R. LABORATORIES LTD . TWICKENHAM . MIDDLESEX

THE COLLEGE OF GENERAL PRACTITIONERS 41 Cadogan Gardens, London, S.W.3

Associateship

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration within two years of qualification.)

Membership

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must :— (1) Be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

Entrance Fees and Subscriptions

Associates make an annual subscription of £2 2s. 0d. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. 0d. and make an annual subscription of £5 5s. 0d.

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 41 Cadogan Gardens, London, S.W.3. Tel. No. Sloane 8333.