

MA8164/100

in the treatment of peptic ulcer

ROTER

has <u>particular</u> advantages





ROTER achieves a high cure rate and often gives effective control of even refractory chronic cases which have resisted other treatments.

ROTER in many cases obviates the need for hospitalization or surgical intervention.

ROTER helps patients to keep ambulant and sympton-free with a minimum of medication and with few, if any, dietary restrictions.

ROTER in general practice enables the physician to take adequate care of his gastric cases without frequent or prolonged supervision.

ROTER has no known side effects.

ROTER requires no supplementary medication such as sedatives or anti-spasmodics.

ROTER shows a saving in cost when compared with conventional methods of treatment.

REFERENCES

Therapie der Gegenwart, 1953, 3, 108
Gazz. Med. Ital., 1954, 113, 343
Die Medizinische,1955, 4, 163
British Medical Journal, 1955, 2, 827
C.R.S. Biol. 1956, 150, 1019
Am J. Gastroenterology, 1957, 28, 439
Wiener Med. W., 1958, 108, 218
Arztliche Praxis, 1958, 10, 766
Journal Lancet, 1960, 80, 37

FORMULA

Each Roter tablet contains:

Bismuth Subnitrate Roter (350 mg.), Magnesium Carbonate (400 mg.), Sodium Bicarbonate (200 mg.) and Cortex Rhamni Frangulae (25 mg.).

PACKINGS OF ROTER TABLETS

Tins of 40 and 120, also dispensing sizes, 360 and 720 (P.T. exempt). Basic N.H.S. price: Under 1/- for 10 tablets.

ROTER TABLETS are in Category "S". Literature on Request.

F.A.I.R. LABORATORIES LTD . TWICKENHAM . MIDDLESEX



'DOLOXENE"

brand DEXTROPROPOXYPHENE HYDROCHLORID

is solely an analgesic

65 mg. three or four times daily for prompt alleviation of severe pain.

'Pulvules' 'Doloxene' are available in strengths of 32 mg. and 65 mg.

* TRADE MARK

ELI LILLY AND COMPANY LIMITED BASINGSTOKE ENGLAN

Subnormal Personalities

- By C. J. C. EARL, F.R.C.P.I., F.B.Ps.S., D.P.M., late Medical
- Superintendent, Monyhull Hospital, Birmingham.
- With additional material by H. C. Gunzburg, M.A., Ph.D., F.B.Ps.S., Consultant Psychologist, Director of Psychological Services, Monyhull Hall, Birmingham.
- Foreword by Kenneth Soddy, M.D., D.P.M., Physician, Department of Psychiatric Medicine, University College Hospital, London.
- This is an unusual book, representing the pioneer work of a brilliant clinician in evolving a method of investigating and assessing the personality
- of inviduals whose social and/or scholastic failure can be attributed to
- lack of development in one or more of the aspects of personality.
- Dr Earl's approach has been to investigate the complex nature of personality by considering nine relatively simple aspects of it, and the basis of
- his work is the careful observation of the patient, not only in the clinic and under test, but in every aspect of his living and development. Psycho-
- logical testing methods are discussed, with particular reference to the
- author's own Moron Battery, a set of form tests devised to predict the likelihood of social survival in subnormal young men.

Price - 30s.

Ballière Tindall & Cox Ltd.

• 7-8 Henrietta Street, London, W.C.2

WORLD'S GREATEST THE **BOOKSHOP**



There just isn't another bookshop anywhere to compare with the fabulous Foyles 9 —A Customer's Letter

FOYLES TRAVEL BUREAU

Let us help you with your 1961 Holiday plans

119-125 CHARING CROSS ROAD, LONDON W.C.2

Gerrard 5660 (20 lines) Open 9-6 (including Saturdays)

Nearest Station: Tottenham Court Road HELLIANDE HARTINE HARTINE HARTINE HARTINE HALLINGER ER HERTE HERTE ER HER BARTINE HARTINE HARTINE HARTINE HART

The things they say!!!



Some Practitioners, in less controlled moments, have been heard to say harsh and even uncomplimentary things about their ulcer and indigestion patients. Patients have been heard to say even harsher and more uncomplimentary things about their Doctors. We, however, blush at the complimentary letters we receive from both busy practitioners and their patients telling of DROXALIN'S efficacy and palatability in Gastric Ulcer, Hyperacidity and Sickness of Pregnancy.

'Droxalin gives rapid relief to abdominal pain and discomfort due to Hyperchlorhydria and Peptic Ulcer'. M.B., Ch.B., M.R.C.S., L.R.C.P. 'An excellent tablet for indigestion, and in particular for the indigestion of pregnancy'. M.B., B.S., D.A. 'I often have acute Dyspepsia and find it necessary to keep Droxalin by my bedside'. M.B., B.S., F.R.C.S., L.R.C.P.



ACID ABSORBENT

speed of action plus palatability


ACTIVE INGREDIENTS

Dried Aluminium Hydroxide Gel. B.P. 2·5 grains Magnesium Trisilicate B.P. 2·5 grains

PACKING 4 PRICE

DROXALIN Tablets are hygienically packed in film strips of 6, in cartons of 30 and dispensing packs of 500. Prescribable on E.C.10. Basic N.H.S. cost 2/2 for 50 tablets.

PHILLIPS, SCOTT & TURNER - SURBITON - SURREY





IN ANXIETY AND TENSION

Fentazin

2 mg. three times daily

Fentazin tablets contain 2 mg or 4 mg perphenazine. Bottles of 50 and 500.



AH 184

Ample oxygen supply to the myocardium

Persantin is available as tablets for the management of angina pectoris and in ampoules for intramuscular or intravenous injection in the emergency treatment of myocardial infarction. Full information on dosage and administration is available from the Director of Medical Services, Boehringer Ingelheim Division, Pfizer Ltd., Sandwich. Kent.

¹ Cardiac catheter studies— Knipping, H. W., Bolt, W., and Mikulicz, K., *Arzneimittel-Forsch*, 1960, 10, 364 38% mean increase in oxygen saturation of the coronary sinus blood¹

PERSANTIN*

2,6-bis (diethanolamino)-4,8-dipiperidino-pyrimido (5,4-d)-pyrimidine



Manufactured and distributed in the U.K. by Pfizer Ltd., Sandwich, Kent for C. H. BOEHRINGER SOHN, INGELHEIM am RHEIN.
Registered proprietors of the Trade Mark.

*Regd. Trade Mark



MOST COMPLEX MOST POTENT VITAMIN


First isolated in Britain by Glaxo, B_{12} with an effective dose measured in millionths of a gram, is the most potent vitamin of all. Maintenance injections of just 250 micrograms of B_{12} allow patients with pernicious anaemia to lead a normal life. In conditions such as trigeminal neuralgia, herpes zoster, seborrhoeic dermatitis and certain neuropathies, doses of 250 to 1,000 micrograms are now commonly given. Taken in liquid or tablet form as a tonic, B_{12} can help to improve appetite and to promote a feeling of well-being. Both the sugar-coated tablets and the fruit flavoured liquid are taken very happily by children.

CYTAMEN the B₁₂ injection

CYTACON the B₁₂ tonic

CYTAMEN and CYTACON are Glaxo trade marks





How would you bear the strain financially? This Society has a variety of policies that have been specially devised to meet the needs of the Medical Profession.

They specialise in

Non Cancellable With Profit SICKNESS AND ACCIDENT INSURANCE. LIFE ASSURANCE.

PERSONAL PENSION POLICIES.

And for Students and newly qualified Practitioners—our unique 'Guinea' Policy.


When you are buying a car or equipment why not ask for details of the Hire Purchase Scheme of our subsidiary company—the Medical Sickness Finance Corporation of 7 Cavendish Square, London, W.I. Telephone Museum 9348.

Write to the General Manager and Actuary or 'Phone MUSeum 1686

* MEDICAL SICKNESS SOCIETY 3 CAVENDISH SQUARE, LONDON, W.I.

Telephone: MUSeum 1686 (10 lines)

* MEDICAL SICKNESS ANNUITY AND LIFE ASSURANCE SOCIETY LIMITED



put him quickly on the road to recovery

SUSPENSION

CHLOROMYCETIN

PALMITATE

A pleasantly-flavoured liquid preparation of Chloromycetin*, SUSPENSION CHLOROMYCETIN PALMITATE is indicated in staphylococcal pneumonia, in the early paroxysmal stage of pertussis, in bronchitis and bronchiectasis. Also effective in infantile gastroenteritis, acute otitis media and mastoiditis.

Each 4 ml. teaspoonful contains the equivalent of 0.125g. chloramphenicol. Supplied in bottles of 60 ml.

*Trade Mark





PARKE, DAVIS & COMPANY.

Inc. U.S.A. Liability Limited.

HOUNSLOW . MIDDLESEX . TEL:

HOUNSLOW 2361

More rapid clinical results with BROXIII the high-peak penicillin



Quickly absorbed from the gastro-intestinal tract, Broxil produces peak serum concentrations, higher than can be obtained with any other penicillin, within ½ to 1 hour. Clinical results are as successful as they are rapid.

Broxil is available in both Tablet and Syrup form.

Broxil is a product of British Research at

BEECHAM RESEARCH Laboratories Ltd., BRENTFORD, ENGLAND

For travel sickness



Dramamine

BRAND OF DIMENHYDRINATE

SEARLE

DRA.PSO

BUTTERWORTH

the catarrhal child

JOHN FRY

price 25/-

The child with recurrent infections and affections of the respiratory tract, is a persistent problem to the whole community. This book is based on the observations, records, and clinical conclusions of one family doctor, into the causes, the natural history, and the many and various problems of the condition. It is the outcome of a 10-year study and follow up of 750 children, reporting unique source material for all medical men and women investigating common respiratory illnesses among children. The unusual quality of the author's presentation of his material will prove the book most helpful to the intelligent parent, family doctor, the paediatrician and he consultant.

intra-abdominal crises

K. D. KEELE & N. M. MATHESON

price 50/-

The authors have called acute abdominal pain and vomiting, which have no diagnostic label, intra-abdominal crises. First they analyse the problem of the abdominal emergency, indicate the lines of early management, and stress the importance of diagnostic exclusion. The main theme of the book, however, is the increasing role played by the techniques of radiology and biochemistry under conditions of crises. The significance of the results obtained involves wide possibilities of anatomical and pathological interpretation, with a broadening of the problems of differential diagnosis.


toxicity of industrial metals ETHEL BROWNING price 50/-

This book provides a survey of the main features of the occurrence, preparation, physical and chemical properties, metabolism and toxicology of the principal metals encountered in modern industry.

Special attention has been devoted to the metabolic features: first, from the point of view that a knowledge of their paths of absorption, excretion and distribution within the body may indicate how and where their potential toxic effects are likely to be exerted, and therefore in some measure how these effects can be prevented; secondly, with a view to the increasing importance of the possibility of the entry of some of them in radioactive form from nuclear fall-out.

4-5

BELL YARD, LONDON W.C.2



has been described as "probably the major advance in therapeutics since the advent of penicillin."* No diuretic has been more widely used or favourably reported on.

*Brit. med. J., 1959, 1, 1558.

"... the severely hypertensive patient may require so many different drugs that for the sake of his comfort it is not unreasonable to use compound tablets containing the diuretic, reserpine and potassium chloride ..."*

*Practitioner, 1961, 186, 81.

SALURIC

SALUPRES

Chlorothiazide

Hydrochlorothiazide, reserpine and potassium chloride

UNIVERSAL ACCEPTANCE-

the result of security and effectiveness in action

'SALURIC'—Tablets, chlorothiazide 0.5 G. N.H.S. basic cost: 4s. 64d. per 12 tablets. 'SALUPRES'—Tablets, hydrochlorothiazide 12.5 mg., reserpine 0.0625 mg., potassium chloride 572 mg. N.H.S. basic cost: 2s. 5d. per 12 tablets.



MSD MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

Ferromyn



ferrous succinate



Intolerance to Ferrous Succinate is less than 1%, including cases of anaemia in pregnancy.

HIGH UTILISATION

Clinical trials show that a haemoglobin response of 1%-2% may be expected from 1 tablet three times daily.

FERROMYN is presented in tablet, capsule or liquid form. Each unit dose contains

FERROMYN

Ferrous Succinate 150 mg.

FERROMYN 'B'

Ferrous Succinate 150 mg., Riboflavin 1 mg., Nicotinamide 10 mg., Aneurine Hydrochloride 1 mg.

TRADE PRICES

FERROMYN TABLETS/CAPSULES FERROMYN 'B' TABLETS/CAPSULES

100 3/- + P.T. 1,000 26/- + P.T. 100 3/9 Exempt P.T. 1,000 32/6 Exempt P.T.

FERROMYN ELIXIR

4 oz 4/3 + P.T.80 oz 78/- + P.T. FERROMYN 'B' ELIXIR

4 oz 4/6 Exempt P.T. 80 oz 80/- Exempt P.T.

CALMIC

CALMIC LIMITED · CREWE · CHESHIRE

A new approach to an old problem

ALCOS-ANAL

(Ointment and Suppositories)

For the permanent shrinkage of Hæmorrhoids

Further details on request to: CAMDEN Chemical Company Limited, 61 Gray's Inn Road, London, WC1. PHARMACEUTICAL SPECIALITIES at the Service of the Medical Profession

IN RHEUMATOID **ARTHRITIS**



In rheumatoid arthritic conditions, more patients can now be treated more effectively-with 'Decadron'. Its greater anti-inflammatory action often brings relief in cases which have not responded to other steroids. 'DECADRON' gives increased therapeutic effectiveness, but a

RESUME NORMAL

ACTIVITY

decrease in such side-effects as hyperglycaemia, hyper-PATIENTS tension and oedema. Improved appetite and gain in weight are usually welcomed. In rheumatoid arthritis, low maintenance dosage with

'DECADRON' may make the difference between useful employment and invalidism.

United Kingdom N.H.S. basic costs are 6s. 3d. for 10 × 0.5 mg. tablets and 9s. 5d. for 10×0.75 mg. tablets (ex dispensing packs).

WITH

ECADRON

dexamethasone



CONFIDENCE with simplicity



PORTYN

brings new peace to the peptic ulcer patient



A potent new anticholinergic agent, Portyn* produces marked inhibition of gastric secretion, gastrointestinal spasm and hypermotility. It thus forms an excellent adjunct in the management of peptic ulcer and functional gastrointestinal disease.

Portyn Kapseals each contain 10 mg. benzilonium bromide. *Trade Mark Initial adult dose—

1 Kapseal three times daily.

PARKE-DAVIS

more hæmoglobin in less time

IRON-CALCIUM TABLETS


(Ferrous calcium citrate)

Each tablet provides: iron. 25 mg.; calcium, 85 mg.

Ortho Pharmaceutical Limited · Saunderton · Buckinghamshire




for the tense and anxious patient



Squibb Fluphenazine Dihydrochloride





E R SQUIBB & SONS LIMITED

Edwards Lane Speke Liverpool 24

Moditen is available overseas under the trade name Anatensol.

DOSAGE: 1 mg. daily. If necessary, the total daily dosage may be increased to 1 mg. b.i.d. or two 1 mg. tablets given as a single dose in patients with relatively severe symptoms who have had a trial at lower dosages. A daily dose in excess of 2 m.g. is rarely necessary, and when employed should be used with caution.

 $\tt SUPPLY:Coated\,1\,mg.\,and\,0.25\,mg.\,tablets,\,bottles\,of\,25,\,100$ and 500. Also as an Elixir containing 0.5 mg. per cc.

A Picture of Health with Benadryl



BENADRYL

effectively controls Hay-Fever symptoms by antihistaminic plus anticholinergic action

BENADRYL* (Diphenhydramine hydrochloride B.P., P.D. & Co.) in capsules of 25 mg. and 50 mg.

Trade Mark

PARKE-DAVIS

PARKE, DAVIS & COMPANY Inc. USA Liability Limited liounslow, Middlesex Tel: HOUnslow 2361

THE COLLEGE OF GENERAL PRACTITIONERS 41 Cadogan Gardens, London, S.W.3

Associateship

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration within two years of qualification.)

Membership

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must:—(1) Be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

Entrance Fees and Subscriptions

Associates make an annual subscription of £2 2s. 0d. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. 0d. and make an annual subscription of £5 5s. 0d.

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 41 Cadogan Gardens, London, S.W.3. Tel. No. Sloane 8333.