

'DOLOXENE'

is solely an analgesic


A dose of 65 mg. three or four times daily gives prompt relief of moderate to severe pain. There are no side-effects on normal dosage. Tolerance and addiction do not develop.

'Pulvules' 'Doloxene' brand Dextropropoxyphene

'Pulvules' 'Doloxene' brand Dextropropoxyphene Hydrochloride are available in strengths of 32 mg. and 65 mg.

Lilly

*Trade Mark



in the treatment of peptic ulcer

ROTER

has <u>particular</u> advantages





ROTER achieves a high cure rate and often gives effective control of even refractory chronic cases which have resisted other treatments.

ROTER in many cases obviates the need for hospitalization or surgical intervention.

ROTER helps patients to keep ambulant and sympton-free with a minimum of medication and with few, if any, dietary restrictions.

ROTER in general practice enables the physician to take adequate care of his gastric cases without frequent or prolonged supervision.

ROTER has no known side effects.

ROTER requires no supplementary medication such as sedatives or anti-spasmodics.

ROTER shows a saving in cost when compared with conventional methods of treatment.

REFERENCES

Therapie der Gegenwart, 1953, 3, 108 Gazz. Med. Ital., 1954, 113, 343 Die Medizinische,1955, 4, 163 British Medical Journal, 1955, 2, 827 C.R.S. Biol. 1956, 150, 1019 Am J. Gastroenterology, 1957, 28, 439 Wiener Med. W., 1958, 108, 218 Arztliche Praxis, 1958, 10, 766 Journal Lancet, 1960, 80, 37

FORMULA

Each Roter tablet contains:

Bismuth Subnitrate Roter (350 mg.), Magnesium Carbonate (400 mg.), Sodium Bicarbonate (200 mg.) and Cortex Rhamni Frangulae (25 mg.).

PACKINGS OF ROTER TABLETS

Tins of 40 and 120, also dispensing sizes, 360 and 720 (P.T. exempt). Basic N.H.S. price: Under 1/- for 10 tablets.

ROTER TABLETS are in Category "S". Literature on Request.

F.A.I.R. LABORATORIES LTD . TWICKENHAM . MIDDLESEX

MODERN TREATMENT YEAR BOOK 1961

Edited by Sir Cecil Wakeley, Bt., K.B.E., C.B., LL.D., M.CH., D.SC., F.R.C.S., F.R.S.E., F.R.S.A., F.A.C.S., F.R.A.C.S. 320 pages 32 pages of plates Price 35s.

Postage 2/3d.

MILLER

A Textbook of Clinical Pathology By Seward E. Miller, M.D. (Editor), Medical Director, United States Public Health Service. With 9 Contributors. 6th Edition 860 pages 220 illustrations Price 120s. Postage 2/9d.

MURPHY

Nature of Rheumatic Heart Disease (With special reference to Myocardial Diseases and Heart Failure) By George E. Murphy, M.D., Associate Professor of Pathology, New York Hospital-Cornell Medical Centre. 162 brilliant 54 pages 14 chapters Price 28s. four-colour illustrations Postage 1/9d.

MOSS and McOUOWN

Atlas of Medical Mycology By Emma Sadler Moss, B.S., B.M., M.D., Director of Pathology, Charity Hospital of Louisiana at New Orleans; Clinical Professor of Pathology, Louisiana State University School of

Medicine.

Albert Louis McQuown, B.S., B.M., м.D., Pathologist, Our Lady of the Lake Hospital, Baton Rouge, Louisiana; Clinical Associate Professor Path-Louisiana State University School of Medicine; Visiting Pathologist, Charity Hospital of Louisiana. 259 pages 248 illustrations Price 88s. Postage 2/9d.

A.R.N.M.D. SERIES . . .

The volumes of this series are based on the official proceedings of the Association for Research in Nervous and Mental Disease. Eight further volumes are available.

VOL. XXXVIII: Neuromuscular Disorders

813 pages Price 160s. Postage 2/9d.

Baillière, Tindall & Cox

7-8 HENRIETTA STREET, LONDON, WC2

BRITISH MEDICAL

JOURNAL

the leading medical Journal and the most widely read

Published weekly

Subscription

SPECIALIST JOURNALS

ABSTRACTS OF WORLD MEDICINE Monthly. Subscription £4 4s. p.a. BRITISH JOURNAL OF OPHTHALMOLOGY Monthly. Subscription £6 p.a.

ARCHIVES OF DISEASE IN CHILDHOOD Bi-monthly. Subscription £4 4s. p.a. BRITISH HEART JOURNAL Bi-monthly. Subscription £4 4s. p.a.

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

Bi-monthly, Subscription £6 6s. p.a.

JOURNAL OF CLINICAL PATHOLOGY Bi-monthly. Subscription £A 4s. p.a.

ANNALS OF THE RHEUMATIC DISEASES

BRITISH JOURNAL OF INDUSTRIAL MEDICINE BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

BRITISH JOURNAL OF VENEREAL DISEASES CUT

JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY

MEDICAL AND BIOLOGICAL ILLUSTRATION

THORAX Published quarterly. Subscription £3 p.a.

OPHTHALMIC LITERATURE

Subscription £A 4s. p.a. or combined with British Journal of Ophthalmology £9 p.a.

BRITISH MEDICAL ASSOCIATION

Betnelan

an entirely new anti-inflammatory steroid

Here is a steroid having increased anti-inflammatory activity with a decreased possibility of side effects. Betnelan, the most potent steroid available for clinical use.

is devoid of salt retention activity
has negligible effect on potassium balance
causes no mental depression

and shows promise of clinical superiority in other respects. For short-term therapy a "2:1: $\frac{1}{2}$ " dosage scheme is suggested. For example, in acute asthma, severe eczema, urticaria, shock and other conditions for which corticoids are indicated systemically, the dosage may be

2 tablets t.i.d. for 2 days followed by 1 tablet t.i.d. for 2 days and + tablet t.i.d. for 2 days.

For maintenance, dosage need be no more than 1 tablet twice daily.

BETNELAN is presented as scored tablets containing 0.5 milligrams betamethasone in bottles of 30, 100 and 500.

Dose for dose, Betnelan is the lowest priced of all corticosteroids available today.

Betnelan (betamethasone) is an entirely new parent compound developed in Britain by Glazo Laboratories Ltd. Its merits are derived from its unique chemical structure—the beta position of 16 methyl group in the formula 16β -methyl- $9 \propto$ -fluoroprednisolone (betamethasone) representing more than 20 new stages of manufacturing complexity.

BETNELAN Trade Mark

better—for safety: activity: economy

GLAXO LABORATORIES LIMITED

Fentazin

calms placates controls relieves

the anxious and tense patient
the vexed and agitated senile patient
nausea and vomiting in every kind of patient
the patient with psychosomatic dermatitis

Fentazin tablets contain 2 mg or 4 mg perphenazine. Bottles of 50 and 500.



Allen & Hanburys Ltd. Bethnal Green London E2

Pro-Banthine

Relief

of pain

in peptic

ulcer

Where anxiety plays a part
Pro-Banthine with Dartalan

SEARLE

For all sufferers from insomnia not due to pain, CARBRITAL* can provide sleep of natural duration and depth. Combined in this preparation are a quick-acting hypnotic (pentobarbitone sodium), and a mild longer-acting sedative (carbromal). I hus, CARBRITAL brings about rapid onset of sleep and sustains it for several hours, yet leaves the patient free from undesirable residual depression on awakening

CARBRITAL in all types of insomnia



CAPSULES: In bottles of 25 and 250 capsules, each containing pentobarbitone sodium (1\frac{1}{2} grs) and carbromal (4 grs).

ELIXIR: In bottles of 4, 16 and 80 fl. ozs. Each fluid drachm (one teaspoonful) represents pentobarbitone sodium (\frac{1}{2} gr) and carbromal (\frac{3}{2} gr).

*TRADE MARK

PARKE-DAVIS



PARKE, DAVIS & COMPANY, HOUNSLOW, MIDDLESEX. TEL: HOUNSLOW 2361.

Inc. USA Liability Limited.

BROXIL ACHIEVES more rapid clinical results in all Gram-Positive Infections





Broxil The High Peak Oral Penicillin is a product of

BEECHAM RESEARCH Laboratories, Ltd. Brentford, England, Tel: ISLeworth 4111









METATONE


METATONE* is designed to help shake off mental depression and physical lassitude and to restore appetite and bodily vigour following influenza and other debilitating illnesses.

A pleasantly-flavoured tonic, combining appetitepromoting vitamin B, with strychnine and mineral glycerophosphates, METATONE rapidly restores normal metabolic function.

Supplied in bottles of 8, 16 and 80 ft. ozs.

PARKE-DAVIS





Studio Photogray

may depend on the safety of 'Distaval'

Consider the possible outcome in a case such as this—had the bottle contained a conventional barbiturate. Year by year, the barbiturates claim a mounting toll of childhood victims. Yet it is simple enough to prescribe a sedative and hypnotic which is both highly effective... and outstandingly safe.

'Distaval' (thalidomide) has been prescribed for over three years in this country, where the accidental poisonings rate is notoriously high; but there is no case on record in which even gross overdosage with 'Distaval' has had harmful results.

'DISTAVAL'

As an hypnotic at bedtime: ADULTS: 50 mg. to 200 mg. INFANTS AND CHILDREN: 25 mg. to 100 mg.

As a daytime sedative: ADULTS:25 mg. two or three times daily. INFANTS AND CHILDREN:Up to 25 mg., according to age, one to three times daily.

'Distaval' (25 mg. tablets).
'Distaval' Forte (100 mg. tablets).
Basic Cost to N.H.S. of 12 tablets from dispensing pack of one hundred—11d. or 2/5d. according to strength.

'Distaval' Suspension (50 mg. per 5 ml.) Basic Costto N.H.S. 3/- per bottle of 60 ml. REFERENCES:


Practitioner, 1959, 183, 57. J. clin. exp. Psychopath., 1959, 20, 243, J. Coll. gen. Pract., 1958, 1, 398. Brit. med. J., 1959, 2, 635. Med. Wld. (Lond.), 1960, 93, 26. Brit. J. Pharmacol., 1960, 15, 111.





PARKE-DAVIS

PARKE, DAVIS & COMPANY, HOUNSLOW, MIDDLESEX Inc. USA Liability Ltd. TEL: HOUNSLOW 2361



a marked advance in the treatment of skin disease

'DECASPRAY' represents a striking advance on other methods; it offers unexcelled convenience, uniformity of application, and reduced risk of spreading dermatoses and introducing infection. The cooling propellant promptly relieves burning and itching. From every angle 'DECASPRAY' is the modern treatment for skin disease.

Decaspray* TOPICAL AEROSOL

DEXAMETHASONE and **NEOMYCIN SULPHATE**

Precautions: 'DECASPRAY' should not be used in the presence of tuberculosis of the skin. It should not be sprayed into the eyes, ears or nose.


Supplied in 90 G. spray pack, containing 10 mg, dexamethasone and 50 mg. neomycin sulphate, sufficient for approximately 130 separate applications.

Also available as 'DECASPRAY' small, in 30 G. spray pack.



MERCK SHARP & DOHME LIMITED HODDESDON, HERTS

* Trademark




the better for BENADRYL

BENADRYL* combines antihistaminic with anticholinergic action and has been used successfully in hay fever, urticaria, vasomotor rhinitis, reactions to drugs and antibiotics, nocturnal cramps, spastic colitis and dysmenorrhoea.

BENADRYL in Capsules of 50mg. and 25mg. provides a practical dosage form for adults and older children. BENADRYL Elixir containing 10mg. BENADRYL in each 4ml, teaspoonful is palatable and well tolerated by infants. Products of BENADRYL for parenteral and topical use are also available.

*Brand of diphenhydramine hydrochloride B.P.





ISMELIN® reverses hypertension smoothly—

C I B A

A new approach to an old problem

ALCOS-ANAL

(Ointment and Suppositories)

For the permanent shrinkage of Hæmorrhoids

Further details on request to:
CAMDEN Chemical Company Limited,
61 Gray's Inn Road, London, WC1.
PHARMACEUTICAL SPECIALITIES
at the Service of the Medical Profession

The things they say!!!



Some Practitioners, in less controlled moments, have been heard to say harsh and even uncomplimentary things about their ulcer and indigestion patients. Patients have been heard to say even harsher and more uncomplimentary things about their Doctors. We, however, blush at the complimentary letters we receive from both busy practitioners and their patients telling of DROXALIN'S efficacy and palatability in Gastric Ulcer, Hyperacidity and Sickness of Pregnancy.

'Droxalin gives rapid relief to abdominal pain and discomfort due to Hyperchlorhydria and Peptic Ulcer'. M.B., Ch.B., M.R.C.S., L.R.C.P. 'An excellent tablet for indigestion, and in particular for the indigestion of pregnancy'. M.B., B.S., D.A.

'I often have acute Dyspepsia and find it necessary to keep Droxalin by my bedside'. M.B., B.S., F.R.C.S., L.R.C.P.



ACID ABSORBENT

speed of action plus palatability


ACTIVE INGREDIENTS

Dried Aluminium Hydroxide Gel, B.P. 2·5 grains

Magnesium Trisilicate B.P. 2·5 grains

PAGRING & PRICE DROXALIN Tablets are hygienically packed in film strips of 6, in cartons of 30 and dispensing packs of 500. Prescribable on E.C. 10. Basic N.H.S. cost 2/2 for 50 tablets.

PHILLIPS, SCOTT & TURNER - SURBITON - SURREY



ready-prepared

Products of the Wright-Fleming Institute of Microbiology are now available from Beecham Research Laboratories Limited

The following range of biological products of the Wright-Fleming Institute is now packaged and distributed to the medical profession, hospitals and pharmacists, exclusively by Beecham Research Laboratories Ltd.

Acne Vaccine (Mixed) 'A'

Acne Vaccine (Mixed) 'B'

Bronchial Asthma,

Mixed Vaccine for

Catarrh Vaccine
Cholera Vaccine

Diphtheria Vaccine (Formol

Toxoid)

Diphtheria—Pertussis Vaccine Diphtheria—Tetanus Vaccine

Diphtheria—Tetanus—Pertussis

Vaccine

Influenza Vaccine (Bacterial)

Influenza Virus Vaccine

Pertussis Vaccine

Pollaccine

Rheumatic Vaccine

Staphylococcus Toxoid

Staphylococcus Vaccine (Mixed)

Staphylococcus Vaccoid

Tetanus Vaccine (Formol Toxoid)

Typhoid-Paratyphoid

A & B Vaccine

Typhoid-Paratyphoid

A, B & C Vaccine

Typhoid-Paratyphoid

A & B and Cholera Vaccine

Typhoid-Paratyphoid A & B and

Tetanus Vaccine

Typhoid-Paratyphoid A & B

Vaccine for Protein Shock



Sole agents: Beecham Research Laboratories Ltd., Brentford, England.
Telephone: ISLeworth 4111.

MENTAL HEALTH RESEARCH

A Completely New Antidepressant Agent

The Merck Sharp & Dohme Research Laboratories have discovered and developed an important, new, single chemical agent for the treatment of depression, whether or not accompanied by anxiety. This new agent is amitriptyline hydrochloride, which will be known as 'TRYPTIZOL'.

"TRYPTIZOL" is chemically different from all other antidepressant agents and has the outstanding clinical advantage of both antidepressant and anti-anxiety actions.

Other major advantages are:

- incidence of postural hypotension much less marked than with other agents.
- early and dramatic improvement in sleep patterns may be expected.
- neither parkinsonism, jaundice, nor blood dyscrasias reported during widespread clinical trials.

`TRYPTIZOL'

will be the new standard for antidepressant therapy

Supplied as tablets in two strengths, 10 mg. and 25 mg. Also available as "Tryptizol' Injection, in vials of 10 ml., each ml. containing 10 mg. amitriptyline hydrochloride.



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

"Tryptizol' is also known in some other countries as "ELAVIL' or 'TRYPTANOL' (Trademarks)

Laevosan



an advance in carbohydrate supportive therapy

 $\mathsf{C} * \mathsf{T}$

Recent biochemical investigations have established the shorter metabolic pathway followed by LAEVULOSE into the energy releasing system. The liver is capable of synthesizing 35-40% of glycogen from LAEVULOSE, as compared with only 12% from glucose.

Clinical experience has shown that infusions of LAEVULOSE are less irritant to the vein intima than dextrose. When infusions of concentrations as high as 20% have been given there have been no signs of thrombophlebitis. Owing to new and more economical methods of processing, this valuable carbohydrate is now available for general clinical use as a sterile pyrogen-free solution for intravenous injections as "LAEVOSAN." Also in a strength of 65% for oral administration as "LAEVORAL."

PRESENTATION

LAEVOSAN for injection
5 ampoules 10 mils. 20% solution.
Trade price.......7s. od.
5 ampoules 10 mils. 40% solution.
Trade price......8s. 6d.

LAEVORAL for Oral administration
10 fl. ozs. Laevulose 65%
Trade price......11s. 6d. + P.T.
40 fl. ozs. Laevulose 65%
Trade price......41s. 3d.

The following are available for Drip Infusion:—

LAEVULOSE PURISS (Pyrogen-free powder for solution)

Trade price......70s. od. per kilo in 5 kilo bags.

Brochures on request



CALMIC LIMITED · CREWE · CHESHIRE
Telephone: Crewe 3251 (7 lines) LONDON: 2 Mansfield Street. Telephone: Langham 8038/9



How would you bear the strain financially? This Society has a variety of policies that have been specially devised to meet the needs of the Medical Profession.

They specialise in

Non Cancellable With Profit SICKNESS AND ACCIDENT INSURANCE. LIFE ASSURANCE.

PERSONAL PENSION POLICIES.

And for Students and newly qualified Practitioners—our unique 'Guinea' Policy.

When you are buying a car or equipment why not ask for details of the Hire Purchase Scheme of our subsidiary company—the Medical Sickness Finance Corporation of 7 Cavendish Square, London, W.I. Telephone Museum 1686.

Write to the General Manager and Actuary

* MEDICAL SICKNESS SOCIETY 3 CAVENDISH SQUARE, LONDON, W.I. Telephone: MUSeum 1696 (10 lines)

MEDICAL SICKNESS ANNUITY AND LIFE ASSURANCE SOCIETY LIMITED



'CREMOSTREP'...

'SULFASUXIDINE'
AND STREPTOMYCIN

- Contains two agents 'Sulfasuxidine' and streptomycin — known to be extremely effective against most intestinal pathogens
- · Swift, symptomatic relief
- Well tolerated, since intestinal absorption is minimal
- Microfine suspension ensures maximal mucosal contact
- Requires no reconstitution immediately ready for use
- Relatively small dosage makes treatment economical

Dosage: The suggested adult dosage is 4 teaspoonfuls

2 to 4 times daily before meals, depending on response.

Supply: 'Cremostrep' suspension is supplied in 3 fl. oz. bottles.

Each 100 ml. contains: 'Sulfasuxidine'* 10G.; Streptomycin (as sulphate) 1G.; Kaolin 10 G.

*Trademark for succinvisuiphathiazole.



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

more hæmoglobin in less time

IRON-CALCIUM TABLETS

(Ferrous calcium citrate)

from (hal palients can loietale

Each tablet provides: iron, 25 mg.; calcium, 85 mg.

Ortho Pharmaceutical Limited · Saunderton · Buckinghamshire



advice she needs... yet hesitates to ask


When repeated pregnancies threaten health of the patient and welfare of her family, the physician's counsel is a timely safeguard.

Authoritative material is available on request, to assist the effective prescription and patient instruction in the method.

DELFEN Vaginal Cream PRECEPTIN Vaginal Gel ORTHO-GYNOL Vaginal Jelly ORTHO-CREME Vaginal Cream ORTHO Vaginal Diaphragm



Ortho Pharmaceutical Limited Saunderton · Buckinghamshire



CARD INDEX PUBLICATIONS

The College's card index publications are on sale to non-members of the College and many hospitals are now using the Obstetric Record Card. Members and associates may like to be reminded of the prices of these cards and may wish to draw the attention of non-members and their local hospital, to them, as it is thought that there may be many who would find them useful.

The cards can be obtained from:

The Secretary, the College of General Practitioners, 41 Cadogan Gardens London, S.W.3, at the following prices (including postage):

Obstetric record card
Summary card
Menstruation chart
Language cards, giving questions of use to doctors in medical history-taking in French, German, Italian, Hungarian, Spanish and Polish

12s. 6d. a hundred
15s. 0d. a hundred
15s. 0d. a hundred
15s. od. a hundred
15d. od. a hundred
15d. od. a hundred
15d. od. a hu

Copies of back numbers of the *Journal* are available at cost price, also copies of "Report of A Symposium on Accident Management" and the pamphlet "The Health Visitor and The Family Doctor" at 6s. and 1s. each respectively, post free, from:

The Journal Office, Prospect House, Dartmouth.

THE WORLD'S GREATEST BOOKSHOP



There just isn't another bookshop anywhere to compare with the fabulous Foyles? —A Customer's Letter

We have a truly remarkable stock of Music—and we have departments, too, for Records and Books on Music.

119-125 CHARING CROSS ROAD, LONDON W.C.2

Gerrard 5660 (20 lines) ★ Open 9—6 (including Saturdays)

Nearest Station: Tottenham Court Road

SYMPOSIUM

on

THE HEALTH VISITOR AND THE FAMILY DOCTOR

A symposium arranged jointly by the Royal College of Nursing, the Society of Medical Officers of Health and the College of General Practitioners will take place on Saturday, 28 October 1961, at the Wellcome Institute, Euston Road, London, N.W.1.

The Chairman will be Sir John Wolfenden, C.B.E., Chairman of both the Training Council for Health Visitors and the Training Council for Social Work. The opening address will be given by Dr George Godber, C.B., F.R.C.P., Chief Medical Officer of the Ministry of Health.

Morning discussion: Working together

Afternoon discussion: Training to work together

There will be three opening speakers at each session, one being nominated by each of the organizations sponsoring the conference.

The registration fee of 10s. 6d. will include morning coffee, and tea. As accommodation is limited, admission will be by ticket only.


Members and associates of the College of General Practitioners wishing to attend should apply on this form, to:

The Secretary, The College of General Practitioners, 41 Cadogan Gardens, London S.W.3.

Please send me a ticket for the symposium on The Health Visitor and the Family Doctor.

Name	?	•	•	•	•	٠.	•	•	•	 •	•	•	•	• •	•	•	•	•	 •	•	•	•	• •	•	•	•	•	•	•	 •	•	•	•	•	•	•	•	•
Addre	ess.	•	•	•	•			•	•		•		•		•	•	•	•						•					•	 •		•	•		•	•	•	•
		• •																															•		•	•	•	•

I enclose cheque/postal order, for 10s. 6d.



MA8164/100

THE COLLEGE OF GENERAL PRACTITIONERS 41 Cadogan Gardens, London, S.W.3

Associateship

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration within two years of qualification.)

Membership

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must:—(1) Be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

Entrance Fees and Subscriptions

Associates make an annual subscription of £2 2s. 0d. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. 0d. and make an annual subscription of £5 5s. 0d.

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 41 Cadogan Gardens, London, S.W.3. Tel. No. Sloane 8333.