

# THE MAKING OF A SURGEON

Ian Aird

152 pages

Price 12s. 6d.

Amongst a wealth of practical and factual detail, this book breathes a philosophy of surgery for which all who practise that art should be truly grateful. It is human and individual and personal, and mixes delightfully the academic research-minded professor with the friendly, philosophical surgeon. The portions of this book dealing with such diverse subjects as surgical training in various parts of the world; distinction awards; the physical, mental and moral requirements of a surgeon; surgical associations and undergraduate training, have to be read to be appreciated—but they show a breadth of knowledge in its truest and best sense which it would surely be hard to rival.

## BUTTERWORTHS

4-5, Bell Yard, London, W.C.2.

### BRITISH MEDICAL JOURNAL

*the leading  
medical Journal  
and the  
most widely  
read*

★  
*Published weekly*

★  
*Subscription  
£7 7s. p.a.*

★

### SPECIALIST JOURNALS

#### ABSTRACTS OF WORLD MEDICINE

*Monthly. Subscription £4 4s. p.a.*

#### BRITISH JOURNAL OF OPHTHALMOLOGY

*Monthly. Subscription £6 p.a.*

#### ARCHIVES OF DISEASE IN CHILDHOOD

*Bi-monthly. Subscription £4 4s. p.a.*

#### BRITISH HEART JOURNAL

*Bi-monthly. Subscription £4 4s. p.a.*

#### BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

*Bi-monthly. Subscription £6 6s. p.a.*

#### JOURNAL OF CLINICAL PATHOLOGY

*Bi-monthly. Subscription £4 4s. p.a.*

#### ANNALS OF THE RHEUMATIC DISEASES

#### BRITISH JOURNAL OF INDUSTRIAL MEDICINE

#### BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

#### BRITISH JOURNAL OF VENEREAL DISEASES GUT

#### JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY

#### MEDICAL AND BIOLOGICAL ILLUSTRATION

#### THORAX

*Published quarterly. Subscription £3 p.a.*


#### OPHTHALMIC LITERATURE

*Subscription £4 4s. p.a.*

*or combined with British Journal of Ophthalmology £9 p.a.*

## BRITISH MEDICAL ASSOCIATION

**Cut down the  
bronchitis peak**



**Orisulf<sup>®</sup>**  
(sulphaphenazole)

**for long-term prophylaxis  
in chronic bronchitis**

Daily prophylaxis with Orisulf can reduce the incidence of exacerbations by almost half\*. Treatment is simple—one prescription gives several months of protection; the more expensive broad spectrum antibiotics can be reserved for acute exacerbations.

\* Practitioner (1960), 185, 797

**Costs only 10/- per month for 2 tablets  
daily at basic N.H.S. prices.**

C I B A

<sup>®</sup> denotes registered trade mark. Reg. user

CIBA Laboratories Limited, Horsham, Sussex

in the treatment of  
peptic ulcer

**ROTER**

has particular  
advantages



**ROTER** achieves a high cure rate and often gives effective control of even refractory chronic cases which have resisted other treatments.

**ROTER** in many cases obviates the need for hospitalization or surgical intervention.

**ROTER** helps patients to keep ambulant and symptom-free with a minimum of medication and with few, if any, dietary restrictions.

**ROTER** in general practice enables the physician to take adequate care of his gastric cases without frequent or prolonged supervision.

**ROTER** has no known side effects.

**ROTER** requires no supplementary medication such as sedatives or anti-spasmodics.

**ROTER** shows a saving in cost when compared with conventional methods of treatment.

#### REFERENCES

*Therapie der Gegenwart*, 1953, 3, 108  
*Gazz. Med. Ital.*, 1954, 113, 343  
*Die Medizinische*, 1955, 4, 163  
*British Medical Journal*, 1955, 2, 827  
*C.R.S. Biol.*, 1956, 150, 1019  
*Am J. Gastroenterology*, 1957, 28, 439  
*Wiener Med. W.*, 1958, 108, 218  
*Ärztliche Praxis*, 1958, 10, 766  
*Journal Lancet*, 1960, 80, 37

#### FORMULA

Each Roter tablet contains:

Bismuth Subnitrate Roter (350 mg.), Magnesium Carbonate (400 mg.), Sodium Bicarbonate (200 mg.) and Cortex Rhamni Frangulae (25 mg.).

#### PACKINGS OF ROTER TABLETS

Tins of 40 and 120, also dispensing sizes, 360 and 720 (P.T. exempt). Basic N.H.S. price: Under 1/- for 10 tablets.

**ROTER TABLETS** are in Category "S". Literature on Request.

F.A.I.R. LABORATORIES LTD • TWICKENHAM • MIDDLESEX

# 'DOLOXENE'\*

is solely an analgesic

A dose of 65 mg. three or four times daily gives prompt relief of moderate to severe pain. There are no side-effects on normal dosage. Tolerance and addiction do not develop.

'Pulvules' 'Doloxene' brand Dextropropoxyphene Hydrochloride are available in strengths of 32 mg. and 65 mg.

*Lilly*

\*Trade Mark

ELI LILLY AND COMPANY LIMITED BASINGSTOKE ENGLAND



## MOST COMPLEX MOST POTENT VITAMIN

---


First isolated in Britain by Glaxo, B<sub>12</sub> with an effective dose measured in millionths of a gram, is the most potent vitamin of all. Maintenance injections of just 250 micrograms of B<sub>12</sub> allow patients with pernicious anaemia to lead a normal life. In conditions such as trigeminal neuralgia, herpes zoster, seborrhoeic dermatitis and certain neuropathies, doses of 250 to 1,000 micrograms are now commonly given. Taken in liquid or tablet form as a tonic, B<sub>12</sub> can help to improve appetite and to promote a feeling of well-being. Both the sugar-coated tablets and the fruit flavoured liquid are taken very happily by children.

## CYTAMEN the B<sub>12</sub> injection

---

## CYTACON the B<sub>12</sub> tonic

CYTAMEN and CYTACON are Glaxo trade marks



# THE ROYAL LONDON HOMOEOPATHIC HOSPITAL

Great Ormond Street and Queen Square, London, W.C.1.

*Course of instruction in the Principles and Practice of  
Homoeopathy for Medical Practitioners and Senior Students  
of Medicine*

These lectures, which commence on the 6th October, 1961, are given under the auspices of the Homoeopathic Research and Educational Trust, and deal with the subjects required for examination for the Diploma of the Faculty of Homoeopathy.

Fee for registered medical practitioners, £10 10s. per session. Medical students admitted without charge.

Scholarships and Grants to enable Doctors to attend this Course are offered by The Homoeopathic Research and Educational Trust.

Full particulars can be obtained on application to the Dean of the Education Course at the Hospital.

---

20th Golden Jubilee Edition

## Stedman's Medical Dictionary

For 50 years Stedman has been foremost among medical dictionaries. The Golden Jubilee edition is to all intents and purposes a new book; 24 consulting and 26 assistant editors have scrutinized each and every entry; many new words are included and practically all the illustrations are new. This new Stedman will continue its high standard of service to all categories of medical and auxiliary personnel who have need of a complete, comprehensive, modern medical dictionary.

1,745 pages 32 plates, numerous text figures Price 110s., postage 2s. 9d.

*Biallière, Tindall & Cox Ltd.*

7-8 Henrietta Street, London, W.C.2.

---

RAUTRAX®, 'RAUDIXIN', AND 'DI-ADAMIL' ARE TRADEMARKS

# NOW

FOR ALL DEGREES  
OF ESSENTIAL  
HYPERTENSION

# RAUTRAX

Squibb Hydroflumethiazide (Di-Adamil) and Squibb  
Standardized Whole Root Rauwolfia Serpentina (Raudixin)  
with Potassium Chloride

BETTER  
THAN ANY OTHER  
DIURETIC-  
ANTIHYPERTENSIVE  
AVAILABLE


- gentle, gradual sustained reduction of systolic and diastolic blood pressure
- especially efficacious in hypertensive cardiovascular disease with clinically evident edema
- supplementary potassium chloride provides added protection against potassium depletion during long-term therapy
- significant reduction in side effects



**SQUIBB**

A CENTURY OF EXPERIENCE  
BUILDS FAITH

**E R SQUIBB & SONS LTD    Speke Liverpool 24**



# **Female Fat and Forty**

**PEAK-RISK DIABETICS**

**for the early detection of diabetes**

**simply dip-and-read CLINISTIX\***



AMES COMPANY *Division of Miles Laboratories Ltd* / Stoke Poges Buckinghamshire

\*trade mark  
AM 464





# Fentazin

calms | placates  
controls | relieves

PERPHENAZINE

2 to 4 mg three times daily


Fentazin tablets contain 2 mg or 4 mg perphenazine.  
Bottles of 50 and 500.



**Allen & Hanburys Ltd** Bethnal Green London E2

\*FENTAZIN is a Trade mark

AH 213



**'Stemetil'**  
trade mark brand

PROCHLORPERAZINE

for the prevention and treatment of  
**MIGRAINE and MÉNIÈRE'S SYNDROME**  
and for the control of  
**NAUSEA and VOMITING**

**In addition, 'Stemetil' is often effectively employed in  
the maintenance treatment of the  
discharged mental patient.**

Tablets of 5 mg. and 25 mg.

Syrup containing 5 mg. and 25 mg. (Forte syrup) per 3.6 ml. teaspoonful.

Ampoules of 1 ml. (12.5 mg.) of injectable solution.

Suppositories of 5 mg. for children and 25 mg. for adults.




**MANUFACTURED BY MAY & BAKER LTD**

MA7980/100

An **M&B** brand Medical Product

*Distributors: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD DAGENHAM*



**SPEEDS** recovery in  
convalescence

# Dianabol<sup>®</sup>

methandienone

**orally effective anabolic  
agent  
promotes protein synthesis**

low cost of treatment; 2½d. to 10d. daily at  
basic N.H.S. prices, for maintenance.


**5 mg. tablets and paediatric drops  
containing 1 mg./ml.**

The offside front wheel of  
Donald Campbell's "Bluebird N"  
"Araldite" and other adhesives manufactured  
by another CIBA company, CIBA (A.R.L.)  
Limited, were used extensively in the Aerweb  
honeycomb structure and bonding  
of the car.

® denotes registered trade mark. Reg. user

**C I B A**

CIBA Laboratories Limited, Horsham, Sussex



ALL

## the better for BENADRYL

BENADRYL\* combines antihistaminic with anticholinergic action and has been used successfully in hay fever, urticaria, vasomotor rhinitis, reactions to drugs and antibiotics, nocturnal cramps, spastic colitis and dysmenorrhoea.

*BENADRYL in Capsules of 50mg. and 25mg. provides a practical dosage form for adults and older children. BENADRYL Elixir containing 10mg. BENADRYL in each 4ml. teaspoonful is palatable and well tolerated by infants. Products of BENADRYL for parenteral and topical use are also available.*

\* Brand of diphenhydramine hydrochloride B.P.

PARKE DAVIS



PARKE, DAVIS & COMPANY · HOUNSLOW  
MIDDLESEX Tel: HOUnslow 2361  
Inc. USA. Liability Limited

WPS 1114

# Laevosan



**an advance in carbohydrate supportive therapy**

---

Recent biochemical investigations have established the shorter metabolic pathway followed by LAEVULOSE into the energy releasing system. The liver is capable of synthesizing 35-40% of glycogen from LAEVULOSE, as compared with only 12% from glucose.

Clinical experience has shown that infusions of LAEVULOSE are less irritant to the vein intima than dextrose. When infusions of concentrations as high as 20% have been given there have been no signs of thrombophlebitis. Owing to new and more economical methods of processing, this valuable carbohydrate is now available for general clinical use as a sterile pyrogen-free solution for intravenous injections as "LAEVOSAN." Also in a strength of 65% for oral administration as "LAEVORAL."

## **PRESENTATION**

### *LAEVOSAN for injection*

5 ampoules 10 mls. 20% solution.

Trade price.....7s. 0d.

5 ampoules 10 mls. 40% solution.

Trade price.....8s. 6d.

### *LAEVORAL for Oral administration*

10 fl. ozs. Laevulose 65%

Trade price.....11s. 6d. + P.T.

40 fl. ozs. Laevulose 65%

Trade price.....41s. 3d.

*The following are available for Drip Infusion :-*

LAEVOSAN Ampoules of 40 mls 62%      Trade price.....7s. 9d.

LAEVULOSE PURISS (Pyrogen-free powder for solution)

Trade price.....70s. 0d. per kilo in 5 kilo bags.

*Brochures on request*

**CALMIC**


**CALMIC LIMITED · CREWE · CHESHIRE**

Telephone: Crewe 3251 (7 lines) LONDON: 2 Mansfield Street. Telephone: Langham 8038/9

For all sufferers from insomnia not due to pain, CARBRITAL\* can provide sleep of natural duration and depth. Combined in this preparation are a quick-acting hypnotic (pentobarbitone sodium), and a mild longer-acting sedative (carbromal). Thus, CARBRITAL brings about rapid onset of sleep and sustains it for several hours, yet leaves the patient free from undesirable residual depression on awakening.

# CARBRITAL

*in all types of insomnia*



**CAPSULES:** In bottles of 25 and 250 capsules, each containing pentobarbitone sodium ( $1\frac{1}{2}$  grs) and carbromal (4 grs).


**ELIXIR:** In bottles of 4, 16 and 80 fl. ozs. Each fluid drachm (one teaspoonful) represents pentobarbitone sodium ( $\frac{1}{2}$  gr) and carbromal ( $\frac{1}{2}$  gr).

\*TRADE MARK

PARKE DAVIS



PARKE, DAVIS & COMPANY, HOUNSLOW, MIDDLESEX. TEL: HOUNSLOW 2361.  
Inc. USA Liability Limited.



A new  
approach  
to an old  
problem



**ALCOS-ANAL**

*(Ointment and Suppositories)*

**For the permanent  
shrinkage of Hæmorrhoids**

*Further details on request to:*

*CAMDEN Chemical Company Limited,  
61 Gray's Inn Road, London, WC1.*

*PHARMACEUTICAL SPECIALITIES  
at the Service of the Medical Profession*

# **'migril'**

TRADE  
MARK

## masters migraine!

**'Migril' combines . . .**

the rapid action of ergotamine,

the potentiating

effect of caffeine and

the anti-emetic

effect of cyclizine

. . . for the mastery of

primary and secondary

manifestations of


migraine

Each tablet contains :—

**Ergotamine Tartrate, 2 mgm.**


**Caffeine (Alkaloid), 100 mgm.**

**Cyclizine Hydrochloride,  
50 mgm.**



**BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.) LONDON**





this  
child's  
life

Studio Photograph

may depend on the safety of 'Distaval'

Consider the possible outcome in a case such as this — had the bottle contained a conventional barbiturate. Year by year, the barbiturates claim a mounting toll of childhood victims. Yet it is simple enough to prescribe a sedative and hypnotic which is both highly effective... and outstandingly safe.

'Distaval' (*thalidomide*) has been prescribed for over three years in this country, where the accidental poisonings rate is notoriously high; but there is no case on record in which even gross overdosage with 'Distaval' has had harmful results.

**As an hypnotic at bedtime:**  
**ADULTS:** 50 mg. to 200 mg.  
**INFANTS AND CHILDREN:**  
25 mg. to 100 mg.

**As a daytime sedative:**  
**ADULTS:** 25 mg. two or three times daily.  
**INFANTS AND CHILDREN:** Up to 25 mg.,  
according to age, one to three times daily.

'Distaval' (25 mg. tablets).  
'Distaval' Forte (100 mg. tablets).  
Basic Cost to N.H.S. of 12 tablets from  
dispensing pack of one hundred—11d. or  
2/6d. according to strength.

'Distaval' Suspension (50 mg. per 5 ml.)  
Basic Cost to N.H.S. 3/- per bottle of 60ml.

**REFERENCES:**  
Practitioner, 1959, 183, 57.  
J. clin. exp. Psychopath., 1959, 20, 243.  
J. Coll. gen. Pract., 1958, 1, 398.  
Brit. med. J., 1959, 2, 635.  
Med. Wld. (Lond.), 1960, 93, 26.  
Brit. J. Pharmacol., 1960, 15, 111.

# 'DISTAVAL'

TRADE MARK



THE DISTILLERS COMPANY (Biochemicals) LIMITED  
Broadway House, The Broadway, Wimbledon, London, S.W.19

*For relief of cough*

*and congestion*

# Benylin expectorant

A palatable raspberry-flavoured syrup containing BENADRYL\* (diphenhydramine hydrochloride, B.P.), BENYLIN\* EXPECTORANT is particularly valuable not only in controlling cough but also in alleviating congestion due to colds, bronchitis and similar conditions of the respiratory tract.

**PARKE-DAVIS**

\*TRADE MARK




**soothing • decongestant • demulcent**

*Supplied in bottles of 4, 16 & 80 fl. ozs.*

PARKE, DAVIES & COMPANY • HOUNSLOW • MIDDLESEX  
(Inc. U.S.A. Liability Limited) TEL: HOUNSLOW 2361

WPS 1091




**GENERAL**  
**PRACTICE PROVES BROXIL**  
**THE MOST EFFECTIVE**  
**ORAL PENICILLIN**

AVAILABLE IN TABLET AND SYRUP FORM

**Broxil (Regd) is a product of British Research  
at the Beecham Research Laboratories Limited  
Brentford, England. Tel: ISLeworth 4111**





**Shortening  
the period of  
convalescence**

## **METATONE**

**METATONE\*** is designed to help shake off mental depression and physical lassitude and to restore appetite and bodily vigour following influenza and other debilitating illnesses.

A pleasantly-flavoured tonic, combining appetite-promoting vitamin B, with strychnine and mineral glycerophosphates, **METATONE** rapidly restores normal metabolic function. \*TRADE MARK

*Supplied in bottles of 8, 16 and 80 fl. ozs.*

**PARKE-DAVIS**



**PARKE-DAVIS & COMPANY** Inc. USA Liability Limited  
Hounslow, Middlesex • HOUNSLOW 2361

# THE BEST PRIVATE SPECIALIST SERVICES

**THE  
WESTERN  
PROVIDENT  
ASSOCIATION  
for  
HOSPITAL AND  
NURSING HOME SERVICES**



Offers the most generous discounted terms ( $33\frac{1}{3}\%$  off basic rates of subscription) to

**Registered Medical Practitioners** for private specialist treatment and 25% off basic rates of subscription for such treatment under the new

## **Special Scheme for the Medical Profession**

containing nominal provision for the recognition of the services of consultant colleagues.

— — cut along this line — —

Please send to me, post free, and without obligation, full details, including General Practice Scheme.

NAME .....  
(Mr. Mrs., Miss)

ADDRESS .....

.....

.....

Code No. K20/61.

## **GENERAL PRACTICE SCHEME**

The Association invites the co-operation of medical practitioners with private patients in extending the Scheme for assisting private patients with the payment of fees for General Practitioner Services.



*Patron:* His Grace the Duke of Beaufort, K.G., K.C.V.O., P.C.

*President:* Sir Egbert Cadbury, D.S.C., D.F.C., J.P., D.L.

*Secretary:* John Dodd, B.COM., A.C.I.I.

## **MUTUAL NON-PROFIT**

The Western Provident Association for Hospital and Nursing Home Services.

Royal London Buildings,  
42, Baldwin Street,  
Bristol, 1.

**completely new**

---

**CREMOSTREP**  
**arrests**  
**DIARRHOEA**

---

**'SULFASUXIDINE' WITH STREPTOMYCIN**

'CREMOSTREP' is an oral anti-diarrhoeal agent containing succinylsulphathiazole (Sulfasuxidine\*) and streptomycin, chosen for their powerful synergistic, anti-bacterial activity.

**Advantages are:—**

- (1) Speedy relief of symptoms
- (2) Well-tolerated, since absorption is minimal
- (3) Microfine suspension assuring maximal mucosal contact
- (4) Pleasant taste appeals to children
- (5) Contains two agents most likely to combat intestinal pathogens

Indications: Diarrhoeas, including bacillary dysentery, neonatal diarrhoeas, those due to *Salmonella* and *E. coli*, paradysentery.

Dosage: Average adult dosage — 4 teaspoonfuls (20 ml.) 2 to 4 times daily before meals.

*For full information please refer to literature.*

*The United Kingdom N.H.S. basic cost is 2s. 2d. per fl. oz.  
Supplied in bottles of 3 fl. oz.*

**CREMOSTREP\***

**'Sulfasuxidine'-streptomycin suspension**

*Each 100 ml. contains:*

*Succinylsulphathiazole ('SULFASUXIDINE') — 10 G.;*

*Streptomycin — 1 G.; Kaolin — 10 G.*

\* Trademarks



*Made in England by*

**MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS**

Ready-prepared suspension of 'Distaquine' V-K (potassium penicillin V) 125 mg. per 5 ml. Bottle of 80 ml. (approx. 2 fl. oz.)  
The Distillers Company (Biochemicals) Limited. Owners of the trade mark 'Distaquine'


for  
those  
who  
favour  
suspension

**'DQV-K'**  
**Suspension**



**effective  
contraception**

*simplified*



with the



*&* **Delfen**  
TRADE MARK  
vaginal cream  
**method**

LITERATURE AND SPECIMEN PACKAGE ON REQUEST

Ortho Pharmaceutical Limited · Saunderton · Buckinghamshire



---

# MENTAL HEALTH RESEARCH

## A Completely New Antidepressant Agent

The Merck Sharp & Dohme Research Laboratories have discovered and developed an important, new, single chemical agent for the treatment of depression, *whether or not accompanied by anxiety*. This new agent is amitriptyline hydrochloride, which will be known as 'TRYPTIZOL'.

'TRYPTIZOL' is chemically different from all other antidepressant agents and has the outstanding clinical advantage of both antidepressant and anti-anxiety actions.

Other major advantages are:

- ▶ incidence of postural hypotension much less marked than with other agents.
- ▶ early and dramatic improvement in sleep patterns may be expected.
- ▶ neither parkinsonism, jaundice, nor blood dyscrasias reported during widespread clinical trials.

### 'TRYPTIZOL'

Trademark

**will be the new standard for antidepressant therapy**


Supplied as tablets in two strengths, 10 mg. and 25 mg. Also available as 'Tryptizol' Injection, in vials of 10 ml., each ml. containing 10 mg. amitriptyline hydrochloride.



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

'Tryptizol' is also known in some other countries as 'ELAVIL' or 'TRYPTANOL' (Trademarks)

---



**A  
SUDDEN  
THOUGHT**

*Suppose you were  
the patient?*

How would you bear the strain financially? This Society has a variety of policies that have been specially devised to meet the needs of the Medical Profession.

*They specialise in*

**Non Cancellable With Profit**

**SICKNESS AND ACCIDENT INSURANCE.**

**LIFE ASSURANCE.**

**PERSONAL PENSION POLICIES.**

*And for Students and newly qualified Practitioners—our unique 'Guinea' Policy.*

When you are buying a car or equipment why not ask for details of the Hire Purchase Scheme of our subsidiary company—the Medical Sickness Finance Corporation of 7 Cavendish Square, London, W.1  
Telephone Museum 1686.

Write to the General Manager and Actuary

**\* MEDICAL SICKNESS SOCIETY**  
**3 CAVENDISH SQUARE, LONDON, W.1.**

Telephone: MUSeum 1686 (10 lines)

• **MEDICAL SICKNESS ANNUITY AND LIFE ASSURANCE SOCIETY, LIMITED**

## **THE COLLEGE OF GENERAL PRACTITIONERS**

**41 Cadogan Gardens, London, S.W.3**

### **Associateship**

Any registered (or provisionally registered) medical practitioner is eligible for admission as an associate, provided he gives an undertaking that if he enters or remains in general practice he will continue approved postgraduate study and will uphold and promote the aims of the College to the best of his ability.

(A provisionally registered medical practitioner shall cease to be an associate if he fails to obtain registration within two years of qualification.)

### **Membership**

The Council of the College admits to membership, after consultation with the Board of Censors, registered medical practitioners who have been qualified for not less than seven years and have been engaged in general practice for not less than five years or, as an associate, for three years.

An applicant for membership must :— (1) Be proposed and seconded by two members of the College—not being in partnership with each other. (2) Submit evidence concerning his practice, experience, and academic and administrative achievements. (3) Submit himself to an interview with the board of censors, if required. (4) Give an undertaking that he will continue approved postgraduate study while he remains in active general practice, and that he will uphold and promote the aims of the College to the best of his ability. The Council may seek supporting evidence of his eligibility from his sponsors, the board of the faculty in whose area he resides, and, if so required, from others whom he or his sponsors may choose to appoint.

### **Entrance Fees and Subscriptions**

Associates make an annual subscription of £2 2s. 0d. but pay no entrance fee. Members are required to pay an entrance fee on admission of £10 10s. 0d. and make an annual subscription of £5 5s. 0d.

Forms of application for admission to associateship and membership may be obtained from The Secretary, The College of General Practitioners, 41 Cadogan Gardens, London, S.W.3. Tel. No. Sloane 8333.