


G D Searle & Co Ltd

information on oral contraception

The research carried out by Searle during the last eight years into oral contraception has led to a considerable number of publications in the world medical press. Many of these publications deal specifically with the two Searle oral contraceptive products, CONOVID* and CONOVID-E† and are the basis of an information service available to the medical profession on request. This consists of fully documented reference manuals on CONOVID and CONOVID-E, a booklet in question and answer form dealing with many of the inquiries received regarding the use of the two products, and a booklet for patients available in quantity to the medical profession for distribution to their patients.

leaders in oral contraceptive research



*CONOVID tablets contain norethynodrel, 5 mg. and mestranol (ethinylloestradiol 3-methyl ether) 0.075 mg.

†CONOVID-E tablets contain norethynodrel 2.5 mg. and mestranol, 0.1 mg.

© G D Searle & Co Ltd 1962 Conovid is a Registered Trade Mark

G D Searle & Co Ltd

High Wycombe Bucks Telephone High Wycombe 1770

Tofranil

Geigy

Specific thymoleptic
for the treatment
of depression

Tablets containing 25 mg or 10 mg
N-(γ -Dimethylaminopropyl)-iminodibenzyl
hydrochloride (Tofranil)

Detailed literature describing this or any other
Geigy product will be sent on request

Geigy Pharmaceutical
Company Limited
Manchester 23

a fresh start in the treatment of

skin conditions

Betnelan

(BETAMETHASONE)

BETNELAN TABLETS

(0.5 mg betamethasone)

**BETNELAN HALF-STRENGTH
TABLETS**

(0.25 mg betamethasone)


Oral administration of Betnelan can effectively reinforce topical corticosteroid therapy in treating skin conditions when they are severe or there are acute exacerbations. Compared with other compounds, Betnelan, a Glaxo development, shows increased anti-inflammatory activity coupled with a diminished tendency to produce side effects. Some indications are: eczema, contact dermatitis, seborrhoeic dermatitis, chronic dermatitis of the hands and feet and atopic dermatitis.

Bottles of 30, 100 and 500

The name Betnelan is a Glaxo trade mark.



GLAXO LABORATORIES LIMITED



in trichomonal infection

'Flagyl'

trade mark brand
METRONIDAZOLE

entirely **ORAL** treatment

for women and men—reported
success rates exceed 90 per cent.

A 21 tablet "Prescriber Unit"
provides a complete course of
treatment.

An M&B brand
Medical Product

Manufactured by

MAY & BAKER LTD

Distributors

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD • DAGENHAM

MA8693/100

* New Autumn titles

Grady: *The Ovary* (International Academy of Pathology Monograph No. 3). 296 pages. 193 illus. 108s.

Winter: *Radioisotope Renography* 180 pages. 150 illus. 72s.

Gleason & Gosselin: *Clinical Toxicology of Commercial Products* 2nd Ed. 1,350 pages. 160s.

Brock & Krieger: *The Basis of Clinical Neurology* 4th Ed. 600 pages. 133 illus. 112s.

Conger: *Transurethral Prostatic Surgery* 160 pages. 52 illus. 72s.

Field: *Handbook of Physiology Section II, Circulation. Volume II.* 176s.

Pronko: *Textbook of Abnormal Psychology* 460 pages. 26 illus. 60s.

Stamey: *Renovascular Hypertension* 260 pages. 140 illus. 116s.

Butterworth & Stearn: *Clinical Genodermatology* 240 pages. 100 illus. 105s.

Rhodes & Van Rooyen: *Textbook of Virology* 8th Ed. 612 pages. 150 illus. 60 Tables. 108s.

Greene: *Inhalation Anesthesia and Carbohydrate Metabolism* 141 pages. 6 figs. 56s.

A.R.N.M.D. Series: Volume 40. *Ultrastructure and Metabolism of the Nervous System* 467 pages. 189 illus. 57 tables. 136s.

Postage on each title 3s.



Bailliere, Tindall & Cox

7 and 8 Henrietta Street, London, W.C.2



CAR

HIRE-PURCHASE

**MEDICAL, DENTAL AND ANCILLARY
PROFESSIONS OWN H.P. COMPANY**

- * 20% DEPOSIT
- * LOWEST H.P. RATES
- * REPAYMENTS UP TO 36 MONTHS
- * PAYMENTS WAIVED ON DEATH

**THE MEDICAL SICKNESS
FINANCE CORPORATION LTD.**

**7-10 CHANDOS STREET,
CAVENDISH SQUARE,
LONDON, W.1.**

Telephone: MUSEum 1686

*A wholly owned Subsidiary of
The Medical Sickness Annuity &
Life Assurance Society Ltd.*

POST THIS COUPON

Name

Address

Occupation

GP



Nidoxital

TRADE MARK



Each Nidoxital capsule contains

Pyridoxine Hydrochloride	50 mgm.
Nicotinamide	25 mgm.
Benzocaine	100 mgm.
Pentobartital Sodium	15 mgm.

Literature on request

Ortho Pharmaceutical Limited
Saunderton • Buckinghamshire • England



* in chronic bronchitis or cor pulmonale

Ledermycin

DEMETHYLCHLORTETRACYCLINE

* REGD. TRADEMARK

serves the physician best



150 mg. CAPSULES 2 b.d.

LEDERLE LABORATORIES a division of CYANAMID OF GREAT BRITAIN LTD.



patients who need glyceryl trinitrate also need Peritrate SA

One sustained action tablet containing 80 mg. pentaerythritol tetranitrate provides clinically effective vasodilation for approximately 12 hours.

Bottles of 50 and 500.

William R. Warner & Co. Ltd., Eastleigh, Hampshire. Tel: Eastleigh 3131.

when insomnia is not
due to pain



CARBRITAL* combines a quick-acting hypnotic (pentobarbitone sodium, B.P.) and a mild longer-acting sedative (carbromal B.P.) CARBRITAL brings about rapid onset of sleep, sustains it for several hours and leaves the patient free from undesirable residual depression on waking. Kapseals* : in bottles of 25 and 250. Elixir: in bottles of 4, 16 and 80 fl. oz.

* Trade Mark

PARKE-DAVIS


Nardil

'Depressive states are the second most common psychiatric problem to be found in general practice'. *Practitioner* (1962) 189, 644. Nardil is effective in depressive illness and because it has a low incidence of toxic and serious side effects, it is particularly suitable for the treatment of patients in general practice. Nardil (brand of phenelzine) is available in tablets of 15 mg., in bottles of 100 and 500.



William R. Warner & Co. Ltd., Eastleigh, Hampshire. Telephone: Eastleigh 3131

to check gastric hypersecretion



*
PORTYN produces marked depression of gastro-intestinal spasm, gastric secretion and hyper-motility, and, at effective dosage levels, the incidence of side-effects is unusually low.

PORTYN is thus recommended as an excellent adjunct in the symptomatic control of peptic-ulcer and gastro-intestinal spasm.

* Trade Mark

PARKE-DAVIS

HOUNSLOW • MIDDLESEX • TELEPHONE: HOUNSLOW 2361

Rinurel


The calm of the bowling green is shattered and everyone's enjoyment is spoiled the minute old Bert catches a whiff of the herbaceous border—he just can't stop sneezing. If he comes to you for help, remember Rinurel tablets. Their sustained effect is obtained systemically and is unaffected by nasal secretions; they cause no gastric disturbance. Dosage: Two tablets initially, followed by one tablet every four hours; no more than 6 in any 24 hours. Children (6-12 years): half the adult dose. Formula: Each Rinurel tablet contains 150 mg. paracetamol, 150 mg. phenacetin, 25 mg. phenylpropanolamine hydrochloride and 22 mg. phenyltoloxamine dihydrogen citrate.



**Rinurel controls
symptoms of hay fever
and sinus headache**

William R. Warner & Co. Ltd., Eastleigh, Hampshire Tel: Eastleigh 3131

there is now a Medihaler for
migraine



medihaler-ergotamine

puts relief at the patient's command

Medihaler-Ergotamine offers unique advantages in the treatment of migraine and recurrent vascular headaches. An entirely new route, oral inhalation, enables ergotamine to provide the speed and degree of relief expected only of injections. Yet *Medihaler-Ergotamine* is as simple to use and carry as a tablet. Attacks are aborted by a much smaller dose than is needed orally, with correspondingly less risk of side-effects. One to three inhalations ensure profound relief in most cases, at a cost of only 3d to 9d per treatment. Basic NHS prices are: complete unit 17/4, refill 15/-.


Medihaler-Ergotamine contains Ergotamine Tartrate B.P. 9 mg./ml. and delivers 60 measured doses (0.36 mg. per dose).

Medihaler: registered trade mark

RIKER LABORATORIES • LOUGHBOROUGH • ENGLAND



on the look-out in diabetic management



Supplies of Clinitest* and Acetest* for periods of up to three months may be prescribed at one time on N.H.S. form EC 10



Ames Company

Division of Miles Laboratories Ltd Stoke Poges Buckinghamshire

***trade marks**

AM637



*fast aid
for diarrhoea!*

CREMOSTREP

'Sulfasuxidine', Streptomycin, Kaolin Suspension

REGD

CREMOSTREP brings swift symptomatic relief to most cases of diarrhoea. It contains two agents, 'Sulfasuxidine' and streptomycin, known to be very effective against most intestinal pathogens. Kaolin is included for its soothing and adsorbent properties. CREMOSTREP is usually well tolerated and the relatively low dosage makes treatment economical (adult dosage, 4 teaspoonfuls two to four times per day).

CREMOSTREP Suspension contains, in each 100 ml., 10 G. 'Sulfasuxidine', 1 G. streptomycin (as the sulphate), and 10 G. kaolin. It is supplied in 3 fl. oz. bottles.*

Detailed information on indications, dosage, administration and precautions is available on request.

** Registered trademark for succinylsulphathiazole BP*



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

THE ENCYCLOPAEDIA OF GENERAL PRACTICE

In Six Volumes and Appendix/Index Volume

Editors: G. F. Abercrombie, V.R.D., M.A., M.D.
R. M. S. McConaghey, M.D.



GENERAL PRACTITIONERS will welcome THE ENCYCLOPAEDIA OF GENERAL PRACTICE. This comprehensive reference work deals with all the conditions they are likely to meet.

The contributors are themselves general practitioners or consultants who have had experience in general practice, and the editors have ensured that each article is authoritative and relevant to general practice. Where emergency conditions are discussed, prominence is given to the role of the general practitioner and his course of action, and, when a condition passes into the realm of a specialist, a general outline is given to show how specialist advice, investigation and treatment may help. In each case practical details of treatment are given, including dosage, route of administration, frequency of dosage and duration of drug treatment.

Articles are arranged alphabetically, with grouping of conditions where this will help the doctor in his use of the work; and complete articles are devoted to important symptoms as well as to disease states.

THE ENCYCLOPAEDIA OF GENERAL PRACTICE is the result of long and detailed planning, and will serve as a complete reference library for many years. In his foreword, Lord Cohen of Birkenhead writes: "I have been privileged to read several of the contributions and I have no doubt that my trusted general practitioner will feel grateful that for the first time an Encyclopaedia has been published which is specifically designed to meet his needs, and in such full measure succeeds in doing so".



The first two volumes to be published in September

Full details available from

BUTTERWORTHS

4 & 5 Bell Yard, London, W.C.2



**Iron
timed for
comfort**

FERRO-GRADUMET
TRADE MARK

FOR MAXIMUM IRON
WITH MINIMUM
SIDE EFFECTS


Time and again you'll have listened to complaints of discomfort and gastric upset from patients undergoing treatment for iron-deficiency anaemia. The reason—iron intolerance; the cause—the action of the usual ferrous sulphate tablets resulting in unpleasant side effects. But ferrous sulphate is probably the most efficient form of iron; and as you know, it should be taken on an empty stomach for maximum effect. How then to reduce or prevent discomfort in anti-anaemia therapy?

IRON IN TIMED RELEASE

From Abbott comes the answer—the Ferro-Gradumet, the one-a-day oral haematinic in a plastic matrix that slowly leaches out its full day's dose of ferrous sulphate (525 mg, equivalent to 105 mg of elemental iron) in a predetermined pattern over a number of hours; and, thanks to its unique GRADUMET presentation, does not disintegrate in the stomach, where ferrous sulphate is most irritant and least well absorbed. Here at last is an efficient treatment for iron-deficiency anaemia that permits a day's requirements of iron to be taken in a single tablet, pleasantly and with a minimum of side effects.

FERRO-GRADUMETS are supplied in bottles of 30 or 100 tablets each containing 525 mg ferrous sulphate (in exsiccated form), equivalent to 105 mg elemental iron.

ABBOTT LABORATORIES LTD · QUEENBOROUGH · KENT



'Actifed' Tablets and Syrup relieve nasal and respiratory congestion. They are taken by mouth and affect areas inaccessible to sprays and nasal drops. Rapidity of action is an outstanding feature of 'Actifed' products—relief of symptoms is felt within 10-30 minutes. 'Actifed' Tablets and Syrup combine the most potent antihistamine, triprolidine hydrochloride, with pseudoephedrine.

ALSO AVAILABLE: 'Actifed' Compound Linctus for the control of cough with or without congestion; it contains codeine in addition to the other ingredients.

'ACTIFED' TABLETS AND SYRUP
Brand **Relieve Respiratory Congestion**



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON



FERROMYN

for anaemia in pregnancy

The value of Ferromyn in pre- and post-natal iron deficiency anaemias has been established.

Of the organic iron salts available Ferromyn produces a superior haemoglobin rise—clinical trials show that a daily haemoglobin response of 1-2% may be expected from 1 tablet three times daily. Intolerance to Ferromyn is less than 1%.

Presentation

Tablet, capsule and elixir.

Formulae

Ferromyn Ferrous Succinate 150 mg.

Ferromyn 'B' Ferrous Succinate 150 mg.

Riboflavin 1 mg. Nicotinamide 10 mg.

Aneurine Hydrochloride 1 mg.

Basic N.H.S. Costs

Ferromyn preparations are exempt Purchase Tax

Ferromyn tablets/capsules

100—3/- 1,000—26/-

Ferromyn elixir

4 oz.—4/- 20 oz.—19/-

Ferromyn 'B' tablets/capsules

100—3/9 1,000—32/6

Ferromyn 'B' elixir

4 oz.—4/6 20 oz.—20/3

CALMIC

CALMIC LIMITED • CREWE • CHESHIRE

Telephone: Crewe 3251 (7 lines)

LONDON: 2 Mansfield Street, W.1.



TRANSVASIN

relieves pain and spasm

Muscle spasm caused by physical injury or rheumatic lesions is rapidly relieved by the application of Transvasin. The esters of nicotinic, salicylic and p-amino benzoic acids penetrate the skin and are concentrated at the point of injury. Transvasin is an effective and economical therapy.

Transvasin contains ethyl and n-hexyl nicotinate, ethyl p-aminobenzoate, 2% each and tetrahydrofurfuryl salicylate 14%. The N.H.S. price of the 30g. tube is 2/6d and the cost of an average application of the cream is under 1d.

LLOYD-HAMOL LIMITED, 36-38 BERKELEY SQUARE, LONDON, W.1.





a mind at ease

Once in their doctor's care, what most patients seek above all else is the comfort and peace of mind that comes from his understanding of their problem... like the calm and composure that follows safe, dependable medication with a Lilly barbiturate—'Tuinal' 3 grs., universally accepted as an ideal hypnotic; 'Sodium Amytal' 1 gr., widely prescribed for gentle, reliable, daytime sedation.

'TUINAL' 3 grs.

Quinalbarbitone Sodium
with
Amylobarbitone Sodium

FOR HYPNOSIS

Recent testimony on barbiturates

"In any consideration of hypnotics the barbiturates must take pride of place. They have been in clinical use for about 50 years and in the vast majority of cases they are safe, reliable drugs which, when properly used, will ensure a good night's sleep."

Today's Drugs. Brit. med. J. 1: 39, 1963

*Lilly barbiturates
—safe and dependable
over the years*

'SODIUM AMYTAL' 1 gr.

Amylobarbitone Sodium

**FOR DAYTIME
SEDATION**

ELI LILLY & COMPANY LTD.



BASINGSTOKE, HANTS, ENGLAND

JUST PUBLISHED

ALCOHOL & ROAD TRAFFIC

*The Proceedings of the Third International Conference on
Alcohol and Road Traffic held under the auspices of the B.M.A.
in September 1962*

PRICE 63s. (U.S.A. \$10.00) including postage

ORDER YOUR COPY NOW

The Publishing Manager,
BRITISH MEDICAL JOURNAL
B.M.A. House, Tavistock Sq., London W.C.1

THE ROYAL LONDON HOMOEOPATHIC HOSPITAL

Great Ormond Street and Queen Square, London, W.C.1.

*Course of instruction in the Principles and Practice of
Homoeopathy for Medical Practitioners and Senior Students
of Medicine*

These lectures, which commence on the 7th October, 1963, are given under the auspices of the Homoeopathic Research and Educational Trust, and deal with the subjects required for examination for the Diploma of the Faculty of Homoeopathy.

Fee for registered medical practitioners, £12 12s. per session. Medical students admitted without charge.

Scholarships and Grants to enable Doctors to attend this Course are offered by the Homoeopathic Research and Educational Trust.

Full particulars can be obtained on application to the Dean of the Education Course at the Hospital.



HYDRODERM

The evidence of
HALF A MILLION
prescriptions
in 1962

HYDRODERM

OINTMENT

REGD

Hydrocortisone and TWO antibiotics-Neomycin and Bacitracin

Over half a million prescriptions in 1962 add further testimony to the value of 'Hydroderm' ointment in treating a wide range of inflammatory and allergic skin conditions.

in inflammatory and allergic skin disorders

'Hydroderm' contains, in each gram, 10 mg. hydrocortisone, 5 mg. neomycin sulphate and 1000 units zinc bacitracin. It is supplied in tubes of 5 G. and 15 G. Detailed information on indications, application and precautions is available on request.



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS



In convalescence after serious illness

ANABOLEX

ANABOLEX promotes return of appetite,
increased weight and a sense of well-being

Convalescence can be shortened by the administration of ANABOLEX, which stimulates protein metabolism. ANABOLEX is indicated for all patients—adults and children—in negative nitrogen balance. Presentation: Tablets each containing 25 mg. androstanolone in vials of 25, 100 and 250. Dose: The maintenance dose of Anabolex is 2-3 tablets daily and, based on the new reduced NHS price, costs only 1/11d. a day.

ANABOLEX—the non-virilizing anabolic compound

LLOYD-HAMOL LIMITED, 34-38 BERKELEY SQUARE, LONDON, W.1.



VASOLASTINE

**for enzymatic control of cholesterol and fat metabolism
in arteriosclerotic and atherosclerotic vessels**

VASOLASTINE contains enzyme systems which oxidize fatty acids, reduce arterial cholesterol content and tend to restore vascular elasticity

INDICATIONS

**Arterio- and atherosclerosis,
Cerebral stenosis,
Cardio-vascular stenosis complicated with angina pectoris
when caused by fat and cholesterol deposition,
Fat and cholesterol metabolic imbalance generally,
Post-thrombotic symptoms**
In clinical and experimental trials, toxic and side-effects have not been observed.

FORMULATION

per ampoule:

Enzymes of the lipid metabolism

Amin-oxidase

Tyrosinase

30 mg. \equiv 8000 units

20 mg. \equiv 4000 units

20 mg. \equiv 4000 units

Stabilizing solvent to 2 ml.

Presentation: Boxes of 6, 25 and 100 ampoules.

REFERENCES

Barthlen, M., *Ars Medici*, 1959, 2
Brouwer, M., *Berliner Gesundheitsbl.*, 1955, 1, 8
Buschmann, W., *Zschr. f. ges. Inn. Med. Grenzgeb.*, 1959, 15
Ernst, R., Inaugural Dissertation 1951, (Med. Univ. Cl. Frankfurt a/M)
Flegel, G. and Recknagel, K., *Die Medizinische*, 1955, 31/32, 1093-1095
Fischer, Egon K., *Med. Klin.*, 1956, 15, 49
Grundel, A., *Die Medizinische*, 1958, 49
Hammerl, H. and Siedek, H., *Wiener Klin. Schr.*, 1956, 38/39
Hammerl, H., Klein, K. and Siedek, H., *Aertzl. Forschung*, 1959, 1B, 6
Hjelman, G. and Pettersson, T., *Finska Lakaresallskapets Handlingar*, 1957, 100
Hoogerwerf, S., *Aertzl. Forschung*, 1955, 11, 540-546
Hoogerwerf, S., *Geneesk. Gids.*, 1955, 5, 5-93
Hoogerwerf, S., *Geneesk. Gids.*, 1960, No. 24

Kruskemper, H. L. and Schulze, G., *Arch. exp. Pathol. Pharmacol.*, 1956, 229, 34-40
Labo, G., Vannini, P. and Barbara, L., *Minerva Medica* (in the press)
Noordseij, A. J. and Smith, J. A., *Ned. Tijdschrift v. Geneesk.*, 1958, 102, 42
Schulze, G., *Dtsch. Arch. f. klin. Med.*, 1958, 204, 5
Schulze, G. and Kruskemper, H. L., *Verhandlg. deutsch. Gesells. fur Innere Medizin*, 62nd Congress, 1956
Thurnherr, A. and Koch, J., *Helvet. Medica Acta*, 1957, Fasc. 4, 342-348
Wittermans, A. Willinge, *Der Freie Arzt*, 1954, 10/12, 221
Wittermans, A. Willinge, *Privatklinik und Sanatorium*, 1955, 6, 156-159
Wittermans, A. Willinge, *Belgisch Tijdschr. v. Geneeskunde*, 1956, 2, 480-483

Manufactured by Enzypharm
C. V., Holland



Further information gladly sent on request by Sole Distributors in U.K.:

F.A.I.R. LABORATORIES LTD. TWICKENHAM, MIDDLESEX



THE MEDICAL SICKNESS SOCIETY

the specialist Insurance Company for the Medical and Dental Professions provides the particular insurances you need at every step in your career.

As a young general practitioner you may need to provide for a family and your children's education. There are specially designed policies for this and, of course, the well known Sickness and Accident Policies that provide an income when you are ill.

Remember, the Medical Sickness Society belongs to the Medical and Dental professions:

Non-Cancellable, Long Term

SICKNESS AND ACCIDENT INSURANCES

*with bonuses allotted
irrespective of claims.*

LIFE ASSURANCES

*Whole Life, Endowment,
Family Income, Educational
and Children's Deferred
Policies.*

PENSION POLICIES

*Special Policies for
Students and Newly
Qualified Practitioners.*

CAR FINANCE

*through our Subsidiary
Company.*

*Write for particulars
to the General Manager and Actuary*

**THE MEDICAL SICKNESS ANNUITY
& LIFE ASSURANCE SOCIETY LTD.**

**7-10 Chandos Street,
Cavendish Square, London, W.1.
Telephone: MUSeum 1686 (15 lines).**