

Write for particulars to the General Manager and Actuary THE MEDICAL SICKNESS ANNUITY & LIFE ASSURANCE SOCIETY LTD.

7-10 Chandos Street, Cavendish Square, London, W.1. Telephone: MUSeum 1686 (15 linee).

THE MEDICAL SIGKNESS SOCIETY

the specialist Insurance Company for the Medical and Dental Professions provides the particular insurances you need at every step in your career.

As a young general practitioner you may need to provide for a family and your children's education. There are specially designed policies for this and, of course, the well known Sickness and Accident Policies that provide an Income when you are ill.

Remember, the Medical Sickness Society belongs to the Medical and Dental professions:

Non-Cancellable, Long Term

SICKNESS AND ACCIDENT INSURANCES

with bonuses allotted irrespective of claims.

LIFE ASSURANCES

Whole Life, Endowment, Family Income, Educational and Children's Deferred Policies.

PENSION POLICIES

Special Policies for Students and Newly Qualified Practitioners.

CAR FINANCE

through our Subsidiary Company.

NOW AVAILABLE IN FIVE PRESENTATIONS

Cream Powder Jelly Vaginal cream Pessaries

S.7 is a new non-toxic fungicide and antibacterial agent possessing high activity against a wide range of pathogens associated with mycotic infections of the skin and mucous membranes.

The powerful fungicidal action of S.7 is particularly effective in the treatment of such conditions as dermatophytosis, oral and vaginal moniliasis and otitis externa of fungal origin. Its antibacterial action makes it particularly useful in the treatment of those fungal infections complicated by secondary bacterial infection.



S.7 Cream

Fungal infections of the skin and mucous membrane. 30 g. tube.

S.7 Powder

Athlete's foot and allied fungal infections. 15 g. insufflator.

S.7 Jelly

Oral Thrush; mycotic otitis externa.

15 g. tube.

S.7 Vaginal Cream

Monilial Vaginitis.

30 g. tube with 6 disposable applicators.

S.7 Pessaries

Monilial Vaginitis.

Carton containing 12 pessaries.

Formula

1% bis-(2-hydroxy-5-chlorophenyl) sulphide



CALMIC LIMITED, CREWE HALL, CREWE, CHESHIRE. Tel: Crewe 3251 (7 lines) LONDON: 2 Mansfield Street, W.1.

Announcing a new major series-

Concise Medical Texthooks

A new modern up-to-date series of medical textbooks. Each volume has been written by a leading authority in the field and contains the latest information on the subject together with the essential facts required by all whether practitioner or student.

R. M. B. MACKENNA DERMATOLOGY

The main text of the book discusses the various dermatological conditions and diseases under a standard scheme of headings. Information on any condition can therefore be quickly and easily obtained. Tropical dermatology is also dealt with at some length 178. 6d. 279 pages.

J. M. HOLMES OBSTETRICS

This new book covers the subject in three sections. (1) Pregnancy, (2) Labour, (3) Obstetric Operations. There are also important chapters on anaesthesia and analgesia, puerperal fever and psychiatry and child-bearing. An appendix of drugs used in obstetrics completes the book. 256 pages. 37 illustrations.

J. L. PINNIGER PATHOLOGY

TAIROLOGI
This is a short, up-to-date textbook of pathology which can be readily referred to for information on the basic abnormalities in the commoner diseases. The text is divided into two parts, the first covering general pathological facts and principles, and the second systematic pathology. 262 pages.

E. W.ANDERSON **PSYCHIATRY**

296 pages. 16s.

Baillière, Tindall & Cox 7 & 8 Henrietta St., London, W.C.2

BRITISH MEDICAL **JOURNAL**

the leading medical Journal and the most widely read

Published weekly

Subscription £9 9s. p.a.

This book deals with all aspects of psychiatry as practised today, including the greatly increased use of drugs and the greater emphasis being placed on the social aspect, particularly since the Mental Health Act of 1959.

SPECIALIST JOURNALS ABSTRACTS OF WORLD MEDICINE

Monthly. Subscription £6 6s. p.a.

BRITISH JOURNAL OF OPHTHALMOLOGY

Monthly. Subscription £6 6s. p.a. **OPHTHALMIC LITERATURE** Subscription (six issues a year, plus index) £4 4s. p.a. combined with British Journal of Ophthalmology £9 9s. p.a. ARCHIVES OF DISEASE IN CHILDHOOD

Bi-monthly. Subscription £4 4s. p.a.
ANNALS OF THE RHEUMATIC DISEASES Bi-monthly. Subscription £A 4s. p.a. BRITISH HEART JOURNAL

Bi-monthly. Subscription £4 4s. p.a BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY Bi-monthly. Subscription £6 6s. p.a. GUT

Bi-monthly. Subscription £4 4s. p.a. JOURNAL OF CLINICAL PATHOLOGY Bi-monthly. Subscription £A 4s. p.a. JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY

Bi-monthly. Subscription £A 4s. p.a. THORAX Bi-monthly. Subscription £A 4s. p.a.

BRITISH JOURNAL OF INDUSTRIAL MEDICINE BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

BRITISH JOURNAL OF VENEREAL DISEASES MEDICAL AND BIOLOGICAL ILLUSTRATION Published quarterly. Subscription £3 3s.p.a.

BRITISH MEDICAL ASSOCIATION

The Encyclopaedia

OT General Practice

Edited by

G. F. Abercrombie, V.R.D., M.A., M.D., Past-President, College of General Practitioners

and

R. M. S. McConaghey, M.D. Editor, The Journal of the College of General Practitioners

In Seven Volumes (including appendix —index volume)

"This enormous venture has made an admirable beginning."

R. Greene in the British Medical Journal

"... the editors are to be congratulated on the result."

BUTTERWORTHS 4 & 5 Bell Yard, London, W.C.2.

VASOLASTINE

for enzymatic control of cholesterol and fat metabolism in arteriosclerotic and atherosclerotic vessels

VASOLASTINE contains enzyme systems which oxidize fatty acids, reduce arterial cholesterol content and tend to restore vescular elasticity

INDICATIONS

Arterio- and atherosclerosis, Cerebral stenosis.

Cardio-vascular stenosis complicated with angina pectoris when caused by fat and cholesterol deposition, Fat and cholesterol metabolic imbalance generally, Post-thrombotic symptoms

In clinical and experimental trials, toxic and sideeffects have not been observed.

FORMULATION

per ampoule:

Enzymes of the lipid metabolism

Amin-oxidase Tyrosinase 80 mg. ≔ 8900 units 20 mg. ≔ 4000 units 20 mg. ≔ 4000 units

Stabilizing selvent to 2 ml. Presentation: Boxes of 6, 25 and 100 ampoules.

REFERENCES

Barthlen, M., Ars Medici, 1959, 2 Brouwer, M., Berliner Gesundheitsbi., 1955, 1, 2 Buschmann, W., Zschr. f. ges. Inn. Med. Grenzgeb., 1959, 15 Ernst, R., Inaugural Dissertation 1991, (Med. Univ. Cl. Frankfurt a/M)

Flegel, G. and Recknagel, K., *Die Medizinische*, 1955, *31/32*, 1093-1095
Fischer, Egon K., *Med. Kiln.*, 1956, *15*, 49
Grundel, A., *Die Medizinische*, 1958, 49
Hammerl, H. and Sledek, H., *Wiener Kila. Schr.*, 1956, 38/39

Hammeri, H., Klein, K. and Siedek, H., Aertzi. Forschung, 1959, 18, 8 Hjelman, G. and Pettersson, T., Finaka

Lakaresaliskapets Handlingar, 1967, 100 Hoogerwerf, S., Aertzi. Forschung, 1965, 11, 540-548

1955, 11, 540-546 Hoogerwerf, S., Geneesk. Gids., 1955, 5, 5-83 Hoogerwerf, S., Geneesk. Gids., 1960, No. 24 Kruskemper, H. L. and Schuize, C., Arch. exp. Pathol. Phermakol., 1856, 229, 34-40 Labo, G., Vannini, P. and Barbara, L., Minerva Medica (in the press) Neordelj, A. J. and Smith, J. A., Ned. Tijdschrift v. Geneesk, 1858, 182, 42 Schuize, G., Dtack. Arch. f. klin. Med., 1958, 204, 5

Schulze, G. and Krushemper, H. L., Verhandig. deutsch Gesells. fur innere Medizin, 62nd Congress, 1956 Thurnherr, A. and Koch, J., Helvet.

TBurnherr, A. and Koch, J., *Helvet. Medica Acta*, 1957, Fasc. 4, 342-348
Wittermans, A. Willinge, *Der Freie Arzt*,
1954, 10/12, 221

Wittermans, A. Willinge, Privatklinik und Sanatorium, 1855, 6, 156-159 Wittermans, A. Willinge, Belgisch Tijdschr. v. Geneeskunde, 1858, 9, 480-483

Manufactured by Enzypherm
C. V., Holland



Further information gladly sent on request by Sole Distributors in U.K.;

F.A.I.R. LABORATORIES LTD. TWICKENHAM, MIDDLESEX

Brit.med.J. ii, 163, 1963.

6 On the basis of 10 yr of world-wide clinical experience with chlorpromazine given to millions of patients it can be forthrightly stated that this psychopharmaceutical drug has passed the test of time.

J. Amer. med. Ass. 184, 51, 1963.

'Largactil'

trade mark brand
CHLORPROMAZINE HYDROCHLORIDE

one of the fundamental drugs in medicine



PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD. DAGENHAM

"Hence, loathèd Melancholy"

-Milton 'L'Allegro'



Allegione NORTRIPTYLINE HYDROCHLORIDE

Potent multi-phasic psychotrope for the treatment of

anxiety · tension · depression

'Allegron' is not a monoamine oxidase inhibitor

Tablets of 10 mg. and 25 mg. Liquid 10 mg. per 5 ml.

DISTA PHARMACEUTICALS

further information is available upon request
Dista Products Limited
Speke, Liverpool 24
B2034

'Allegron' is a trade mark

Nidoxital

Zach Nidoxital capsule contains

Dyridoxine Hydrochloride50 mgm.Nicotinamide25 mgm.Benzocaine100 mgm.Pentobartital Sodium15 mgm.

Literature on request

Ortho Pharmaceutical Limited
Saunderton · Buckinghamshire · England

one capsule at breakfast curbs the day's appetite while relieving the stresses which often underlie overeating


As overeating is often rooted in emotional stress, the weight-reducing programme must do more than depress the appetite. *Durophet-M* contains laevo- and dextro-amphetamine (ratio 1:3), the most effective appetite depressant available today, and methaqualone, a calmative which helps alleviate the patient's underlying tensions and frustrations. One capsule a day makes weight loss more certain. Capsules are available in two strengths stated in terms of laevo- and dextro-amphetamine content. Both contain 40 mg. methaqualone.

Basic NHS prices 12½mg. 20mg. bottles of 30 capsules 7/4 8/- 300 capsules 49/8 54/-

DUROPHET:M

Durophet: registered trade mark one capsule a day makes weight loss more certain





"INSTANT BREATH"

In the asthmatic attack - profound relief in seconds

One or two inhalations from *Medihaler-iso* Forte can provide relief of bronchospasm comparable in speed and degree to that achieved by injection. Yet for the patient there is nothing simpler or more convenient to use whenever required. Each dose (0.4 mg. isoprenaline sulphate) contains over 80% by weight of particles between 2 and 5 microns in diameter—optimum for retention in the lungs. Treatment economy is assured because each vial delivers over 300 doses at a cost of less than $\frac{3}{4}$ d. per dose.

Medihaler-iso Forte, Medihaler-iso and Medihalerepi are now supplied with a new-style plastic oral adaptor.


basic N.H.S. prices	complete	refill	oral adaptor
Medihaler-iso Forte	17/8	15/4	2/4
isoprenaline sulphate	10 mg/ml		•
Medihaler-iso	15/-	12/8	2/4
isoprenaline sulphate	2 mg/ml		-
Medihaler-epi	15/-	12/8	2/4
adronalino hitartrato	7 ma/ml		•

MEDIHALER-ISO FORTE

RIKER LABORATORIES · LOUGHBOROUGH · ENGLAND

Medihaler-epi, Medihaler-iso: registered trade marks


on the look-out in diabetic management



As an additional aid to diabetic management Ames Company have produced a booklet, "Urine Testing in Diabetic Management", and have designed patients' instruction cards tailored to fit the urine test systems described in this booklet. Copies of both may be obtained from the address below.



Ames Company Division of Miles Laboratories Ltd. Stoke Poges Buckinghamshire



your prescription for sleep . . .

Carbrital

Kapseals

CARBRITAL* Kapscals* each containing 1½ grains pentobarbitone sodium and 4 grains carbromal are available in bottles of 25 and 250. An Elixir containing ¼ grain pentobarbitone sodium and ¾ grain carbromal per teaspoonful in bottles of 4, 16 and 80 fl, oz. is also available.

*Trade mark

PARKE-DAVIS



TRANSVASIN RELIEVES MUSCLE SPASM

Muscle spasm caused by physical injury or rheumatic lesions, including osteo or rheumatoid arthritis, is rapidly relieved by the application of Transvasin. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury. Transvasin is an effective and economical therapy.

Transvasin contains ethyl and n-hexyl nicotinate, ethyl p-aminobenzoate, 2% each, and tetrahydrofurfuryl salicylate 14%. The N.H.S. price of the 30g. tube is 2/6d and the cost of an average application of the cream is under 1d.

LLOYD-HAMOL LIMITED 36-38 BERKELEY SQ., LONDON W.1 (H)




Insidon® Geigy

For the control of mild depression

Each pale pink sugar coated tablet contains: 4-[3-(5H-Dibenzo [b, f] azepin-5-yl)-propyl]-1-(2-hydroxy-ethyl)-piperazine dihydrochloride 50mg

Detailed literature describing any Geigy product will be supplied on request.


Geigy Pharmaceutical Company Ltd Manchester 23





in oedema



HYDROCHLOROTHIAZIDE, POTASSIUM CHLORIDE








For diuretic therapy, HydroSALURIC-K offers the short duration of action of hydrochlorothiazide, usually allowing uninterrupted nights, and a potassium supplement to provide a reasonable safeguard against thiazide-induced potassium depletion.


Available as tablets-25 mg hydrochlorothiazide, 572 mg potassium chloride.

Detailed information is available to physicians on request.




MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS






Abbott present a major new antihypertensive



Eutonyl (pargyline hydrochloride, Abbott) is a potent new antihypertensive agent. A large majority of patients with moderate to severe essential hypertension (even those resistant to other drugs) achieve significantly reduced systolic and diastolic pressure in the standing position, and often in the sitting and lying positions as well. The addition of Enduron (methyclothiazide, Abbott) permits a lower dosage, with fewer side effects. Eutonyl has a beneficial side effect in countering the depression which is often associated with hypertension, and in this respect alone offers a useful advance over other antihypertensive drugs, some of which themselves produce depression. Comprehensive literature is available on all aspects of this important new agent: dosage, side effects, precautions and the wide measure of agreement on its clinical efficacy even in the most difficult cases.

Eutonyl tablets (25 mg pargyline hydrochloride) and Eutonyl-Ten tablets (10 mg pargyline hydrochloride) are supplied in bottles of 100.






PAIN RELIEF IS NO ILLUSION WITH NEW PONSTAN

mefenamic acid Parke-Davis

●Potent new oral analgesic with superior anti-inflammatory properties
●Not a morphine derivative but comparable in effectiveness with
codeine ●Well tolerated in recommended doses . . . negligible gastric
disturbance ●Effectiveness maintained with repeated administration
Ponstan* is indicated in acute and chronic pain of mild to moderate severity
including post-operative and post-partum pain, headaches of most actiologies, also
traumatic, muscular and post-extraction pain. Adult dose 2 Kapseals* (each of
250 mg.) initially; maintenance 1 Kapseal 6-hourly. Available in containers of
12, 100 and 500 Kapseals.



VORTEL

Powerfully anti-asthmatic

'Vortel' provides a balanced approach in asthma—in prophylaxis, in acute attacks and for long term treatment. It is valuable in all conditions of bronchospasm in children and adults, particularly in relaxing spasm in bronchial asthma. Tolerance and refractoriness do not develop.



Presented as an aromatic Syrup and as 'Pulvules'.

Contains in each 5 ml. (teaspoonful) of Syrup and in each capsule Clorprenaline Hydrochloride 10 mg. Ethomoxane Hydrochloride 1.5 mg. Methapyrilene Hydrochloride 16 mg.



ELI LILLY AND COMPANY LIMITED . BASINGSTOKE . ENGLAND



the antidepressant with intrinsic tranquillising properties

TRYPTIZOL is an outstanding antidepressant, particularly valuable for its tranquillising effect on the anxiety and insomnia—characteristically early morning awakening—which so often accompany depression.


TRYPTIZOL is indicated in all forms and presentations of depression. Other symptoms which may be expected to respond well include functional somatic complaints, loss of interest, loss of appetite, feelings of guilt, slowing of emotional and physical reactions.

TRYPTIZOL is well-tolerated and serious toxic side reactions are extremely rare. It is *not* a monoamine oxidase inhibitor.

TRYPTIZOL is supplied as tablets of 25 mg and 10 mg, as a syrup and as an injection. Detailed information on indications, dosage, administration, precautions and bibliography is available on request.



to check gastric hypersecretion




PORTYN produces marked depression of gastro-intestinal spasm, gastric secretion and hyper-motility, and, at effective dosage levels, the incidence of side-effects is unusually low.

PORTYN is thus recommended as an excellent adjunct in the symptomatic control of peptic-ulcer and gastro-intestinal spasm.

* Trade Mark

PARKE-DAVIS




In convalescence after serious illness **ANABOLEX**

ANABOLEX promotes return of appetite, increased weight and a sense of well-being

Convalescence can be shortened by the administration of ANABOLEX, which stimulates protein metabolism. ANABOLEX is indicated for all patients—adults and children—in negative nitrogen balance. Presentation: Tablets each containing 25 mg. androstanolone in vials of 25, 100 and 250. Dose: The maintenance dose of Anabolex is 2-3 tablets daily and, based on the new reduced NHS price, costs only 1/11d. a day.

LLOYD-HAMOL LIMITED, 36-38 BERKELEY SQ., W.1





'Pro-Actidil', in reality three special tablets in one, gives sustained relief to the allergic patient. It contains triprolidine hydrochloride, the most potent of the antihistamines, specially formulated to give continuous action for up to 24 hours in most patients.

If given in the evening, four to five hours before retiring, 'Pro-Actidil' ensures a good night's sleep for the patient, free from sneezing, irritation and restlessness. Any side-effects, such as drowsiness, should therefore occur at bedtime.

'Pro-Actidil' is recommended for adults and children over ten years.

'PRO-ACTIDIL' bran

PROLONGED ACTION triprolidine tablets



BURROUGHS WELLCOME & CO., LONDON

(The Wellcome Foundation Ltd.)

A more normal life for the hypertensive patient





as the literature reports

We found little postural effect with considerable lowering of the blood-pressure in the lying as well as the standing position.' *Lancet*, 1962, i, 300 (10 Feb)

- *... methyldopa does not usually cause troublesome symptomatic postural hypotension ... *Lancet, 1962, i, 763 (14 Apr)
- 'Methyldopa does not cause severe hypotension on exercise.' Lancet, 1962, i, 759 (14 Apr)
- 'The blood-pressure response to methyldopa was reasonably predictable without undue fluctuations . . . 'Brit. med. J., 1962, 2, 156 (21 Jul)
- "... the dosage was less critical and the response easier to regulate than with ganglionblocking and adrenergic-blocking compounds," *Lancet*, 1962, i, 763 (14 Apr)
- 'Producing singularly few side-effects, particularly hypotension and severe gastrointestinal symptoms, methyldopa presents a great advance in the treatment of hypertension.' Brit. med. J., 1963, 1, 151 (19 Jan)
- 'Almost all of my patients on maintenance treatment have felt better and of those who had been previously treated with other hypotensive drugs, all emphasized their preference for methyldopa.' *Practitioner*, 1963, 191, 96 (Jul)

Because of these advantages, 'Aldomet' offers a fuller life for the hypertensive patient



Available as tablets of 250 mg and as an injection.

Detailed information is available to physicians on request.

MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS