



THE MEDICAL SICKNESS SOCIETY

the specialist Insurance Company for the Medical and Dental Professions provides the particular insurances you need at every step in your career.

For instance, a **FOUNDATION POLICY** for a Student—just one of a selection of specially designed policies.

Remember, the Medical Sickness Society belongs to the Medical and Dental professions :

*Non-cancellable,
Long Term
**SICKNESS AND
ACCIDENT INSURANCE**
with bonuses allotted
irrespective of claims.*

LIFE ASSURANCES
*Whole Life, Endowment,
Family Income,
Educational and
Children's Deferred
Policies.*


PENSION POLICIES
*Special Policies for
Students and Newly
Qualified Practitioners.*

*Write for particulars
to the General Manager and Actuary*
**THE MEDICAL SICKNESS ANNUITY
& LIFE ASSURANCE SOCIETY LTD.,**

**7-10 Chandos Street,
Cavendish Square, London, W.1.
Telephone: MUSeum 1686 (15 lines).**

Pentovis

a new selective oestrogen for the post-menopausal patient



Existing oestrogens influence several target organs. A new oral oestrogen, Pentovis, has been used clinically in post-menopausal vaginitis with very good results. Biopsies before and after treatment repeatedly showed that, while Pentovis has a beneficial effect on vaginal epithelium, endometrial changes do not take place and therefore withdrawal bleeding does not occur.

**Pentovis provides oral treatment for
Atrophic vaginitis
Kraurosis vulvae
and related conditions**

The side effects common to other oestrogens with multiple sites of action have not been seen with Pentovis. Nausea and gastric disturbances are very uncommon. Subjectively, patients usually feel better when taking Pentovis. There are no objections to raising the dose, but this is ordinarily unnecessary.

Pentovis

Dosage: One 0.25 mg. capsule twice daily for fourteen days. This course may be repeated, if necessary.

Packages: Pentovis (Quinestradiol) is available in bottles of 30 and 250 capsules.

References

Grillo, R (1961) Clin. ginec., **3**, 576
Roddie, TW (1964) Ulster med. J., **33**, 62
Sharman, A (1964) J. Endocr., **29**, 209

The Basic NHS cost of 25 capsules is 8/5d.

Full clinical information available on request
William R Warner & Co Ltd, Eastleigh,
Hampshire. Telephone Eastleigh 3131

TODAY'S DRUGS

A book under this title will be published in November 1964. It is based on a series of review articles which were printed in the "To-day's Drugs" section of the **BRITISH MEDICAL JOURNAL** between January 1963 and May 1964. These articles have been edited and brought completely up to date so as to form an authoritative and practical guide to modern therapeutics. The book is designed to cover the drug treatment of those common conditions which are met with in general and hospital practice. There are important sections dealing with antibiotic therapy, cardiovascular conditions, rheumatic disorders, oral contraceptives, and the special problems involved in paediatric and geriatric prescribing. Special attention has been paid to the precautions which should be taken in using these drugs and their toxic and side-effects. This book should be of value to all doctors concerned in the day-to-day treatment of patients.

Demy Octavo

Price 30s. net.

450 pages (approx.)



ORDER YOUR COPY NOW

The Publishing Manager, **BRITISH MEDICAL JOURNAL**,
BMA House, Tavistock Square, London, W.C.1.

E. & S. LIVINGSTONE LTD.

DISEASES OF THE HEART AND ARTERIES

By **WILLIAM EVANS, M.D., D.S.C., F.R.C.P. (Lond.), Hon. D.S.C. (Wales)**

770 pages.

827 illustrations.

£7 7s.

A GUIDE TO DISEASES OF THE NOSE, THROAT AND EAR For General Practitioners and Students

By **E. G. COLLINS, M.B., CH.B., F.R.C.S.E.**

368 pages.

93 illustrations.

36s.

CLINICAL EXAMINATION

Edited by **JOHN G. MACLEOD, M.B., CH.B., F.R.C.P. Edin.**

526 pages.

120 illustrations.

35s.

ELECTROCARDIOGRAPHY

Second Edition. **RICHARD W. D. TURNER, O.B.E., M.A., M.D., F.R.C.P., F.R.C.P.E.**

164 pages.

181 illustrations.

21s.

TEVIOT PLACE, EDINBURGH

new Turn-o-matic

time-saving
hygienic



The Turn-o-matic ticket system is designed to control the patient-flow in the surgery of the busy General Practitioner. It also removes those all too frequent arguments between patients as to their order of consultation.

It works on a simple principle. It dispenses numbered tickets to the patients on entering the waiting room and then flashes each number in turn on the indicator when that patient is required. The indicator gives an audible buzz whenever the number changes.

The Doctor has time to think and make notes between patients as the next patient will not enter until his number has been signalled from the consulting room.

This system gives the busy Doctor complete control over the flow of patients. It is completely hygienic, the paper tickets being discarded immediately after use.

The complete outfit consists of the indicator, ticket dispenser, transformer and bell-push and costs only £40. Refill rolls of 1500 tickets are 8/4d. Installation is extremely simple.

Further information from



Turn-o-matic

THE HYBURY COMPANY LIMITED


PO BOX 614/BALTIC HOUSE/27 LEADENHALL STREET/LONDON EC3
TELEPHONE ROYAL 2040

Rarical

TRADE MARK

(FERROUS CALCIUM CITRATE)

TABLETS



**build more
haemoglobin
*FASTER***

**WHITE · TASTELESS · PERFECTLY
TOLERATED · HIGH EFFICIENCY
ORAL IRON THERAPY**



Each **Rarical** tablet provides:
iron 25mg., calcium 85mg.

The Encyclopaedia of General Practice

Edited by

G. F. Abercrombie, V.R.D., M.A., M.D.

Past President, College of General Practitioners

and

R. M. S. McConaghey, M.D.

Editor, The Journal of the College of General Practitioners

This is a comprehensive reference work dealing with all the conditions general practitioners are likely to meet. The contributors are themselves general practitioners or consultants with experience of general practice and each article is authoritative and relevant to general practice. The work is the result of long and detailed planning and will serve as a complete reference library for many years.

In seven volumes (including appendix/index volume)

"This enormous venture has made an admirable beginning."

R. Greene in the British Medical Journal

"... the editors are to be congratulated on the result."

Practitioner

BUTTERWORTHS

**88 Kingsway, W.C.2.
4 & 5 Bell Yard, W.C.2 (Showroom)**

BUYING

A CAR

THEN GET DETAILS OF
THE EXCELLENT TERMS
OFFERED BY YOUR
PROFESSION'S OWN
HIRE-PURCHASE COMPANY

Send the coupon below to:

THE MEDICAL SICKNESS FINANCE CORPORATION

7-10 CHANDOS STREET, CAVENDISH SQUARE, LONDON, W.1.

Telephone: MUSeum 1686

- * 20% Deposit
- * Repayments up to 36 months
- * Payments waived on death

A wholly owned subsidiary of
The Medical Sickness Annuity & Life Assurance
Society Ltd.

Name

Address

Occupation
GP.

20% DISCOUNT

on branded

CARPETS

Wilton, Axminster, Orientals, etc.

Indian, Chinese, Persian Carpets and Rugs a speciality

FREE DELIVERY U.K.

Expert fitting arranged if required.

Write stating requirements or for Introduction to showrooms

London and Main cities

DODSON-BULL CARPET COMPANY

37a Aldersgate Street, London, E.C.1

Tel : MONarch 7171 (10 lines)

in the treatment of
peptic ulcer

ROTER

has particular
advantages



ROTER achieves a high cure rate and often gives effective control of even refractory chronic cases which have resisted other treatments.

ROTER in many cases obviates the need for hospitalization or surgical intervention.

ROTER helps patients to keep ambulant and symptom-free with a minimum of medication and with few, if any, dietary restrictions.

ROTER in general practice enables the physician to take adequate care of his gastric cases without frequent or prolonged supervision.

ROTER has no known side effects.

ROTER requires no supplementary medication such as sedatives or anti-spasmodics.

ROTER shows a saving in cost when compared with conventional methods of treatment.

REFERENCES

Therapie der Gegenwart, 1953, 3, 108
Gazz. Med. Ital., 1954, 113, 343
Die Medizinische, 1955, 4, 163
British Medical Journal, 1955, 2, 827
C.R.S. Biol., 1956, 150, 1019
Am J. Gastroenterology, 1957, 28, 439
Wiener Med. W., 1958, 108, 218
Ärztliche Praxis, 1958, 10, 766
Journal Lancet, 1960, 80, 37

FORMULA

Each Roter tablet contains:


Bismuth Subnitrate Roter (350 mg.), Magnesium Carbonate (400 mg.), Sodium Bicarbonate (200 mg.) and Cortex Rhamni Frangulae (25 mg.).

PACKINGS OF ROTER TABLETS

Tins of 40 and 120, also dispensing sizes, 360 and 720 (P.T. exempt). Basic N.H.S price: Under 1/- for 10 tablets.

ROTER TABLETS are in Category "S". Literature on Request.

F.A.I.R. LABORATORIES LTD • TWICKENHAM • MIDDLESEX



Mf-b.

“INSTANT BREATH”

In the asthmatic attack — profound relief in seconds

One or two inhalations from *Medihaler-iso* Forte can provide relief of broncho-spasm comparable in speed and degree to that achieved by injection. Yet for the patient there is nothing simpler or more convenient to use whenever required. Each dose (0.4 mg. isoprenaline sulphate) contains over 85% by weight of particles between 2 and 7 microns in diameter—optimum for retention in the lungs. Treatment economy is assured because each vial delivers over 300 doses at a cost of less than $\frac{3}{4}$ d. per dose.

Medihaler-iso Forte, *Medihaler-iso* and *Medihaler-epi* are now supplied with a new-style plastic oral adapter.

| basic N.H.S. prices | complete | refill |
|--------------------------------|----------|--------|
| <i>Medihaler-iso</i> Forte | | |
| isoprenaline sulphate 10 mg/ml | 17/8 | 15/4 |
| <i>Medihaler-iso</i> | | |
| isoprenaline sulphate 2 mg/ml | 15/- | 12/8 |
| <i>Medihaler-epi</i> | | |
| adrenaline bitartrate 7 mg/ml | 15/- | 12/8 |

MEDIHALER-ISO FORTE

RIKER LABORATORIES • LOUGHBOROUGH • ENGLAND



Medihaler-epi, *Medihaler-iso*: registered trade marks

Solace for 365 frustrating days...



Compulsive eaters need more than just a curb on appetite

Overeating is often a defensive reaction to stress — anxiety, boredom, loneliness, frustration.

DUROPHET-M contains not only the most effective appetite depressant available today (laevo- and dextro-amphetamine, ratio 1 : 3) but also the well-tolerated calmativ methaqualone, to alleviate those underlying stresses — and make weight loss more certain. Capsules are available in two strengths stated in terms of laevo- and dextro- amphetamine content. Both strengths contain 40 mg. methaqualone.

DUROPHET-M

Durophet: registered trade mark

DOSAGE IS SIMPLE — JUST ONE CAPSULE AT BREAKFAST

| | | |
|-------------------------|---------|--------|
| Basic NHS prices: | 12½ mg. | 20 mg. |
| bottles of 30 capsules | 7/4 | 8/- |
| bottles of 300 capsu'es | 49/8 | 54/- |



RIKER LABORATORIES
LOUGHBOROUGH · ENGLAND



**The corticosteroid
with one starting dose
for all three**

L^{-OH}edercort[†]

TRIAMCINOLONE LEDERLE

Supplied: Scored tablets 2mg. and 4mg. Also available: LEDERCORT Diacetate Forte Suspension, Cream 0.1%, Ointment 0.1%, Cream 0.1% with Neomycin, and Proctological Ointment. †Regd. trademark

Uniform initial dosage schedule for LEDERCORT triamcinolone facilitates management of most commonly encountered corticosteroid responsive disorders — often provides higher, more uniform potency and efficacy than other analogues. ONCE-A-DAY DOSAGE, for arthritis — asthma — dermatoses provides 24-hour suppressive effect, minimises "missed dose" problems, further facilitates administration and management.

**the corticosteroid more patients
can start on   and stay on**

LEDERCORT triamcinolone shows a unique ability to obtain and maintain desirable results with fewer collateral limitations than hydrocortisone, dexamethasone, betamethasone or other corticosteroids. Patients unresponsive or unable to tolerate other corticosteroids, frequently do well on LEDERCORT triamcinolone. Cardiac disease, hypertension, emotional disturbance and obesity are not considered contraindications for LEDERCORT. Patients have stayed on this modern corticosteroid for many years . . . with notable freedom from side effects.

further information on request

Lederle Laboratories a division of Cyanamid of Great Britain Ltd
Bush House London WC2



SALUPRES^{REGD}

Hydrochlorothiazide, Reserpine, Potassium Chloride


**In mild to moderate hypertension
'Salupres' reduces blood pressure
gently**


'Salupres' is of particular value in the treatment of the elderly hypertensive patient, for whom smooth action, of gradual onset, with freedom from sudden blood pressure fluctuations, is of special importance.

Tablets containing 12.5 mg hydrochlorothiazide, 0.0625 mg reserpine and 572 mg potassium chloride. Detailed information is available to physicians on request.



MERCK SHARP & DOHME LIMITED,
HODDESDON, HERTS





80-85% antihypertensive response

Eutonyl is a major advance in the control of hypertension. Mood elevation may occur, due to MAO inhibition. Side effects are not common, and are rarely intolerable. The simple dosage gives positive control.

Eutonyl (pargyline hydrochloride, Abbott) treats severe essential hypertension by reducing peripheral resistance, without significantly affecting cardiac output. It has been shown to produce an antihypertensive response in some 80—85% of cases, and it is as successful against the more severe as against the moderately severe cases. In clinical trials, 90% of patients remained on Eutonyl, for side effects are rarely sufficiently severe to require the withdrawal of therapy. Eutonyl gives significant reductions in the blood pressure—especially the diastolic pressure—in the sitting and lying positions, as well as standing.

The concurrent use of Enduron® (methyclothiazide, Abbott) permits the use of a lower dosage of Eutonyl, thus further reducing the likelihood of side effects. Enduron particularly enhances the sitting and lying response to Eutonyl.

Information on these points is more fully covered in the physician's reference book, which contains a bibliography of 74 published references. This book should be consulted on dosage, side effects and precautions.

Instruction cards are available advising patients of the dietary restrictions (notably cheese and alcohol) and other precautions which they should observe while taking Eutonyl, which is an MAO inhibitor.

Eutonyl (pargyline hydrochloride, Abbott) is supplied in Filmtab® tablets under the names Eutonyl (25 mg, orange) and Eutonyl-Ten (10 mg, pink). Enduron (methyclothiazide, Abbott) is supplied in square grooved tablets of 5 mg.

®EUTONYL, ENDURON AND FILMTAB ARE REGISTERED TRADE MARKS



ABBOTT LABORATORIES LIMITED • QUEENBOROUGH • KENT



Potable



Portable

New BENYLETS* provide the established advantages of Benylin Expectorant* in a convenient, easy-to-carry form. BENYLETS check excessive coughing, soothe sore throats and relieve both nasal and bronchial congestion. Benylin is *the* linctus—now BENYLETS are *the* lozenges. In tins of 24.

*Trade mark

PARKE-DAVIS

PARKE, DAVIS & COMPANY, HOUNSLOW, MIDDLESEX. TELEPHONE: HOUNSLOW 2361

O-1200

Insidon[®]

Geigy

Indications
mild depression
emotional fatigue resulting from
anxiety and tension

Dosage
One tablet three times daily

Insidon is not a monoamine oxidase inhibitor and should not be given with or within 2-3 weeks of cessation of therapy with monoamine oxidase inhibitors

Insidon is available as pale pink, sugar-coated tablets containing 4-[3-(5H-Dibenzo [b,l] azepin-5-yl)-propyl]-1-(2-hydroxy-ethyl)-piperazine (Opipramol) dihydrochloride 50mg

Detailed literature describing any Geigy product will be supplied on request.

Geigy Pharmaceutical Company Limited Manchester 23



**Insidon[®] re-integrates
the mild depressive**





warning of impending danger

Clinitest*

Reagent Tablets

To ensure smooth control in the diabetic, therapy must be adjusted to meet the changing needs of the patient.

With regular recorded urine tests,

Acetest*

Reagent Tablets

warning signs will show impending danger and give a timely indication of the need to change treatment. Make sure your patients are on the safest road with Clinitest and Acetest.



AMES COMPANY

DIVISION OF MILES LABORATORIES LTD · STOKE POGES · BUCKINGHAMSHIRE

*trade marks AM 1103



THE INTERNATIONAL STANDARD OF MASS...

... is this platinum-iridium cylinder kept at the International Bureau of Weights and Measures, Sèvres, near Paris. It was established in 1889, and is known as the International Prototype Kilogramme. Its height is equal to its diameter and it is composed of 90% platinum and 10% iridium. Replicas have been distributed, as national reference copies, to other countries. If reference weights having a composition different from that of the standard are used, a correction for buoyancy in air must be applied to achieve the highest degree of accuracy.



TRANSVASIN

**is the standard therapy ... for
the relief of rheumatic symptoms**

Patients suffering from rheumatic lesions obtain rapid relief with Transvasin, the well-proven and economical therapy. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury, producing superficial erythema and deep hyperaemia. Transvasin is a valuable adjuvant in the treatment of osteo and rheumatoid arthritis.

**LLOYD-
HAMOL
Ltd.**

36-38 BERKELEY SQUARE, LONDON W.1

FORMULA

| | |
|-------------------------------|---------|
| Ethyl nicotinate | 2% |
| n-Hexyl nicotinate | 2% |
| Ethyl p-aminobenzoate | 2% |
| Tetrahydrofurfuryl salicylate | 14% |
| Base | to 100% |

The N.H.S. price of the 30 g. tube is 2/6 and the cost of an average application of cream is under 1d.

MIGRAINE

Medihaler-Ergotamine sets a new standard of speed, predictability and convenience of treatment.

ergotamine



MENTAL CONFUSION RESPONDS TO ANP 235

ANP 235, a neuroregulator with a unique action, is producing excellent results in confusional states. It regulates the metabolism of the nerve cell, facilitates the utilisation of glucose and combats anoxia; actions which differ fundamentally from those of the amphetamines and the monoamine oxidase inhibitors.

ANP 235 may be used in confusional states of any degree of severity, such as those caused by intoxication, infection, cranial trauma, metabolic disturbances, cerebrovascular conditions and senility. Provided that irreversible damage has not occurred, the response is usually rapid and lasting; toxicity is exceptionally low and the side effects are negligible.

Over 150 published reports have so far appeared and further trials are in progress. (Recommended WHO non-proprietary name meclofenoxane.)

BASIC NHS PRICES


Bottles of 100 tablets of 100 mg 25/-
Bottles of 500 tablets of 100 mg 112/6

A carton containing 10 vials of 250 mg 40/-

DOSAGE: Usual oral dose 6-9 tablets daily for adults. Literature and samples on request.

ANP 235

LLOYD ANPHAR LTD., 36-38 Berkeley Square, W.1
Lloyd Anphar is an associated company of Lloyd-Hamoll Ltd.



**Can you prescribe a diuretic with
such precise control that a teatime dose
will not disturb the patient's sleep?**

**If not, please turn to the next page
for details of an important new diuretic
from Hoechst**

New compound unrelated to thiazides, aldosterone antagonists or carbonic anhydrase inhibitors. To combat serious sodium and water retention and cause less potassium loss

Lasix the new diuretic

4-chloro-N-(2-furylmethyl)-5-sulphamoylanthranilic acid

Less potassium loss

produces only half the potassium loss of the thiazides for the same volume of water excreted; conversely, doubles water and sodium excretion for the same potassium loss as the thiazides

Starts to act where thiazides stop

effective where thiazides fail: when thiazides give no further response Lasix gives an immediate increase in diuresis

Precise control of response

diuresis lasts about four hours, can be adjusted to suit patient's convenience—taken at teatime diuresis is over by bedtime; response is directly proportional to dosage

Lasix has a superior action to other diuretics, and it has an exceptionally high therapeutic reserve in comparison with them, so that it is possible to increase the dosage with safety up to 500 mg. daily until the desired therapeutic effect is obtained. The usual dosage range is 40–120 mg.

Lasix is one of the safest and most potent diuretics to be introduced to the medical profession this decade

Presentation and Price:

Lasix is presented as tablets of 40 mg. in containers of 50 at a basic NHS price of 32/6d; and in ampoules containing 20 mg. in 2 ml. in packages of 5 at 17/9d. These prices are subject to P.T.

References:

1. *Dtsch. med. Wschr.*, 1963, **88**, 1695
2. *Arzneimittel-Forschung*, 1964, **14**, 44
3. *Curr. ther. Res.*, 1964, **6**, 88
4. *Med. Welt*, 1964, 922
5. *Wien. med. Wschr.*, 1964, **114**, 236
6. *Rev. med. Suisse rom.*, 1964, **84**, 277
7. *Wien. klin. Wschr.*, 1964, **76**, 476
8. *Clin. Res.*, 1964, **12**, 268
9. *Klin. Wschr.*, 1964, **42**, 569
10. *Clin. Tera.*, 1964, **29**, 297
11. *Arzneimittel-Forschung*, 1964, **14**, 709
12. *ibid.*, 1964, **14**, 710
13. *ibid.*, 1964, **14**, 713

Lasix is a registered trade mark

HOECHST


Member of the Association of the British
Pharmaceutical Industry



**SERVICE IN THE
CAUSE OF MEDICINE**

HOECHST PHARMACEUTICALS LIMITED, PORTLAND HOUSE, LONDON S.W.1

**dependable
diuresis . . .**



**with sleep
undisturbed**



SALURIC

CHLOROTHIAZIDE BP

REDD

Due to its unsurpassed effectiveness and short duration of action, 'Saluric' generally provides a dependable diuresis which is substantially complete before the patient retires, allowing an undisturbed night's sleep.

Available as 0.5 G tablets and, for emergencies, as 'Lyovac Saluric' for intravenous administration, in vials containing 0.5 G chlorothiazide as the sodium salt. Detailed information is available to physicians on request.



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS



*'And adepts in the speaking trade
Keep a cough by them ready made'*

REV. CHARLES CHURCHILL

But for those who do not regularly indulge in 'the speaking trade', a cough is no blessing.

'Actifed' Compound Linctus provides rapid and effective relief from coughs and congestion. It combines the decongestant properties of pseudoephedrine and the antihistamine effect of triprolidine with the proven cough-controlling action of codeine.

It is indicated in unproductive cough, cough with cold or cough with bronchitis or allergy, in young or old.

'ACTIFED' brand Compound Linctus

Decongestant • Antihistamine • Bronchodilator • Antitussive



BURROUGHS WELLCOME & CO. LONDON
(The Wellcome Foundation Ltd.)



Metatone helps your convalescent patients to feel better quicker


By improving both outlook and appetite, METATONE* helps to promote a full recovery of normal vitality after influenza and other debilitating illnesses. It is acceptable to older children as well as adults. Metatone combines Vitamin B₁ and strychnine with mineral glycerophosphates. In bottles of 8, 16 and 80 fl. oz.

METATONE

**Trade mark*

PARKE-DAVIS

HOUNSLOW · MIDDLESEX · TELEPHONE: HOUNSLOW 2361



Femme en Chemise by Picasso

© by S.P.A.D.E.M., Paris, 1964

Lethargy and fatigue are often a problem after childbirth, in convalescence, mild depression, over sedation, the menopause and in many old patients. The gentle action of Ritalin quickly restores mental and physical activity.


Tablets of 10 mg. Basic NHS price 100 7/10d

When you hear
"Doctor, I always
feel so tired"
the answer may be
Ritalin[®]
the well tried*
anti lethargic

*In wide usage since 1955

C I B A

“Doctor,
I feel awful”



Once she might have been diagnosed as 'anxiety state'. Today, you know she might be a depressive, but it doesn't seem as simple as all that. The truth of the matter is that patients don't always fit neatly into diagnostic categories. They may suffer from such diverse symptoms as depression, agitation, loss of appetite and tension-fatigue at the same time.

The great strength of 'Aventyl' is that its beneficial actions range widely over

the symptoms which plague these problem patients. 'Aventyl' is not merely an antidepressant, nor is it a combination of drugs. It is a *single substance* which relieves a constellation of mental and emotional symptoms embracing depression, anxiety and their effects on awareness and mood.

'Aventyl' is not a monoamine oxidase inhibitor, and no serious side-effects have been reported at the recommended dosage.

'AVENTYL'™ lightens the troubled mind

Nortriptyline

'Pulvules' of 10 mg. and 25 mg. Liquid: 10 mg. in each 5 ml., in bottles of 120 and 480 ml.

Full information will be sent on request

ELI LILLY AND COMPANY LIMITED BASINGSTOKE ENGLAND



B2627


HYDRODERM REGD **SKIN OINTMENT**

in skin lesions, wet or dry

More than two and a half thousand prescriptions for 'Hydroderm' are written every day. This is clearly an indication of the widespread confidence of physicians in this combination of hydrocortisone, neomycin and bacitracin, and its established place in the treatment of eczema and other skin disorders. By virtue of its carefully formulated base 'Hydroderm' is eminently suited to the treatment of both wet and dry lesions.

Each gram contains 10 mg hydrocortisone, 5 mg neomycin sulphate and 1000 units zinc bacitracin. Detailed information is available to physicians on request.

2½,000
prescriptions
every day



**MERCK SHARP &
DOHME LTD
HODDESDON
HERTS**