



THE MEDICAL SICKNESS SOCIETY

the specialist Insurance Company for the Medical and Dental Professions provides the particular insurances you need at every step in your career.

As a young general practitioner you may need to provide for a family and your children's education. There are specially designed policies for this and, of course, the well known Sickness and Accident Policies that provide an income when you are ill.

Remember, the Medical Sickness Society belongs to the Medical and Dental professions:

Non-Cancellable, Long Term

SICKNESS AND ACCIDENT INSURANCES

*with bonuses allotted
irrespective of claims.*

LIFE ASSURANCES

*Whole Life, Endowment,
Family Income, Educational
and Children's Deferred
Policies.*

PENSION POLICIES

*Special Policies for
Students and Newly
Qualified Practitioners.*

CAR FINANCE

*through our Subsidiary
Company.*

*Write for particulars
to the General Manager and Actuary*
**THE MEDICAL SICKNESS ANNUITY
& LIFE ASSURANCE SOCIETY LTD.**

**7-10 Chandos Street,
Cavendish Square, London, W.1.
Telephone: MUSeum 1686 (15 lines).**



The illustration (circa A.D. 1400) depicts the stage of life of an Aztec of ancient Mexico where he suffers from the "pains of middle age". The position of the spear heads indicate the various parts of the body which were particularly afflicted, e.g. his eyes begin to fail, his heart becomes weak and his muscles begin to ache. The Aztecs found that these grumbling pains

began rather earlier in their life span than we find in ours. Today, of course, much can be done to relieve the querulousness of old age and the use of drugs such as

'Largactil'

is helping considerably to make this stage of life happier and more useful.



An M&B brand Medical Product

'Largactil' is the trade mark of May & Baker Ltd for its brand of chlorpromazine

MA 956

NEXT PATIENT PLEASE

If the complaint is
PAIN
prescribe
PONSTAN

(mefenamic acid, Parke-Davis)

The superior oral analgesic with anti-inflammatory properties
Detailed information on Ponstan is available on request

PARKE-DAVIS

Staines Road, Hounslow, Middlesex

THE EARLY SIGNS OF ILLNESS

Observations in General Practice

Ian R. McWhinney, M.D., M.R.C.P.

This book deals with the part of clinical medicine which lies largely outside hospital experience: the earliest signs and symptoms of disease. Written from the family doctor's point of view, it describes how each disorder appears in the casualty room and at the bedside. Emphasis is laid on the differential diagnosis of serious disease from the many minor disorders seen in general practice. The text is illustrated by 129 carefully chosen case reports, and a list of references is available for further reading.

Although primarily intended for doctors going into general practice, this book should also be of interest to clinical teachers, and to hospital physicians who are willing to learn something of the diagnostic problems of family medicine.


1st Edition 1964

182 pages

30s. net

PITMAN MEDICAL PUBLISHING CO. LTD.

46 Charlotte Street, London, W.1



Betnesol the corticosteroid tablets patients drink

Betnesol is a water soluble tablet of **betamethasone phosphate** which when given in this fluid form represents oral corticosteroid therapy in its most easily administered form.

A much better tolerance with less risk of gastric disturbance results because no solid steroid particles reach the stomach. Betnesol offers rapid and maximum absorption, the most constant therapeutic effect and in some cases, allows reduction of dosage. Detailed literature available.

New—Foil Strip Packs. Both the 0.5 mg and 0.25 mg strengths are now available in foil strip packs of 100 and 500 tablets.



Glaxo Laboratories Limited Betnesol is a Glaxo Trade mark

When you've
been worked



off your feet...

Relax with a

GUINNESS

TODAY'S DRUGS

A book under this title will be published on 22 December. It is based on a series of review articles which were printed in the "To-day's Drugs" section of the BRITISH MEDICAL JOURNAL between January 1963 and May 1964. These articles have been edited and brought completely up to date so as to form an authoritative and practical guide to modern therapeutics. The book is designed to cover the drug treatment of those common conditions which are met with in general and hospital practice. There are important sections dealing with antibiotic therapy, cardiovascular conditions, rheumatic disorders, oral contraceptives, and the special problems involved in paediatric and geriatric prescribing. Special attention has been paid to the precautions which should be taken in using these drugs and their toxic and side-effects. This book should be of value to all doctors concerned in the day-to-day treatment of patients.

Demy Octavo

Price 30s. net.
(postage 2s. 6d. extra)

400 pages (and index)



ORDER YOUR COPY NOW

The Publishing Manager, BRITISH MEDICAL JOURNAL,
BMA House, Tavistock Square, London, W.C.1.
or through any leading bookseller throughout the world

E. & S. LIVINGSTONE LTD.

MULTIPLE SCLEROSIS — A REAPPRAISAL

By DOUGLAS MCALPINE, M.D., F.R.C.P., CHARLES E. LUMSDEN, M.D.,
F.C.Path., and E. D. ACHESON, M.A., D.M., M.R.C.P.
424 pages. 44 illustrations. 45 tables. 50s.

DISEASES OF THE HEART AND ARTERIES

By WILLIAM EVANS, M.D., D.SC., F.R.C.P.
770 pages. 827 illustrations. £7 7s.

A GUIDE TO DISEASES OF THE NOSE, THROAT AND EAR

By E. GODFREY COLLINS, M.B., Ch.B., F.R.C.S.E.
368 pages. 93 illustrations. 36s.

USES OF EPIDEMIOLOGY

Second Edition. By J. N. MORRIS, M.A., F.R.C.P., D.P.H.
346 pages. 65 illustrations. 40s.

CLINICAL EXAMINATION

Edited by JOHN MACLEOD, M.B., Ch.B., F.R.C.P. *Edin.*
526 pages. 120 illustrations. 35s.

TEVIOT PLACE, EDINBURGH



Butazolidin[®] Geigy

Non-hormonal
antirheumatic agent.
Analgesic
Antipyretic
Anti-inflammatory

Detailed literature
describing any
Geigy product will
be supplied on
request.

Geigy Pharmaceutical
Company Limited
Manchester, 23.

VASOLASTINE

**for enzymatic control of cholesterol and fat metabolism
in arteriosclerotic and atherosclerotic vessels**

VASOLASTINE contains enzyme systems which oxidize fatty acids, reduce arterial cholesterol content and tend to restore vascular elasticity

INDICATIONS

**Arterio- and atherosclerosis,
Cerebral stenosis,
Cardio-vascular stenosis complicated with angina pectoris
when caused by fat and cholesterol deposition,
Fat and cholesterol metabolic imbalance generally,
Post-thrombotic symptoms**
In clinical and experimental trials, toxic and side-effects have not been observed.

FORMULATION

per ampoule:

Enzymes of the lipid metabolism

30 mg. \equiv 8000 units

Amin-oxidase

20 mg. \equiv 4000 units

Tyrosinase

20 mg. \equiv 4000 units

Stabilizing solvent to 2 ml.

Presentation: Boxes of 6, 25 and 100 ampoules.

REFERENCES

Barthlen, M., *Ars Medici*, 1959, 2
Brouwer, M., *Berliner Gesundheitsbl.*, 1955, 1, 8
Buschmann, W., *Zschr. f. ges. inn. Med. Grenzgeb.*, 1959, 15
Ernst, R., Inaugural Dissertation 1951, (Med. Univ. Cl. Frankfurt a/M)
Fiegel, G. and Recknagel, K., *Die Medizinische*, 1955, 31/32, 1093-1095
Fischer, Egon K., *Med. Klin.*, 1956, 15, 49
Grundel, A., *Die Medizinische*, 1958, 49
Hammerl, H. and Siedek, H., *Wiener Klin. Schr.*, 1956, 38/39
Hammerl, H., Klein, K. and Siedek, H., *Aerzt. Forschung*, 1959, 1B, 6
Hjelman, G. and Pettersson, T., *Finska Lakaresallskapets Handlingar*, 1957, 100
Hoogerwerf, S., *Aerzt. Forschung*, 1955, 11, 540-546
Hoogerwerf, S., *Geneesk. Gids.*, 1955, 5, 5-83
Hoogerwerf, S., *Geneesk. Gids.*, 1960, No. 24

Kruskemper, H. L. and Schulze, G., *Arch. exp. Pathol. Pharmacol.*, 1956, 229, 34-40
Labo, G., Vannini, P. and Barbara, L., *Minerva Medica* (in the press)
Noordsij, A. J. and Smith, J. A., *Ned. Tijdschrift v. Geneesk.*, 1958, 102, 42
Schulze, G., *Dtsch. Arch. f. klin. Med.*, 1958, 204, 5
Schulze, G. and Kruskemper, H. L., *Verhandl. deutsch. Gesells. f. innere Medizin*, 62nd Congress, 1956
Thurnherr, A. and Koch, J., *Helvet. Medica Acta*, 1957, Fasc. 4, 342-348
Wittermans, A. Willinge, *Der Freie Arzt*, 1954, 10/12, 221
Wittermans, A. Willinge, *Privatklinik und Sanatorium*, 1955, 6, 156-159
Wittermans, A. Willinge, *Belgisch Tijdschr. v. Geneeskunde*, 1956, 9, 480-483

Manufactured by Enzypharm
C. V., Holland



Further information gladly sent on request by Sole Distributors in U.K.:

F.A.I.R. LABORATORIES LTD. TWICKENHAM, MIDDLESEX



The corticosteroid with one starting dose for all three

Leder^{-OH}cort[†]

TRIAMCINOLONE LEDERLE

Supplied: Scored tablets 2mg. and 4mg. Also available: LEDERCORT Diacetate Forte Suspension, Cream 0.1%, Ointment 0.1%, Cream 0.1% with Neomycin, and Proctological Ointment. †Regd. trademark

Uniform initial dosage schedule for LEDERCORT triamcinolone facilitates management of most commonly encountered corticosteroid responsive disorders — often provides higher, more uniform potency and efficacy than other analogues. ONCE-A-DAY DOSAGE, for arthritis — asthma — dermatoses provides 24-hour suppressive effect, minimises "missed dose" problems, further facilitates administration and management.

the corticosteroid more patients can start on and stay on

LEDERCORT triamcinolone shows a unique ability to obtain and maintain desirable results with fewer collateral limitations than hydrocortisone, dexamethasone, betamethasone or other corticosteroids. Patients unresponsive or unable to tolerate other corticosteroids, frequently do well on LEDERCORT triamcinolone. Cardiac disease, hypertension, emotional disturbance and obesity are not considered contraindications for LEDERCORT. Patients have stayed on this modern corticosteroid for many years . . . with notable freedom from side effects.

further information on request


Lederle Laboratories a division of Cyanamid of Great Britain Ltd
Bush House London WC2



CYANAMID

Pentovis

a new selective oestrogen for the post-menopausal patient



Existing oestrogens influence several target organs. A new oral oestrogen, Pentovis, has been used clinically in post-menopausal vaginitis with very good results. Biopsies before and after treatment repeatedly showed that, while Pentovis has a beneficial effect on vaginal epithelium, endometrial changes do not take place and therefore withdrawal bleeding does not occur.

**Pentovis provides oral treatment for
Atrophic vaginitis
Kraurosis vulvae
and related conditions**

The side effects common to other oestrogens with multiple sites of action have not been seen with Pentovis. Nausea and gastric disturbances are very uncommon. Subjectively, patients usually feel better when taking Pentovis. There are no objections to raising the dose, but this is ordinarily unnecessary.

Pentovis

Dosage: One 0.25 mg. capsule twice daily for fourteen days. This course may be repeated, if necessary.

Packages: Pentovis (Quinestradol) is available in bottles of 30 and 250 capsules.

References

- Grillo, R (1961) Clin. ginec., **3**, 576
Roddie, TW (1964) Ulster med. J., **33**, 62
Sharman, A (1964) J. Endocr., **29**, 209

The Basic NHS cost of 25 capsules is 8/5d.

Full clinical information available on request
William R Warner & Co Ltd, Eastleigh,
Hampshire. Telephone Eastleigh 3131



**THE
BIG
ANSWER**

**to
Chronic
Bronchitis
is**

† REGD TRADEMARK

LEDERMYCIN[†]

Demethylchlortetracycline Lederle

the broadest coverage
with the simplest dosage
300 mg b.i.d. or two
150 mg tablets twice daily

presentation and basic NHS cost
capsules and tablets 150 mg
also 300 mg tablets
one day's treatment 3/11d (ex 100 pack)



CYANAMID

Lederle Laboratories
a division of
Cyanamid of Great Britain Ltd
Bush House London WC2

**Cough
control
long
enough
to play
through
'Parsifal'...**

...twice!

8-10 hours' cough relief—longer than with any other cough preparation—is provided by each teaspoonful of *Pholter*. Because of its prolonged action, two doses daily are usually adequate and 2 fl. oz. can provide treatment for one week for as little as 4/9 (basic NHS cost).

Pholter contains pholcodine and phenyltoloxamine as ion-exchange resin complexes to give smooth and prolonged cough relief—up to ten hours in many cases—from each teaspoonful dose.

Pholter is ideal for paediatric use. It is pleasantly flavoured and simple to administer—even to infants.


Dosage: one teaspoonful (4 ml.) two or three times daily. *For children:* half to full adult dosage, according to age. Each teaspoonful (4 ml.) contains pholcodine 15 mg. and phenyltoloxamine 10 mg. as resin complexes. Bottles of 2 fl. oz. and 20 fl. oz. (basic NHS prices 5/- and 47/4)

PHOLTEX

Pholter: registered trade mark

RIKER LABORATORIES
LOUGHBOROUGH · ENGLAND





Mf-b.

“INSTANT BREATH”

In the asthmatic attack — profound relief in seconds

One or two inhalations from *Medihaler-iso* Forte can provide relief of broncho-spasm comparable in speed and degree to that achieved by injection. Yet for the patient there is nothing simpler or more convenient to use whenever required. Each dose (0.4 mg. isoprenaline sulphate) contains over 85% by weight of particles between 2 and 7 microns in diameter—optimum for retention in the lungs. Treatment economy is assured because each vial delivers over 300 doses at a cost of less than $\frac{3}{4}$ d. per dose.

Medihaler-iso Forte, *Medihaler-iso* and *Medihaler-epi* are now supplied with a new-style plastic oral adapter.

basic N.H.S. prices	complete	refill
<i>Medihaler-iso</i> Forte		
isoprenaline sulphate 10 mg/ml	17/8	15/4
<i>Medihaler-iso</i>		
isoprenaline sulphate 2 mg/ml	15/-	12/8
<i>Medihaler-epi</i>		
adrenaline bitartrate 7 mg/ml	15/-	12/8

MEDIHALER-ISO FORTE

RIKER LABORATORIES · LOUGHBOROUGH · ENGLAND



Medihaler-epi, *Medihaler-iso*: registered trade marks

Doubt and 'the Pill'

Oral contraception has gained widespread appeal through the marital confidence it now makes possible.

The number of patients seeking consultation and the increasing number of converts to the method, make it clear that temporary side-effects are accepted, for the most part, as a small price to pay for the peace of mind and assurance the method provides.

Where natural caution and reticence exist, the assurance of patient and physician alike is best served by discerning choice of the product.

Ortho-Novin tablets
TRADE MARK

(2 mg. Norethisterone with 0.1 mg. Mestranol)

the *better tolerated*
oral contraceptive



SAMPLE AND LITERATURE ON REQUEST

ORTHO PHARMACEUTICAL LIMITED • SAUNDERTON
BUCKINGHAMSHIRE • ENGLAND

11b CARROTS?

in
diuretic
therapy




HydroSALURIC-K

HYDROCHLOROTHIAZIDE AND POTASSIUM CHLORIDE

REGD

A potassium-rich diet gives some insurance against thiazide-induced potassium depletion. HydroSALURIC-K also provides a potassium supplement—and has the additional value of being simple and economical. The potassium content of 4 tablets of HydroSALURIC-K is approximately equivalent to that of each of the following: 11b uncooked carrots, 21b cucumber, 11b uncooked cabbage, 11b tomatoes, 5 oranges, $\frac{1}{4}$ 1b uncooked cauliflower, 11b celery.


Available as tablets—25 mg hydrochlorothiazide, 572 mg potassium chloride. Detailed information is available to physicians on request.



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS



... is this platinum-iridium cylinder kept at the International Bureau of Weights and Measures, Sèvres, near Paris. It was established in 1889, and is known as the International Prototype Kilogramme. Its height is equal to its diameter and it is composed of 90% platinum and 10% iridium. Replicas have been distributed, as national reference copies, to other countries. If reference weights having a composition different from that of the standard are used, a correction for buoyancy in air must be applied to achieve the highest degree of accuracy.



TRANSVASIN

**is the standard therapy ... for
the relief of rheumatic symptoms**

Patients suffering from rheumatic lesions obtain rapid relief with Transvasin, the well-proven and economical therapy. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury, producing superficial erythema and deep hyperaemia. Transvasin is a valuable adjuvant in the treatment of osteo and rheumatoid arthritis.


**LLOYD-
HAMOL
Ltd.**

36-38 BERKELEY SQUARE, LONDON W.1

FORMULA

Ethyl nicotinate	2%
n-Hexyl nicotinate	2%
Ethyl p-aminobenzoate	2%
Tetrahydrofurfuryl salicylate	14%
Base	to 100%

The N.H.S. price of the 30 g. tube is 2/6 and the cost of an average application of cream is under 1d.



Potable



Portable

New BENYLETS* provide the established advantages of Benylin Expectorant* in a convenient, easy-to-carry form. BENYLETS check excessive coughing, soothe sore throats and relieve both nasal and bronchial congestion. Benylin is *the* linctus—now BENYLETS are *the* lozenges. In tins of 24.

*Trade mark

PARKE-DAVIS

PARKE, DAVIS & COMPANY, HOUNSLOW, MIDDLESEX. TELEPHONE: HOUNSLOW 2361

0-1200

**in
long-term
diuretic
treatment**

CENTYL-K



**the only bendrofluazide
with potassium supplement
for maintenance therapy
in all oedematous states**

Centyl-K tablets
bendrofluazide 2.5 mg with
pot. chlor. 573 mg in bottles of
100 and 500

**to initiate diuresis
Centyl injection replaces
mercurials in practice**

Centyl injection
5 mg bendrofluazide per ml
in vials of 5 ml

Leo Laboratories Limited
Copenhagen London Dublin



waiting for the dawn— the insomnia of depression



'Tryptizol' is an outstanding antidepressant with an additional specific tranquillising effect on the anxiety and insomnia which so often accompany depression. Early morning awakening, a characteristic symptom of depression—and one of its most disturbing—generally responds well to 'Tryptizol'.

TRYPTIZOL

Amitriptyline hydrochloride

'the drug of choice in depressive states'*


Available as 25 and 10 mg tablets, a syrup and an injection. Detailed information is available to physicians on request.

**Brit. J. Psychiat.*, 1963, 109, 851 (Nov).

See also *Brit. J. Psychiat.*, 1964, 110, 641 (Sep).



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS



Q "How do you find your way
around all these penicillin V
products?"

A "I just remember DQV-K—the
one with the Q"

Q "Why Q?"

A "Quality, of course".

DQV-K

the quality penicillin V

DQV-K is the accepted contraction
for **Distaquaine V-K** potassium
penicillin V
tablets of 60 mg., 125 mg. and
250 mg.,
syrup in a new fruit flavour and ready-
prepared suspension both containing
125 mg. per 5 ml.




Dista Products Limited · Speke · Liverpool 24

'Distaquaine' is a registered trade mark PPH365/B2979

Vioform[®]-Hydrocortisone

(3% iodochlorhydroxyquinoline and 1% hydrocortisone)

for broader control of skin disorders



an ideal 'first line'
treatment

cream, ointment
and lotion


Basic N.H.S. price. 5 G. tube
of cream or ointment 3s. 3d.



C I B A

Aids to Clinical Practice—This series on skin disorders in two volumes, is available on request

* denotes regd. trade mark Regd. user:
CIBA LABORATORIES LTD HORSHAM/SUSSEX



a matter of judgment

To construct a good mortice and tenon joint requires the fine judgment of a craftsman. The hardness and grain of the wood and the size of the joint to be made must all be taken into account in selecting the right tool. Not merely one that would do, but the *right* one. Comparable situations occur every day in every field—including the doctor's problem of selecting an antibiotic from the array offered him.

After rejecting those of the antibiotics unlikely to be effective, and those which should be used only in special circumstances, Erythrocin (erythromycin, Abbott) will be chosen as the ideal antibiotic for initial therapy in a wide variety of common infections. The tetracyclines and chloramphenicol have comparatively narrow *clinical* spectra—unexcelled in certain infections, but often better replaced by less toxic agents. Erythrocin does not share their toxicities, but has similar clinical effectiveness in the more common infections. Penicillin G and pen. V are cheap and often effective, had not so many strains of staphylococci become resistant. Even the more expensive synthetic penicillins have not overcome the problem of allergic reactions. Erythrocin is perhaps the least allergenic antibiotic available. Erythrocin is very active against the cocci and several of the more commonly pathogenic Gram-negative organisms, without upsetting the balance of the commensals. Though it has been in use for more than ten years,

relatively few staphylococci have developed resistance. Whereas it was once an expensive antibiotic, with continued increasing use it is now an extremely economical one. Most important, the Erythrocin preparations are perhaps the safest forms of the safest of all antibiotics, for none has been shown to cause liver damage.

ERYTHROCIN®

FILMTAB® ERYTHROCIN 250 MG (AS STEARATE)
(Adults) 1 tablet 4-6 hourly


ERYTHROPED®
(200 MG/5 ML, AS ETHYL SUCCINATE)
(Children) $\frac{1}{2}$ -1 tsp 4-6 hourly

Also as *Filmtab Erythrocin 100 mg*, *Erythrocin Suspension (100 mg/5 ml, as stearate)*, and *Erythrocin I.M. (as ethyl succinate)*.

®ERYTHROCIN, ERYTHROPED AND FILMTAB ARE THE REGISTERED TRADE MARKS OF



ABBOTT LABORATORIES LIMITED
QUEENBOROUGH · KENT



**If you have a patient who
cannot smell a rose...**

the remedy may be

Otrivine[®]
C I B A

**gentle nasal decongestant
exceptionally prolonged effect
rebound hyperaemia is not a problem**

Otrivine is xylometazoline hydrochloride

3 forms

Adult Drops 0.1% $\frac{1}{2}$ fl. oz.

Adult Spray 0.1% $\frac{1}{2}$ fl. oz.

**Paediatric Drops 0.05% 10ml.
(with special safety dropper)**

N.H.S. Price

3/4

3/4

3/0

'FRAGRANT CLOUD'

(From Harry Wheatcroft & Sons, Edwalton, Nottingham.)

From early summer until the first hint of the autumn frosts, these coral-red flowers will float a cloud of fragrance throughout your garden. 'Fragrant Cloud' is a rare combination, it has healthy, vigorous growth, well shaped, free-flowering blooms, and, as its name implies, a heady, intoxicating scent. It's no wonder that 'Fragrant Cloud' was the only rose, out of 249 entries, to win the coveted Gold Medal of the National Rose Society.



a more normal life for the hypertensive patient

'Aldomet' provides smooth control of hypertension, usually reducing lying as well as standing blood pressure. Hypotensive episodes caused by postural change or exertion are much less frequent than they are with other potent antihypertensive agents. 'Aldomet' is generally well tolerated and side effects are seldom a problem.

ALDOMET
METHYLDOPA REGD

Supplied as 250 mg tablets and, for emergency use, as an injection. Detailed information is available to physicians on request.



Merck Sharp & Dohme Limited, Hoddesdon, Herts




Metatone helps your convalescent patients to feel better quicker

By improving both outlook and appetite, METATONE* helps to promote a full recovery of normal vitality after influenza and other debilitating illnesses. It is acceptable to older children as well as adults. Metatone combines Vitamin B₁ and strychnine with mineral glycerophosphates. In bottles of 8, 16 and 80 fl. oz.

METATONE

**Trade mark*

PARKE-DAVIS HOUNSLOW · MIDDLESEX · TELEPHONE: HOUNSLOW 2361



Femme en Chemise by Picasso

© by S.P.A.D.E.M., Paris, 1964

Lethargy and fatigue are often a problem after childbirth, in convalescence, mild depression, over sedation, the menopause and in many old patients. The gentle action of Ritalin quickly restores mental and physical activity.


Tablets of 10 mg. Basic NHS price 100 7/10d

When you hear
"Doctor, I always
feel so tired"
the answer may be
Ritalin[®]
the well tried*
anti lethargic

*In wide usage since 1955

C I B A

The corner stone
of treatment
in hypertension



Bendrofluazide 1.25 mg.,
Reserpine 0.1 mg.
and Potassium Chloride 573 mg.

new low dosage combination
that provides a basic unit for
more flexible prescribing and
lower long-term treatment costs—
average 3d. daily
Basic NHS cost 100 tablets 10s.



Leo Laboratories Limited
Copenhagen London Dublin

**New compound unrelated to thiazides,
aldosterone antagonists or carbonic anhydrase
inhibitors. To combat serious sodium and
water retention and cause less potassium loss**

Lasix the new diuretic

4-chloro-N-(2-furylmethyl)-5-sulphamoylanthranilic acid

Less potassium loss

produces only half the potassium loss of the thiazides for the same volume of water excreted; conversely, doubles water and sodium excretion for the same potassium loss as the thiazides

Starts to act where thiazides stop

effective where thiazides fail; when thiazides give no further response Lasix gives an immediate increase in diuresis

Precise control of response

diuresis lasts about four hours, can be adjusted to suit patient's convenience—taken at teatime diuresis is over by bedtime: response is directly proportional to dosage

Lasix has a superior action to other diuretics, and it has an exceptionally high therapeutic reserve in comparison with them, so that it is possible to increase the dosage with safety up to 500 mg. daily until the desired therapeutic effect is obtained. The usual dosage range is 40–120 mg.

Lasix is one of the safest and most potent diuretics to be introduced to the medical profession this decade

Presentation

Lasix is presented as tablets of 40 mg. in containers of 50 and 250, and in ampoules containing 20 mg. in 2 ml. in packages of 5 and 25.

References:

1. *Dtsch. med. Wschr.*, 1963, **88**, 1695
2. *Arzneimittel-Forschung*, 1964, **14**, 44
3. *Curr. ther. Res.*, 1964, **6**, 88
4. *Med. Welt*, 1964, 922
5. *Wien. med. Wschr.*, 1964, **114**, 236
6. *Rev. med. Suisse rom.*, 1964, **84**, 277
7. *Wien. klin. Wschr.*, 1964, **76**, 476
8. *Clin. Res.*, 1964, **12**, 268
9. *Klin. Wschr.*, 1964, **42**, 569
10. *Clin. Tera.*, 1964, **29**, 297
11. *Arzneimittel-Forschung*, 1964, **14**, 709
12. *Ibid.*, 1964, **14**, 710
13. *Ibid.*, 1964, **14**, 713

Lasix is a registered trade mark

HOECHST


Member of the Association of the British
Pharmaceutical Industry



**SERVICE IN THE
CAUSE OF MEDICINE**

HOECHST PHARMACEUTICALS LIMITED, PORTLAND HOUSE, LONDON S.W.1

This is no ordinary tetracycline tablet



It has the widest range of activity of the broad-spectrum antibiotics available today, for, in addition to tetracycline, it contains a highly effective antifungal antibiotic, nystatin, which can prevent the monilial superinfection often found when tetracycline alone is given. Thus, the patient receiving this tetracycline tablet is protected against monilial side-effects such as nausea and vomiting; diarrhoea; ano-genital pruritus; and thrush¹

The name of this tablet? **Mysteclin**

Mysteclin tablets and capsules: tetracycline with nystatin
also available: Mysteclin syrup: tetracycline with amphotericin B

Squibb *Mysteclin trademark*

¹Lancet (1959) 1, 1228-1229

E. R. Squibb and Sons Limited, Regal House, Twickenham, Middlesex



MY/1-85J

MENTAL CONFUSION RESPONDS TO ANP 235

ANP 235, a neuroregulator with a unique action, is producing excellent results in confusional states. It regulates the metabolism of the nerve cell, facilitates the utilisation of glucose and combats anoxia; actions which differ fundamentally from those of the amphetamines and the monoamine oxidase inhibitors.

ANP 235 may be used in confusional states of any degree of severity, such as those caused by intoxication, infection, cranial trauma, metabolic disturbances, cerebrovascular conditions and senility. Provided that irreversible damage has not occurred, the response is usually rapid and lasting; toxicity is exceptionally low and the side effects are negligible.

Over 150 published reports have so far appeared and further trials are in progress. (Recommended WHO non-proprietary name meclofenoxane.)

BASIC NHS PRICES

Bottles of 100 tablets of 100 mg	25/-
Bottles of 500 tablets of 100 mg	112/6

A carton containing 10 vials of 250 mg 40/-
DOSAGE: Usual oral dose 6-9 tablets daily for adults. Literature and samples on request.

ANP 235

LLOYD ANPHAR LTD., 36-38 Berkeley Square, W.1
Lloyd Anphar is an associated company of Lloyd-Hamol Ltd.



*'And adepts in the speaking trade
Keep a cough by them ready made'*

REV. CHARLES CHURCHILL

But for those who do not regularly indulge in 'the speaking trade', a cough is no blessing.

'Actifed' Compound Linctus provides rapid and effective relief from coughs and congestion. It combines the decongestant properties of pseudoephedrine and the antihistamine effect of triprolidine with the proven cough-controlling action of codeine.

It is indicated in unproductive cough, cough with cold or cough with bronchitis or allergy, in young or old.


'ACTIFED' Compound Linctus

brand

Decongestant • Antihistamine • Bronchodilator • Antitussive



BURROUGHS WELLCOME & CO. LONDON
(The Wellcome Foundation Ltd.)



In convalescence after serious illness

ANABOLEX

ANABOLEX promotes return of appetite,
increased weight and a sense of well-being

Convalescence can be shortened by the administration of ANABOLEX, which stimulates protein metabolism. ANABOLEX is indicated for all patients—adults and children—in negative nitrogen balance. Presentation: Tablets each containing 25 mg. androstanolone in vials of 25, 100 and 250. Dose: The maintenance dose of Anabolex is 2-3 tablets daily and, based on the new reduced NHS price, costs only 1/11d. a day.

LLOYD-HAMOL LIMITED, 36-38 BERKELEY SQ., W.1 

Aldactone-A

brand of spironolactone

for the water-logged patient

Many patients with oedema and ascites fail to get a complete response to diuretic treatment. An important cause of this resistance is excessive secretion of aldosterone, a sodium-retaining adrenal steroid.


In these water-logged patients the early addition of Aldactone-A (a selective aldosterone antagonist) to the diuretic programme is a compelling therapeutic necessity

Aldactone-A acts as a booster to conventional diuretics, maintaining and enhancing their effect and enabling more complete diuresis to be achieved, until 'dry weight' is regained. Aldactone-A also increases the safety of long-term diuretic therapy by minimizing potassium depletion. Finally, patients on Aldactone-A often feel better, function better, and may be permitted a more liberal diet.

available as 25 mg. tablets in bottles of 30, 100 and 500.

Aldactone is a Registered Trade Mark

SEARLE *Research in the Service of Medicine*



BUYING A CAR

THEN GET DETAILS OF
THE EXCELLENT TERMS
OFFERED BY YOUR
PROFESSION'S OWN
HIRE-PURCHASE COMPANY

Send the coupon below to:

THE MEDICAL SICKNESS FINANCE CORPORATION
7-10 CHANDOS STREET, CAVENDISH SQUARE, LONDON, W.1.

Telephone: MUSeum 1686

- * *20% Deposit*
- * *Repayments up to 36 months*
- * *Payments waived on death*

A wholly owned subsidiary of
The Medical Sickness Annuity & Life Assurance
Society Ltd.

Name	_____
Address	_____ _____ _____
Occupation	_____ GP.

20% DISCOUNT

on branded

CARPETS

Wilton, Axminster, Orientals, etc.

Indian, Chinese, Persian Carpets and Rugs a speciality

FREE DELIVERY U.K.

Expert fitting arranged if required.

Write stating requirements or for introduction to showrooms

London and Main cities

DODSON-BULL CARPET COMPANY

37a Aldersgate Street, London, E.C.1

Tel : MONarch 7171 (10 lines)