FOR ALL YOUR PERSONAL INSURANCES-THE SPECIALLY DESIGNED INSURANCE POLICIES OF THE MEDICAL SICKNESS SOCIETY-

The Insurance Society that belongs to the Medical and Dental professions

Permanent Sickness and Accident Insurance Whole Life
and Endowment Assurance Family Income Benefit
☐ Educational Assurance ☐ Children's Deferred Policies
☐ Personal Pension Policies ☐ The Combined Policy
☐ The Foundation Policy



For full particulars please write to the General Manager and Actuary
THE MEDICAL SICKNESS ANNUITY & LIFE ASSURANCE SOCIETY LTD.
7-10 Chandes Street, Cavendish Square, London, W.1. Tel.: MUSeum 1686

"The placid individual often has no subjective symptoms until serious complication occurs."†

'Nefrolan'* brand clorexolone enables the blood pressure to be maintained at a safe level without discomfort or inconvenience to the patient.


One 10 mg, tablet once or twice daily is usually sufficient. Higher dosage can be given, if necessary, and additional antihypertensive agents can be introduced, if required.

At higher dosage levels 'Nefrolan' is an efficient oral diuretic, and of benefit in those cases of water retention which are helped by diuretics. 'Nefrolan' is presented as 10 mg. tablets for hypotensive use and 25 mg. tablets for diuresis and more severe hypertension.

†"Hypertension: Management and Results." Proc. R. Soc. Med., 56, 403, 1963.

Nefrolan

A new M&B oral hypotensive and diuretic agent.



Dagenham · Essex

*trade mark

HA978

Baillière, Tindall & Cassell

This advertisement, the first to appear under this new imprint, signifies the fusion of Baillière's and Cassell's medical books into a single list. This fusion is a result of the recent amalgamation of the Cassell and Baillière organizations, both more than a century old, which for many years have published for the medical profession. Baillière, Tindall and Cassell will continue to reflect the progress of medicine by providing a broad spectrum of publications on medical and ancillary subjects.

Psychiatric Illness

DIAGNOSIS AND MANAGEMENT

FOR GENERAL PRACTITIONERS AND STUDENTS

by H. MERSKY, M.A., B.M., B.Ch., D.P.M., Consultant Psychiatrist, Saxondale Hospital, Nottingham, and W. LAWTON TONGE, M.D., D.P.M., Consultant Psychiatrist, United Sheffield Hospitals.

Foreword by Professor E. Stengel, M.D. (Vienna), F.R.C.P.

The general practitioner is having to deal increasingly with patients suffering from psychiatric illness who cannot be referred to a specialist. This new, eminently readable book provides the guidance, advice and technical information the doctor needs to manage the psychiatric patient. It deals not only with the usual psychiatric syndromes but also with the psychological problems of childhood, sexual adjustment, marriage and anti-social behaviour.

264 pages. 27s. 6d.

CURRENT ACHIEVEMENTS IN GERIATRICS

W. F. Anderson, O.B.E., M.D., F.R.C.P. and B. ISAACS, M.D., M.R.C.P.

268 pages. 23 illustrations 30s.

THE PRACTITIONER'S HANDBOOK

W. A. R. THOMSON, M.D.

711 pages. 21 illustrations 63s.

DERMATOLOGY

R. M. B. MACKENNA, M.A., M.D., B.CHIR. (Cantab.), F.R.C.P. and E. LIPMAN COHEN, M.A., M.B., B.CHIR. 288 pages. 1 plate. 17s. 6d.

RESUSCITATION AND CARDIAC PACING

GAVIN SHAW, B.SC., F.R.C.P.G., GEORGE SHAW, B.SC., F.R.C.P.S., F.R.C.S.E., and THOMAS J. THOMSON, M.B. 272 pages. 67 illustrations 30s.

BAILLIÈRE, TINDALL & CASSELL

7 & 8 Henrietta Street, London, W.C.2

TO-DAY'S DRUGS

Published in December, 1964

This book is based on a series of review articles which were printed in the "To-day's Drugs" section of the BRITISH MEDICAL JOURNAL between January 1963 and May 1964. These articles have been edited and brought completely up to date so as to form an authoritative and practical guide to modern therapeutics. The book is designed to cover the drug treatment of those common conditions which are met with in general and hospital practice. There are important sections dealing with antibiotic therapy, cardiovascular conditions, rheumatic disorders, oral contraceptives, and the special problems involved in paediatric and geriatric prescribing. Special attention has been paid to the precautions which should be taken in using these drugs and their toxic and side-effects. This book should be of value to all doctors concerned in the day-to-day treatment of patients.

Demy Octavo

Price 30s. net. (postage 2s. 6d. extra)

400 pages



The most up-to-date book of its kind

The Publishing Manager, BRITISH MEDICAL JOURNAL, BMA House, Tavistock Square, London, W.C.1 or through any leading bookseller

E. & S. LIVINGSTONE LTD.

HEALTH SERVICES ADMINISTRATION: A Source Book

Edited by R. J. Peters, M.D., F.R.C.P. (Ed.), D.P.H. and J. KINNAIRD, M.A., B.L., C.A., F.H.A.

500 pages

42s.

THE ART OF GENERAL PRACTICE

By DAVID C. MORRELL, M.B., B.S., M.R.C.P. Lond., D.OBST.R.C.O.G. 132 pages. 12s. 6d.

BEDSIDE DIAGNOSIS

Seventh Edition. By Charles Seward, M.D., F.R.C.P. (Edin.). 588 pages. 20 illustrations.

35s.

RADIOLOGY FOR GENERAL PRACTITIONERS AND MEDICAL STUDENTS

By DAVID SUTTON, M.D., F.R.C.P., F.F.R., D.M.R.D. 96 pages. 86 illustrations.

12s. 6d.

AN INTRODUCTION TO PSYCHIATRY

Third Edition. By MAX VALENTINE, M.D., D.P.M. 328 pages.

24s.

ASPECTS OF DEPRESSIVE ILLNESS

By David C. Maddison, M.B., B.S., F.R.A.C.P., D.P.M., and Glen M. Duncan, B.Sc., M.B., B.S. 196 pages.

17s. 6d.

——TEVIOT PLACE, EDINBURGH

A NEW CONCEPT...

MAIN INDICATIONS

- ☐ ATHERO, CEREBRAL AND CORONARY **SCLEROSIS**
- ☐ HYPER- AND HYPO-**TENSION**
- ☐ ANGINA PECTORIS
- **□INTERMITTENT** CLAUDICATION
- **GANGRENE**

FORMULA per ampogle:

Enzymes of the lipid metabolism 30 mg. = 8000 units Amin-oxidase 20 mg. = 4000 units 20 mg. = 4000 units

abilizing solvent to 2 ml. matation: Boxes of 6, 25 and 100 ampoules.

enzyme therapy for cardiovascular disorders

VASOLASTINE consists of enzymes which catalyse fat and cholesterol and those amines which take part in regulating the blood pressure.

The effect of Vasolastine is to resolve deposits of atheroma with consequent increasing oxygenation of the tissues.


Vasolastine is non-toxic and no side effects have been reported even with high dosages or prolonged treatment. There are no contraindications.



enzypharm Manufactured by Enzypharm C.V. Holland.

Further information and list of publications glady sent on request by the Sole U.K. Distributors:

F.A.I.R. LABORATORIES LTD., TWICKENHAM, MIDDLESEX.



† REGD.TRADEMARK

LEDERMYCIN[†]

Demethylchlortetracycline Lederle

the broadest coverage with the simplest dosage 300 mg b.i.d. or two 150 mg tablets twice daily

Ledaris

EYANAMID

Lederle Laboratories a division of Cyanamid of Great Britain Ltd Bush House London WC2 presentation and basic NHS cost capsules and tablets 150 mg also 300 mg tablets one day's treatment-3/11d. (ex 100 pack)

BEIGY

Detailed literature describing any Geigy product will be supplied on request.

Geigy Pharmaceutical Company Ltd Manchester 23



Contact dermatitis from dye in nylon stocking, two years' duration. On the left is the foot which was treated for seven days with Betnovate Ointment under polythene occlusion.

wide scope

Betnovate

the topical steroid most likely to succeed

ointment and cream in 30 gram tubes for greater convenience and lower cost

Betnovate: 0.1% betamethasone as 17-valerate

Betnovate is a Glaxo trade mark

Detailed literature is available from Glaxo Laboratories Limited



NEXT PATIENT PLEASE

If the complaint is PAIN prescribe PONSTAN

(mefenamic acid, Parke-Davis

The superior oral analgesic with anti-inflammatory properties Detailed information on Ponstan is available on request

PARKE-DAVIS

Staines Road, Hounslow, Middlesex



Dear Doctor, I have taken GUINNESS for seven days running

and how much better I feel

"... the use of Pentovis orally was effective in relieving the symptoms of senile vaginitis. In the series (30 patients) there was no evidence that the drug had any unpleasant side effects or produced withdrawal bleeding. Pentovis therefore merits further use, as it seems to be a valuable preparation in the treatment of a distressing and difficult condition."

Roddie, T.W., (1964) Ulster med. J. 33, 62.

"Before the present series, all cases of senile cervicitis or vaginitis or both (in my wards) were treated by vaginal pessaries containing 0.1 mg. oestrone (B.P.C.) daily. No oral treatment was given. There is no doubt that the results with Pentovis are better, in that more effective and quicker improvement is obtained."

Sharman, A., (1964) J. Endocrin 29, 209.



PENTOVIS

the selective oral oestrogen for the post- menopausal patient

Pentovis

Dosage: One 0.25 mg. capsule twice daily for fourteen days. This course may be repeated, if

necessary.

Packages: Pentovis (Quinestradol) is available in bottles of 30 and 250 capsules. The Basic NHS cost of 25 capsules is 8/5d.

Full clinical information available on request. William R Warner & Co Ltd Eastleigh Hampshire England Telephone Eastleigh 3131

These facts are true of only one oral contraceptive...

Ovulen (brand of ethynodiol diacetate with mestranol) is the only oral contraceptive with a progestin content of only 1 mg. per tablet. This very low dosage is accompanied by fewer side effects.

Ovulen* has a background of 12 years' research and clinical experience. It is made by Searle, who developed the first oral contraceptive.

*Trade Mark





"INSTANT BREATH"

In the asthmatic attack - profound relief in seconds

One or two inhalations from *Medihaleriso* Forte can provide relief of bronchospasm comparable in speed and degree to that achieved by injection. Yet for the patient there is nothing simpler or more convenient to use whenever required. Each dose (0.4 mg. isoprenaline sulphate) contains over 85% by weight of particles between 2 and 7 microns in diameter—optimum for retention in the lungs. Treatment economy is assured because each vial delivers over 300 doses at a cost of less than \(\frac{3}{4} \)d. per dose


Medihaler-iso Forte, Medihaler-iso and Medihaler-epi are now supplied with a new-style plastic oral adapter.

basic N.H.S. prices Medihaler-iso Forte	complete	refill
isoprenaline sulphate 10 mg/n Medihaler-iso	nl 17/8	15/4
isoprenaline sulphate 2 mg/ml Medihaler-epi	15/-	12/8
adrenaline bitartrate 7 mg/ml	15/-	12/8
MEDILLALED IC	חר דר	INT

MEDIHALER-ISO FORTE

RIKER LABORATORIES · LOUGHBOROUGH · ENGLAND

Medihaler-epi, Medihaler-iso: registered trade marks



the best of both worlds



${f AUREOCORT}^*$

chlortetracycline/triamcinolone acetonide Lederle

More power to soothe

because it contains **Ledercort** triamcinolone—the most effective topical steroid

More power to heal

because it contains **Aureomycin** chlortetracycline—the leading topical broad spectrum antibiotic

presentation and basic **NHS** cost 5 gm tube 5/10d 15 gm tube 14/4d 60 gm spray container 20/6d





Lederle Laboratories

a division of Cyanamid of Great Britain Limited Bush House London WC2

† regd. trademark

* trademark



Compulsive eaters need more than just a curb on appetite

Overeating is often a defensive reaction to stress – anxiety, boredom, loneliness, frustration.

DUROPHET-M contains not only the most effective appetite depressant available today (laevo- and dextro-amphetamine, ratio 1:3) but also the well-tolerated calmative methaqualone, to alleviate those underlying stresses — and make weight loss more certain. Capsules are available in two strengths stated in terms of laevo-and dextro- amphetamine content. Both strengths contain 40 mg. methaqualone.


DUROPHET-M

Durophet: registered trade mark
DOSAGE IS SIMPLE — JUST ONE CAPSULE AT BREAKFAST

Basic NHS prices: $12\frac{1}{2}$ mg. 20 mg. bottles of 30 capsules 7/4 8/-bottles of 300 capsules 49/8 54/-



RIKER LABORATORIES LOUGHBOROUGH · ENGLAND



your prescription for sleep . . .

Carbrital

Kapseals

carbrital* Kapseals* each containing $1\frac{1}{2}$ grains pentobarbitone sodium and 4 grains carbromal are available in bottles of 25 and 250. An Elixir containing $\frac{1}{4}$ grain pentobarbitone sodium and $\frac{3}{4}$ grain carbromal per teaspoonful in bottles of 4, 16 and 80 fl. oz. is also available.

*Trade mark

PARKE-DAVIS



gentle nasal decongestant exceptionally prolonged effect rebound hyperaemia is not a problem

Otrivine is xylometazoline hydrochloride

-	
3 forms	N.H.S. Price
Adult Drops 0.1% \(\frac{1}{2} \) fl. oz. Adult Spray 0.1% \(\frac{1}{2} \) fl. oz.	3/4
Adult Spray 0.1% I fl. oz.	3/4
Paediatric Drops 0.05% 10ml.	3/0
(with special safety dropper)	-•-

'FRAGRANT CLOUD'

(From Harry Wheatcroft & Sons, Edwalton, Nottingham.)

From early summer until the first hint of the autumn frosts, these coral-red flowers will float a cloud of fragrance throughout your garden. 'Fragrant Cloud' is a rare combination, it has healthy, vigorous growth, well shaped, free-flowering blooms, and, as its name implies, a heady, intoxicating scent. It's no wonder that 'Fragrant Cloud' was the only rose, out of 249 entries, to win the coveted Gold Medal of the National Rose Society.

DECISIVE cervico-vaginal THERAPY

SULTRIN (Triple Sulfa) Cream destroys a wide variety of vaginal pathogens in many obstetrical and gynaecological conditions; promotes rapid healing, relieves inflammation, minimises discomfort, reduces odour and discharge.





Sultring (TRIPLE SULFA) CREAM





ACTIVE INGREDIENTS

SULPHATHIAZOLE
SULPHACETAMIDE
N' BENZOYLSULPHANILAMIDE





a more normal life for the hypertensive patient

'Aldomet' provides smooth control of hypertension, usually reducing lying as well as standing blood pressure. Hypotensive episodes caused by postural change or exertion are much less frequent than they are with other potent antihypertensive agents. 'Aldomet' is generally well tolerated and side effects are seldom a problem.

ALDOMET REGO

Supplied as 250 mg tablets and , for emergency use , as an injection. Detailed information is available to physicians on request.



Merck Sharp & Dohme Limited, Hoddesdon, Herts






Where pollen brings allergy, Benadryl brings relief

For those who react to pollen with sneezing, lachrymation, nasal congestion and pruritus—BENADRYL* provides rapid relief. Indeed, whatever the allergy, BENADRYL effectively relieves the symptoms. Benadryl (diphenhydramine hydrochloride B.P. Parke-Davis) in 25 mg. capsules, and 50 mg. Kapseals* (both in bottles of 50 and 500) and in Elixir form in bottles of 4, 16 and 80 fl. oz.



PARKE-DAVIS HOUNSLOW-LONDON-TELEPHONE: HOUNSLOW 2361



In convalescence after serious illness **ANABOLEX**

ANABOLEX promotes return of appetite, increased weight and a sense of well-being

Convalescence can be shortened by the administration of ANABOLEX, which stimulates protein metabolism. ANABOLEX is indicated for all patients—adults and children—in negative nitrogen balance. Presentation: Tablets each containing 25 mg. androstanolone in vials of 25, 100 and 250. Dose: The maintenance dose of Anabolex is 2-3 tablets daily and, based on the new reduced NHS price, costs only 1/11d. a day.





SALURIC RED CREED RESD

Due to its unsurpassed effectiveness and short duration of action, 'Saluric' generally provides a dependable diuresis which is substantially complete before the patient retires, allowing an undisturbed night's sleep.

Available as 0.5 G tablets and, for emergencies, as 'Lyovac Saluric' for intravenous administration, in vials containing 0.5 G chlorothiazide as the sodium salt. Detailed information is available to physicians on request.



'PRO-ACTIDIL'

a very versatile antihistamine

'Pro-Actidil' contains triprolidine hydrochloride. It is specially formulated to give continuous action for 19 to 24 hours.

If given in the evening four to five hours before retiring, 'Pro-Actidil' will ensure a good night's sleep for the patient, free from sneezing, nasal congestion, irritation and restlessness. If drowsiness is induced, it will occur at bedtime.

A most interesting clinical observation has been reported indicating that 'Pro-Actidil' also provides excellent protection in various forms of solar dermatosis [Brit. J. Derm. (1963). 75, 254; Med. Proc. (1963). 9, 461]. Wider clinical application is needed to confirm this specific action.

'Pro-Actidil' is recommended for adults and children over ten years.

'PRO-ACTIDIL'

acts in minutes—lasts for hours




Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) London



At the first sign of migraine new ERGODRYL* is indicated. Ergodryl—a combination of ergotamine tartrate, caffeine citrate and Benadryl*—exerts a four-fold action in the symptomatic relief of migraine and Horton's syndrome (histamine headache). Ergotamine, potentiated by caffeine, constricts the cranial blood vessels, causing a reduction in cerebral blood flow. Benadryl counteracts any tendency to nausea and vomiting, exerts a potent antihistaminic effect and sedates the patient. Ergodryl is available in containers of 10 and 100 capsules. *Trade mark

PARKE-DAVIS HOUNSLOW-LONDON-TELEPHONE: HOUNSLOW 2361

This is no ordinary tetracycline tablet



It has the widest range of activity of the broad-spectrum antibiotics available today, for, in addition to tetracycline, it contains a highly effective antifungal antibiotic, nystatin. which can prevent the monilial superinfection often found when tetracycline alone is given. Thus, the patient receiving this tetracycline tablet is protected against monilial side-effects such as nausea and vomiting; diarrhoea; ano-genital pruritus; and thrush1

The name of this tablet?

Mysteclin tablets and capsules: tetracycline with nystatin also available: Mysteclin syrup: tetracycline with amphotericin B

Squibb Mysteclin trademark

¹Lancet (1959) 1, 1228-1229

E. R. Squibb and Sons Limited, Regal House, Twickenham, Middlesex



in long-term diuretic treatment

CENTYL-K

the only bendrofluazide with potassium supplement for maintenance therapy in all oedematous states

Centyl-K tablets

bendrofluazide 2.5 mg with pot. chlor. 573 mg in bottles of 100 and 500

Centyl injection

5 mg bendrofluazide per ml in vials of 5 ml

Leo Laboratories Limited Copenhagen London Dublin to initiate diuresis Centyl injection replaces mercurials in practice



a major discovery for rheumatic disorders

INDOCID

'Indocid' is a new, non-steroid anti-inflammatory agent with analgesic and antipyretic properties, chemically unrelated to the corticosteroids, butazones or salicylates.

Widespread clinical experience has shown that 'Indocid' rapidly relieves pain and inflammation, and allows greater mobility. In osteoarthritis, 'Indocid' is often effective where other agents are inadequate; it has given excellent results in osteoarthritis of the hip.

In rheumatoid arthritis, objective evidence of effect may be seen as a measurable reduction of joint swelling. 'Indocid' has also proved effective in ankylosing spondylitis, gout, and certain soft-tissue disorders.

NOW AVAILABLE FOR GENERAL PRESCRIBING

'Indocid' is supplied as 25 mg capsules. Detailed information is available to physicians on request. '... the first
non-corticosteroid
agent which produced
a predictable and
measurable reduction
in joint-swelling in
most cases of active
rheumatoid arthritis.'

Brit. med. J., 1963, 2, 965 (19 Oct)



Indocid' was discovered and developed by the Merck Sharp & Dohme Research Laboratories and is made in England by



Remission


- In mental confusion and senile apathy lasting remission obtained by ANP 235.
- Has been well tried for 5 years on the Continent. Over 200 papers published.

 Toxic effects negligible.
- Physiological neuroregulator augmenting metabolism of glucose by nerve cells. Action quite unlike any other substances.

ANP 235

Meclofenoxate—Approved name—B.P. Basic NHS Prices: 100 mg. tablets 100 (25/-) and 500 (112/6). Adult dosage: usually 9-12 tablets daily. Detailed literature on request.

LLOYD ANPHAR LTD., 36-38 BERKELEY SQUARE, W.1. Lloyd Anphar is an associated company of Lloyd-Hamol Ltd.



which hypertensive patients are best treated with 'Esbatal'?

All new patients requiring an adrenergic neurone-blocking agent

- "Bethanidine sulphate is an important and potent hypotensive drug, and by its use the regime of many patients has been simplified and side-effects avoided." J. Irish med. Ass., 1965, 56, 9.
- "While expecting the symptoms of adrenergic neurone blockade, we have been pleasantly surprised by the lack of other side-effects, and especially by the absence of diarrhœa." *Lancet*, 1962, ii, 897.

Male hypertensives

'Esbatal' does not cause impotence, but as with other adrenergic neurone-blocking agents, failure of ejaculation may occur. When this causes concern, withdrawal of 'Esbatal' for 24 hours usually reverses this side-effect. Good control of blood pressure is regained rapidly on resuming treatment. (See *Lancet*, 1964, ii, 659.)

Patients in whom other forms of hypotensive therapy cause diarrhoea

".... a useful alternative to established means of therapy. It seldom causes diarrhoea, and the dose is easily manipulated." Lancet, 1964, ii, 659.

When rapid control of blood pressure is essential

- ".... it has the advantage of more rapid action and excretion so that its dose can be increased more rapidly and the blood pressure brought under control more quickly." *Brit. med. J.*, 1964, ii, 865.
- "Bethanidine sulphate is of particular value for the rapid reduction of high blood pressure" J. Irish med. Ass., 1965, 56, 9.

Rapid action— Simpler management— Minimal side-effects

'Esbatal' BETHANIDINE SULPHATE

Available as 10 mg, and 50 mg, scored peach-coloured tablets

Detailed literature available on request



Burroughs Wellcome & Co., London

(The Wellcome Foundation Ltd.)

iron before breakfast


To prescribe iron before breakfast would be asking for trouble with ordinary ferrous sulphate tablets. Even taken after meals and in divided doses, such tablets cause irritation and unpleasant side effects in many patients, often leading to the abandonment of therapy. But "One Ferro-Gradumet tablet before breakfast" is right. This once-daily haematinic is designed to be taken on an empty stomach. Because iron absorption is in inverse proportion to the amount of food present, just one tablet daily, taken before breakfast, gives steady, trouble-free assimilation of ample amounts of iron. Instead of a corrosively large dose of ferrous sulphate being released in the stomach, the contents of the Gradumet—a unique controlled-release vehicle which is independent of gastro-intestinal chemistry and motility—are slowly leached out over a period of hours throughout the gastro-intestinal tract.

Presentation Each red Ferro-Gradumet Filmtab® (film-coated tablet, Abbott) contains the exsiccated equivalent of 525 mg ferrous sulphate B P, providing 105 mg elemental iron—a sufficient daily dose for all cases of iron deficiency.










... is the Metre, which is defined as equal to 1,650,763.73 times the wavelength *in vacuo* of the orange line emitted by the atom of krypton of mass 86, in dry air at 15°C and at standard atmospheric pressure.

This definition of the Metre was accepted by the International Committee of Weights and Measures in 1958. The International Prototype Metre, which was established in 1889 was the distance between two transverse graduation lines engraved on a platinum-iridium bar, kept at Sèvres, near Paris.



Patients suffering from rheumatic lesions obtain rapid relief with Transvasin, the well-proven and economical therapy. The esters of nicotinic, salicylic and p-aminobenzoic acids penetrate the skin and are concentrated at the point of injury, producing superficial erythema and deep hyperaemia. Transvasin is a most valuable adjuvant in the treatment of both osteo- and rheumatoid-arthritis.

LLOYD-HAMOL Ltd.

36-38 BERKELEY SQUARE, LONDON, W.1

FORMULA

Ethyl nicotinate	2%
n-Hexyl nicotinate	
Ethyl p-aminobenzoate	
Tetrahydrofurfuryl salicylate . 1	
Base to 10	

The N.H.S. price of the 30 g. tube is 2/6 and the cost of an average application of cream is under 1d.



Peritrate SA aids survival

encourages the development of collateral circulation

increases myocardial blood flow

Peritrate SA long-acting vasodilator with twelve-hourly dosage schedule.

Each tablet of Peritrate SA (sustained action) contains 80 mg, pentaerythritol tetranitrate. William R. Warner & Co. Ltd., Eastleigh, Hampshire. Telephone Eastleigh 3131

BUYING

A CAR

THEN GET DETAILS OF THE EXCELLENT TERMS OFFERED BY YOUR PROFESSION'S OWN HIRE-PURCHASE COMPANY

Send the coupon below to:

THE	MEDICA	NL SICKN	IESS	FINA	NCE C	DRPORAT	rion
7-10	CHANDOS	STREET.	CAVE	NDISH	SQUARE	LONDON.	W.1.

Telephone: MUSeum 1686

- * 20% Deposit
- * Repayments up to 36 months
- * Payments waived on death

A whelly owned subsidiary of The Medical Sickness Annuity & Life Assurance Society Ltd.

Name	
Address	
Occupation	

20% DISCOUNT

on branded

CARPETS

Wilton, Axminster, Orientals, etc.

Indian, Chinese, Persian Carpets and Rugs a speciality

FREE DELIVERY U.K.

Expert fitting arranged if required.

Write stating requirements or for introduction to showrooms

London and Main cities

DODSON-BULL CARPET COMPANY

37a Aldersgate Street, London, E.C.I

Tel: MONarch 7171 (10 lines)