

summer hazards

The warmer months of the year provide conditions suitable for the multiplication of bacteria on contaminated food and for the spread of contamination by flies; it is then that epidemics of bacterial food poisoning, bacillary dysentery and summer diarrhæa of infants are most frequent and widespread.

The organisms commonly responsible for such epidemics are sensitive to the combined action of streptomycin and sulphaguanidine.

The use of Guanimycin will rapidly eliminate the infecting organism and reduce the number of convalescent carriers.

GUANIMYCIN

Oral streptomycin sulphate with sulphaguanidine

In bottles to prepare 4 fluid ounces.

Literature on application.




'Sulphamezathine'

the all-purpose veterinary Sulphonamide



IMPERIAL CHEMICAL (PHARMACEUTICALS) LIMITED

A subsidiary company of Imperial Chemical Industries Limited WILMSLOW, MANCHESTES Ph.513/1





1111

'DISTAQUAINE' Suspension

vials of 10 ml. (300,000 units per ml.)

'DISTAQUAINE' G

'DISTAQUAINE' Fortified viale of 400,000, 1,200,000 and 4,000,000 units

Distributed by

Allen & Hanburys Ltd.
British Drug Houses Ltd.
Burroughs Wellcome & Co.

Evans Medical Supplies Ltd.

Imperial Chemical (Pharmaceuticals) Ltd.

Pharmaceutical Specialities (May & Baker) Ltd.

THE DISTILLERS COMPANY (Biochemicals) Limited

Devonshire House, Piccadilly, London, W.1
Owners of the trade mark 'Distaquaine'

12/55 E

In therapeutic management and in the field of Research

The Energen Dietary Service

offers to the General Practictioner, free of charge, its comprehensive facilities covering every aspect of dietetics.

Standard Diet Charts for routine cases

Special Diets prepared for
individual cases

Assistance in dietary research

Consultations · Literature · Advice

For full particulars write, telephone or call: ENERGEN DIETARY SERVICE 25A BRYANSTON SQUARE, W.1.

Telephone: AMBassador 9332

Lilly Barbiturates

Since the original synthesis of 'Amytal' over 30 years ago, continued research by Eli Lilly & Company has resulted in a wide and selective range of barbiturates.

Included in the Lilly range of Barbiturates are :-

- 'Pulvules' 'SECONAL SODIUM' brand Quinalbarbitone Sodium Quick onset—short duration.

 3 gr. and 12 grs.
- 'Pulvules' 'SODIUM AMYTAL' brand Sodium Amylobarbitone.
 Medium onset and duration.
 I gr. and 3 grs.
- 'Pulvules' 'TUINAL'
 brand Quinalbarbitone Sodium with
 Sodium Amylobarbitone
 Quick onset—medium duration.
 1½ grs. and 3 grs.

Tablets 'AMYTAL'

brand Amylobarbitone Medium onset—moderately long duration. $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$, and $1\frac{1}{2}$ grs.

ELI LILLY AND COMPANY LIMITED BASINGSTOKE, ENGLAND

The Climacteric

"... a mixture of the male and female hormones was more efficacious than æstrogen alone."

Brit. Med. Journ. 1953 (July 25), 2.214

The association of methyltestosterone and ethinylœstradiol in Mepilin produces a more complete response in the treatment of menopausal disorders than can be obtained by the use of oestrogens alone. An increased feeling of confidence and well-being is produced which is both mental and physical.

The presence of methyltestosterone enables a reduction in oestrogen dosage to be made; thus undesirable side effects such as breast turgidity and pelvic congestion are avoided and the risk of withdrawal bleeding is reduced.

'MEPILIN'

TABLETS & ELIXIR

Each teaspoonful (4 ml.) of Mepilin Elixir and each Mepilin Tablet contains ethinylæstradiol 0.01 mg. and methyltestosterone 3 mg.

'MEPILIN' TABLETS
Bottle of 25 at 4/4 and
100 at 13/6

'MEPILIN' ELIXIR
Bottle of 4 fl.oz. at 6/- and
20 fl.oz. at 23/Basic N.H.S. prices

DOSAGE: Menopause and geriatric conditions: average cases—3 tablets or 3 teaspoonfuls daily. Premenstrual tension and dysmenorrhoea—2 tablets or 2 teaspoonfuls daily from 10th to 22nd day of the menstrual cycle.

Literature and specimen packings are available on request from the (Medical Department)

THE BRITISH DRUG HOUSES LTD. LONDON N.I

Selection of BUTTERWORTH Books

KINNIER WILSON'S NEUROLOGY (Second Edition)
Edited by A. NINIAN BRUCE, F.R.C.P.(Edin.), D.Sc.(Edin.), M.D., F.R.S.(Edin.). With Foreword and new Chapter on Aphasia, Apraxia and Agnosia by Sir RUSSELL BRAIN, Bart., D.M.(Oxon.), F.R.C.P. In Three Volumes. Fully Illustrated. £10 10s. net per set.

The spectacular advances of recent years in neurology have called for a new edition of this great work, which has been revised throughout to cover all the most advanced thought in this sphere.

PAEDIATRICS for the Practitioner

Under the General Editorship of WILFRID GAISFORD, M.D., M.Sc., F.R.C.P., and REGINALD LIGHTWOOD, M.D., F.R.C.P., D.P.H. In Three Volumes and Index Vol. Fully Illustrated. £13 10s. net per set.

This new work, the first major paediatric textbook to be written specially for the practitioner, is designed to present the diagnoses and up-to-date treatment of all the common disorders of childhood and infancy, taking in also rare conditions. No aspect is neglected by the team of experts drawn from centres all over the country.

INDUSTRIAL MEDICINE AND HYGIENE
Edited by E. R. A. MEREWETHER, C.B.E., O.St.J., M.D., F.R.C.P., D.I.H., F.R.S.Ed.

In Three Volumes. Fully Illustrated. £9 9s. net per set.

This new work, with contributions from experts representing every branch of the speciality, offers a comprehensive and balanced view of the whole field, from legislative and statistical aspects, occupational diseases and hazards and psychology to accidents, safety measures, heating and ventilation and the effects of ionising radiations.

BRITISH PRACTICE IN RADIOTHERAPHY

Under the General Editorship of Sir ERNEST ROCK CARLING, LL.D., F.R.C.S., F.R.C.P., F.F.R., B. W. WINDEYER, M.B., B.S., D.Sc., F.R.C.S., F.R.A.C.S., F.F.R., and D. W. SMITHERS, M.D., F.R.C.P., F.F.R.

Pp. xii+516+Index. 142 Illustrations. £4 5s. net.

The object of this new work is to present the achievements of radiotherapy in this country over the last twenty years, and to emphasize the growing co-operation between radiotherapists and their medical and surgical colleagues: the book follows the unusual form of setting out their views side by side.

MODERN TRENDS IN OPHTHALMOLOGY (Third Series)

Edited by ARNOLD SORSBY, M.D., F.R.C.S.

Pp. xii+331+Index. III Illustrations. Three colour plates. £3 5s. net.

Improvements in diagnostic procedure, advances in surgical techiniques, modern clinical and experimental patholgy, current clinical aspects, and social problems are among the important questions covered in the new Series by an impressive team of international experts.

MODERN TRENDS IN PSYCHOSOMATIC MEDICINE

Edited by DESMOND O'NEILL, M.C., M.D., M.R.C.P., D.P.M. Pp. xi+375+Index. 29 Illustrations. £2 I5s. £2 15s. net.

This work is the result of extensive research by doctors with a special interest in the relationship of mind and body in medicine, and it takes in numerous aspects including the psychosomatic approach in paediatrics and dermatology, emotion and eye symptoms, suggestion and hypnosis in obstetrics, anxiety and muscle tension and studies in ulcerative colitis.

BUTTERWORTHS

88 KINGSWAY, LONDON, W.C.2

Showroom: 11-12 Bell Yard, Temple Bar, London, W.C.2,

THIS MODERN INJECTION TECHNIQUE



'Viules' reduce sterilization procedures to a minimum.



ampoule-filing.



With 'Viules' there is no transfer of solution to syringe.



No syringe breakage

'VIULES' contain pre-measured doses of stable, sterile injections ready for immediate use in any suitable cartridge syringe. They offer simplicity, speed, efficiency, accuracy and economy in every branch of medicine.

Among the drugs now available are the following, in a range of convenient doses:—

ADRENALINE · ATROPINE · BISMUTH OXYCHLORIDE · DIAMORPHINE · BRGOMETRINE · HYOSCINE · LIVER EXTRACT · LOBELINE · METHADONE · MORPHINE · MORPHINE & ATROPINE
NIKETHAMIDE · PAPAVERETUM & SCOPOLAMINE · PETHIDINE
PHENOBARBITONE SODIUM · PROCAINE & ADRENALINE · PROGESTERONE · PROCAINE PENICILLIN AQUEOUS and 018
SUSPENSION · STREPTOMYCIN · TESTOSTERONE · VITAMIN B12

'VIULES'

single-dose injections in disposable cartridges

Full details will be gladly sent on request

The Medical Department

BOOTS PURE DRUG CO LTD NOTTINGHAM ENGLAND



New comprehensive treatment for specific and non-specific diarrhoea

'CREMOMYCIN'

SULPASURIDINE'-NEOMYCIN SUSPENSION

Trade Mark



... combined antibacterial activities of 'Sulfasuxidine' and neomycin

RAPID RELIEF

The action of 'Cremomycin' is prompt, complete and effective. Within a few hours, the combined bactericidal and bacteriostatic activity of 'Cremomycin' is concentrated in the intestinal tract. This concentration means effective action—and prompt relief for the patient.

PROMPT REMISSION

There are many obvious advantages (besides relief for the patient) in prompt recovery from diarrhoea: prevention of severe losses of body fluids; reduction of local irritation; protection against complications; avoidance of the spread of infective organisms.

Moreover, secondary constipation is not encountered after therapy with 'Cremomycin'.

Each 30 ml. (approximately I fl. oz.) contains: 'Sulfasuxidine' Succinylsulphathiazole 3 G., Colloidal Kaolin 3 G., and Neomycin Sulphate 300 mg. 'Cremomycin' is supplied in bottles of 8 fluid ounces.

Descriptive literature will gladly be sent on request.

SHARP & DOHME LTD., HODDESDON, HERTS.

Central Research Register

Supplement No. 6.

The following members have added their names to the Research Register :-

Name and Address

CAMERON, A. B.

47, Hutton Road, Kimberworth Park, Rotherham, Yorks.

EASTON, K. C. Corner House, Catterick, Yorks.

Fuller, I. C.

2, Jorden's Yard, Cambridge.

HANDFIELD JONES, R. P. C., Stonecroft, Churchway, Haddenham, Bucks.

Hogg, Marjory C.

6. Adelaide Place, Dundee.

JOCELYN, F. S.

10, Marius Road, London, S.W.17.

JONES, W. E.

2, Bedford Road, Liverpool.

Kennon, R. W.

Ladylane, Mobberley, Nr. Knutsford, Cheshire.

RIDER, J. G. 10, St. George's Av., Dunsville, Nr. Doncaster, Yorks.

Warner, K. O.

Parkfields, 1217, London Road, Derby.

Interests

Fluorosis.

Otitis media, clinical assessment of oral penicillin, rheumatoid arthritis. Cardiovascular disease.

Morbidity studies, effect of weather on morbidity, long term study of the reaction to penicillin therapy, otitis media.

Records and administration, psychiatry.

Allergy, psychosomatic medicine, and the problems of old age.

Obstetrics, paediatrics, hereditary factors, neuroses and psychology, epidemiology, drugs and dispensing. Domiciliary midwifery, general medicine.

Neoplastic disease.

Important Books

FRACTURES AND JOINT **INJURIES**

Fourth Edition Reprint. By Sir REG-INALD WATSON - JONÉS, M.Ch. Orth., F.R.C.S. In two volumes. 1,130 pages. 1,613 illustrations, many £6 10s. in colour.

AN ATLAS OF REGIONAL DERMATOLOGY

By G. H. PERCIVAL, M.D., Ph.D., F.R.C.P., D.P.H., and T. C. DODDS, F.I.M.L.T., F.I.B.P., F.R.P.S. 272 pages. 479 illustrations in full colour.

MULTIPLE SCLEROSIS

By DOUGLAS McALPINE, M.D., F.R.C.P., NIGEL D. COMPSTON, M.D., M.R.C.P., and CHARLES E. LUMSDEN, M.D. 310 pages. 35s. 115 illustrations.

TEXTBOOK OF THE RHEUMATIC DISEASES

Second Edition. Edited by W. S. C. COPEMAN, O.B.E., M.D., F.R.C.P. 762 pages. 464 illustrations. 52s. 6d.

TEXTBOOK OF MEDICAL TREATMENT

Sixth Edition. Edited by D. M. DUNLOP, M.D., F.R.C.P., Sir STAN-(Edin.), and Sir John McNEE, D.S.O., M.D., F.R.C.P. 1.039 1,039 pages. **50s.** 44 illustrations.

TEXTBOOK OF MEDICINE

Eleventh Edition. Edited by Sir JOHN CONYBEARE, K.B.E., M.C., D.M. CONYBEARE, K.B.E., M.C., D.M. (Oxon.), F.R.C.P., and W. N. MANN, M.D., F.R.C.P. 920 pages. 80 illustrations. 37s. 6d.

BEDSIDE DIAGNOSIS

Third Edition. By CHARLES SEWARD, M.D., F.R.C.P. 432 pages. 18 illustrations. 18s. 6d.

ANTISERA, TOXOIDS, CINES AND TUBERCULINS IN PROPHYLAXIS AND TREATMENT

Third Edition. By H. J. PARISH, M.D., F.R.C.P.E., D.P.H. 240 pages. illustrations. 21s.

Complete catalogue sent on request

E. & S. LIVINGSTONE Ltd., Teviot Place, Edinburgh