

**for threadworm
and roundworm
infestation**



'ENTACYL'

TRADE MARK

Suspension containing 300 mg. Piperazine adipate
(Brit. Pat. Appn. No. 29123/53) in each half teaspoonful.
Bottle of 8 fl. oz. 12/-

Tablets each containing 300 mg. Piperazine adipate.
Bottles of 25 at 3/- and 100 at 10/- BASIC N.H.S. PRICES.

DOSAGE : 1 tablet (*or half teaspoonful*) per year of age
per day up to the age of six years. Over six years of
age 2 tablets (*or one teaspoonful*) three times a day.
This dosage should be administered for one week.

*Pads of instruction leaflets intended to be
handed to patients undergoing treatment with
Entacyl are available on request.*

THE BRITISH DRUG HOUSES LTD. (MEDICAL DEPARTMENT) LONDON N.1

ENT/M/557

* Penicillin levels x 10!

'Benemid' increases penicillin plasma levels by up to 10 times. The combination of the new drug 'Benemid' with potassium penicillin G in 'PENBENEMID' provides a *convenient oral dosage form* giving penicillin levels which are

- (1) **COMPARABLE** to those obtained with intramuscular penicillin and
- (2) **SUSTAINED** much longer than is the case with other oral penicillin preparations

The oral penicillin of choice . . .

* 'Penbenemid'-250

TABLETS — 'BENEMID' WITH POTASSIUM PENICILLIN G

'Penbenemid'-250 Tablets have an increased penicillin content. The inclusion of 'Benemid' ensures sustained blood levels hitherto unobtainable by the oral route.

Each tablet contains 250,000 units Potassium Penicillin G with 0.25 G. 'Benemid'. Supplied in bottles of 12 tablets.


* **The ORAL penicillin preparation giving sustained blood levels comparable to those obtainable with intramuscular penicillin**

Literature gladly sent on request.

MERCK - SHARP & DOHME LIMITED, HODDESDON, HERTS.

'Benemid' and 'Penbenemid' are Registered Trade Marks.

A broken wheel




—can be made to turn again

By completely controlling the attacks, or by sharply reducing their frequency and severity, 'Mysoline' enables the adult epileptic to take his place as a confident, productive member of the family and community.

'Mysoline' has achieved this desirable result in a high proportion of cases, including many which had hitherto failed to respond to all other forms of treatment.

Combining powerful anticonvulsant activity with low toxicity and freedom from hypnotic effect, 'Mysoline' is of outstanding value in grand mal and psychomotor epilepsy. It is frequently of help in cases of petit mal.



'MYSOLINE'

PRIMIDONE, B.P.

Trade Mark

in the control of epilepsy

Available as 0.25 gramme tablets or as a palatable oral suspension.

IMPERIAL CHEMICAL (PHARMACEUTICALS) LIMITED, WILMSLOW, CHESHIRE

A subsidiary company of Imperial Chemical Industries Limited

Ph. 562/1




A new standard of efficacy

PENICILLIN-V, LILLY

COMPLETELY NEW ORAL PENICILLIN

PENICILLIN-V, LILLY is a completely new penicillin compound for oral use. Stable in the presence of gastric secretions, PENICILLIN V is fully effective orally and gives higher and more prolonged blood levels than any other oral penicillin.

It is therapeutically comparable with parenteral penicillin ; high dosage is unnecessary.



'PULVULES' PENICILLIN-V, LILLY, each containing 125 mg.—in bottles of 12 and 100. Average adult dose—1 capsule three times daily, increased to six times daily in very severe infections.

Lilly
TRADE MARK

ELI LILLY & COMPANY LIMITED

BASINGSTOKE

HANTS


Transvasin

brings the esters of **NICOTINIC ACID**
SALICYLIC ACID
p-AMINO BENZOIC ACID

to the focal point of
soft tissue rheumatism



The esters in Transvasin, a new preparation developed by Hamol S.A., our Swiss associates, readily pass the skin barrier in therapeutic quantities and enable an effective concentration of the drugs to be built up where they are needed.* Transvasin not only induces vasodilation of the skin with a superficial erythema, but also brings about a deep hyperaemia of the underlying tissues. It is non-irritant, and can be safely used on delicate skins. It is now being widely prescribed, with successful clinical results. Since a very small quantity is sufficient for each application, the cost of treatment is extremely low.



Transvasin is available in 1 oz. tubes, basic price 2/6 plus 9d. P.T., and is not advertised to the public. Samples and literature will be gladly sent on application.

Salicylic acid tetrahydrofurfuryl-ester	14%
Nicotinic acid ethyl-ester	2%
Nicotinic acid n-hexyl-ester	2%
p-Aminobenzoic acid ethyl-ester	2%
Water-miscible cream base ad	100%

* *Therapeutische Umschau* VIII, 1952, 10, 143

LLOYD-HAMOL LTD., 11 WATERLOO PLACE, LONDON, S.W.1 WHITEHALL 8684/8/6

Transvasin is the registered trade mark of Lloyd-Hamol Ltd.

ALEVAIRE

Trade Mark

an aerosol solution for excessive bronchopulmonary secretions

TO LOWER SURFACE TENSION and liquefy mucopurulent secretions, 'Alevaire' contains a new detergent in alkaline solution for use alone or as a vehicle for aerosol therapy with antibiotics and bronchodilators. It is non-toxic and non-irritant.

This preparation is indicated in a variety of diseases and conditions of the lungs accompanied by thickened or excessive bronchopulmonary secretions and in some cases of neonatal asphyxia and bronchiolitis* it has proved life-saving.

APPLICATION must be through a nebuliser which will deliver a fine, dry mist when attached to a suitable air compressor or oxygen supply tank, as particle size is of considerable importance. **Lancet*, 1954, i, 1011.

Please write for full information and a copy of the 'Alevaire' Booklet which illustrates suitable apparatus to —

Clinical Department,

BAYER PRODUCTS LTD

Neville House, Kingston-on-Thames, Surrey

Associated export company: WINTHROP PRODUCTS LTD.

THE TREATMENT OF PEPTIC ULCER WITH "ROTER" TABLETS

Extract from the British Medical Journal, 1st October 1955, p. 827

"The immediate clinical results were assessed after the first month's treatment in four main groups: (A) pronounced relief (symptom free); (B) definite relief (minor symptoms with no pain); (C) doubtful relief (symptoms persisting but improved); (D) no relief.

"... 81% of cases became symptom free — 70% of them during the first week and 30% during the second week; a further 9% were relieved of the majority of their symptoms. Thus there was a satisfactory response in 90% of cases.

"Four of the nine cases in groups C and D have elected to go to surgery, and one of the remaining cases has a hiatus hernia as well as a duodenal ulcer. Experience of treating these 'failures' over the past six years leads one to believe that no form of medical treatment will be effective and that surgery is the only hope of relieving their symptoms. In 75% of the cases the patients were of the opinion that the tablets were superior to alkaline powders, and they found that they were able to take foods which they had avoided for years.


"The treatment is ideal for general practice, where its simplicity appeals to both patient and doctor, and, although its mode of action remains an unsolved problem, this should not deter its use in a condition the cause of which remains a riddle. Finally, while the possibility of toxic effects does arise, none have been reported or found in this series; but, as a precaution, the tablets should not be administered to young children."

Roter tablets are prescribed on N.H.S. They are not advertised to the public. Packings: Tins of 40, 120, 640; and dispensing size, 720 (P.T. Exempt).

Samples and literature on request.



**F.A.I.R. LABORATORIES LIMITED
HEATH ROAD, TWICKENHAM, MIDDX.**



**'Distaquaine' V reduces the number of cases
requiring treatment by injection**

'DISTAQUAINE' V TABLETS, containing phenoxymethylpenicillin, are the first oral penicillin preparation to offer a reliable alternative to parenteral penicillin therapy.

Being acid-stable, this new form of penicillin is not affected by the gastric acidity of the individual patient and, with its quicker and more efficient absorption, produces a more consistent therapeutic effect than is possible with many other preparations. Reliable oral therapy, therefore, can be achieved

with smaller doses, and a consequent reduction in the cost of treatment.

**60 mg. tablets ; bottles of 30.
basic N.H.S. cost: 6/10d.**

Distributed by:

ALLEN & HANBURYS LTD.
BRITISH DRUG HOUSES LTD.
BURROUGHS WELLCOME & CO.
EVANS MEDICAL SUPPLIES LTD.
IMPERIAL CHEMICAL
(PHARMACEUTICALS) LTD.

Manufactured by

THE DISTILLERS COMPANY (Biochemicals) LTD

SPEKE, LIVERPOOL 19. Tel: HUNTS CROSS 1271.

Export Enquiries: DEVONSHIRE HOUSE, PICCADILLY, LONDON, W.1. Tel: MAYFAIR 8867

Owners of the trade mark 'Distaquaine'

NEW ANTIDEPRESSIVE

Ritalin

(phenyl-(α -piperidyl)-acetic acid methyl ester hydrochloride)

AN ENTIRELY NEW CENTRAL STIMULANT

FOR GENERAL DEBILITY

MENTAL AND PHYSICAL FATIGUE

POST-INFLUENZAL DEPRESSION CONVALESCENCE

Not an amphetamine derivative No pressor activity

Does not impair appetite nor produce agitation

Available in tablets of 10 mg. in bottles of 25, 100 and 500


C I B A

'Ritalin' is a registered trade mark. Registered user.

CIBA LABORATORIES LIMITED, HORSHAM, SUSSEX

Telephone: Horsham 4321. Telegrams: Cibalabs, Horsham

The right diet at your fingertips



This filing box, designed for the consulting room desk, contains an indexed supply of diet cards for 16 different conditions. The cards are planned to include specimen daily menus which facilitate the patient's co-operation and save the doctor's time. This is one of the services offered free of charge to the medical profession by the Energen Dietary Service.

In special cases, clinical considerations often necessitate the preparation of a diet which takes into account the individual requirements of the patient. On receipt of appropriate information from the practitioner, such diets can be specially constructed and sent through the post; or a consultation can be arranged with a senior dietitian.


The Energen Dietary Service is staffed by fully qualified dietitians, under close medical supervision. It offers independent information and assistance to the medical profession in all dietary and nutritional matters.

*Requests for the Diet Card Filing Box,
or other inquiries should be addressed to:*

THE PHYSICIAN IN CHARGE, ENERGEN DIETARY SERVICE,
25A BRYANSTON SQUARE, LONDON, W.1
TELEPHONE: AMBASSADOR 9332

ENERGEN DIETARY SERVICE

AVAILABLE ONLY IN THE UNITED KINGDOM.



CORTISTAB and HYDROCORTISTAB preparations

now freely available on prescription

These products are manufactured in Great Britain at our extensive plant, designed for the large scale production of corticosteroids.

CORTISTAB (Cortisone Acetate)

TABLETS 25 mg. Bottles of 40, 100 and 500.

INJECTION 25 mg. per ml. Vials of 10 ml.

EYE DROPS 1% Bottles of 3 ml.


EYE OINTMENT 1% Tubes of 3 G.

HYDROCORTISTAB (Hydrocortisone)

TABLETS 20 mg. Bottles of 100.

INJECTION (Intravenous) 5 mg. per ml. for intravenous injection after dilution. Ampoules of 20 ml.

INJECTION (local) 25 mg. per ml. Hydrocortisone acetate suspension. Vials of 5 ml.



Further details will gladly be sent on request to

BOOTS PURE DRUG COMPANY LIMITED NOTTINGHAM ENGLAND

VITAL BOOKS *for* GENERAL PRACTITIONERS

A New Book

Just Ready

THE CLINICAL APPROACH IN MEDICAL PRACTICE

By G. E. BEAUMONT, M.A., D.M., F.R.C.P., D.P.H.

74 Illustrations.

45s.

CHILD HEALTH AND DEVELOPMENT

By Various Authors

Edited by RICHARD W. B. ELLIS, O.B.E., M.A., M.D., F.R.C.P. New (Second) Edition. 81 Illustrations. 42s.

A SHORT TEXTBOOK OF MIDWIFERY

By G. F. GIBBERD, M.B., M.S., F.R.C.S., F.R.C.O.G. New (Sixth) Edition. 199 Illustrations. 30s.

FORENSIC MEDICINE

A Textbook for Students and Practitioners

By Sir SYDNEY SMITH, C.B.E., M.D., F.R.C.P., LL.D., F.R.S. (Ed.), and F. S. FIDDES, O.B.E., M.D. New (Tenth) Edition. 173 Illustrations. 40s.

DISORDERS OF THE BLOOD

Diagnosis, Pathology, Treatment and Technique. By Sir LIONEL WHITBY, C.V.O., M.C., M.D., F.R.C.P., D.P.H., and C. J. C. BRITTON, M.D., D.P.H. Seventh Edition. 20 Plates (12 Coloured) and 106 Text-figures. 63s.

HIGH BLOOD PRESSURE

By G. W. PICKERING, M.A., M.B., M.D. (Ghent), F.R.C.P. 106 Illustrations (5 in colour). 65s.

THE DIABETIC LIFE: Its Control by Diet and Insulin

A Concise Practical Manual for Practitioners and Patients. By R. D. LAWRENCE, M.A., M.D., F.R.C.P. Fifteenth Edition. 19 Illustrations. 12s. 6d.

DISEASES OF INFANCY AND CHILDHOOD

By WILFRID SHELDON, C.V.O., M.D., F.R.C.P. Seventh Edition. 213 Text-figures and including 18 Plates (5 in colour). 50s.

CLINICAL MEDICINE IN GENERAL PRACTICE

Edited by JOHN FRY, M.B., B.S., F.R.C.S. Foreword by Sir HENRY COHEN, M.D., D.Sc., F.R.C.P. 27s. 6d.

A New Book

Ready this month

THE PRACTICE OF MEDICINE

Edited by J. S. RICHARDSON, M.V.O., M.A., M.D., F.R.C.P.

86 Illustrations

About 40s.

ESSENTIALS OF ORTHOPAEDICS

By PHILIP WILES, M.S., F.R.C.S., F.A.C.S. Second Edition. 7 Coloured Plates and 393 Text-figures. 55s.

A SHORT TEXTBOOK OF SURGERY

By C. F. W. ILLINGWORTH, C.B.E., Ch.M., F.R.C.S. (Ed.). New (Sixth) Edition. 13 plates and 227 text-figures. 37s. 6d.

A HANDBOOK OF OPHTHALMOLOGY

By HUMPHREY NEAME, F.R.C.S., and F. A. WILLIAMSON-NOBLE, F.R.C.S. New (Eighth) Edition. 13 Colour Plates and 154 Text-figures. 30s.

GYNAECOLOGY

Fifth Edition. By DOUGLAS MacLEOD, M.S., F.R.C.P., F.R.C.S., F.R.C.O.G., and CHARLES D. READ, F.R.C.S., F.R.A.C.S., F.R.C.O.G. 551 Illustrations, including 27 Plates in colour. 80s.

THE PHYSICIAN AND HIS PRACTICE

By 18 authorities. Edited by JOSEPH GARLAND, M.D. 36s.

THE BIOLOGIC EFFECTS OF TOBACCO

With Emphasis on the Clinical and Experimental Aspects. Edited by E. L. WYNDER, M.D. 32s.

THE MEDICAL CARE OF THE AGED AND CHRONICALLY ILL

By F. HOMBURGER, M.D. 42s.

CURRENT CONCEPTS IN DIGITALIS THERAPY

A Guide to the use of Digitalis Drugs. By BERNARD LOWN, M.D., and SAMUEL A. LEVINE, M.D. 21 Illustrations. 25s.

A New Book

Ready this month

PROGRESS IN CLINICAL OBSTETRICS AND GYNAECOLOGY

By T. L. T. LEWIS, M.B., B.Chir., F.R.C.S., M.R.C.O.G.

90 Illustrations

About 50s.

J. & A. CHURCHILL Ltd.

104, Gloucester Place . London, W. 1.

NEW

Butterworth Books

PAEDIATRICS FOR THE PRACTITIONER

Edited by WILFRID GAISFORD, M.D., M.Sc., F.R.C.P., and
REGINALD LIGHTWOOD, M.D., F.R.C.P., D.P.H.

In three volumes and Index volume. Fully illustrated.

£13 10s. net per set, postage and packing extra.

"These volumes, well produced and liberally illustrated, should prove of great value to general practitioners in this important and satisfying field of medicine." *The Lancet.*

BRITISH PRACTICE IN RADIOTHERAPY

Under the General Editorship of SIR ERNEST ROCK CARLING,
LL.D., F.R.C.S., F.R.C.P., F.F.R., B. W. WINDEYER, M.B., B.S.,
D.Sc., F.R.C.S., F.R.A.C.S., F.F.R., and D. W. SMITHERS, M.D.,
F.R.C.P., F.F.R.

Pp. xii+516+Index. 142 illustrations.

85s. net, by post 1/8 extra.

"This is a book which demands the careful study of all those who are engaged in the treatment of malignant disease or have to advise on its treatment. It supplies a record of achievement of which our country may well be proud and it points the way to further advance. We congratulate the editors on a volume which every medical man may read with advantage and which every expert will study with enthusiasm." *British Medical Journal.*

MODERN TRENDS IN OBSTETRICS AND GYNAECOLOGY

Second Series. Edited by KENNETH BOWES, M.D., M.S.(Lond.),
M.B., Ch.B.(L'pool), F.R.C.S., F.R.C.O.G.

Pp. xv+394+Index. 176 Illustrations.

60s. net, by post 1/5 extra.

"The whole work is outstanding in that important phases and facets on obstetrics and gynaecology which are only mentioned in textbooks are dealt with at length in this book." *Medical Press.*

POSTGRADUATE OBSTETRICS AND GYNAECOLOGY

Second Edition. By F. J. BROWNE, M.D.(Aberd.), D.Sc., F.R.C.S.(Edin.),
F.R.C.O.G., and J. C. McCCLURE BROWNE, B.Sc., M.B., B.S.
(London), F.R.C.S.(Edin.), F.R.C.O.G.

Pp. x+688+Index. 142 illustrations.

70s. net, by post 1/5 extra.

"... a rich store of information. It can be firmly recommended not only to those about to embark on a specialist career, but to those who have established themselves in consultant practice." *Medicine Illustrated.*

MODERN TRENDS IN PSYCHOSOMATIC MEDICINE

Edited by DESMOND O'NEILL, M.C., M.D., M.R.C.P., D.P.M.

Pp. xi+375+Index. 29 illustrations.

55s. net, by post 1/5 extra.

"Written by a large group of acknowledged experts in their own specialities, this book is authoritative and completely free from bias; it is completely up-to-date, for much of the work reported between its covers is still in progress . . . This book should be read by everybody in medicine." *Postgraduate Medical Journal.*

MODERN TRENDS IN ORTHOPAEDICS

Second Series. Edited by SIR HARRY PLATT, LL.D., M.D., M.S.,
F.R.C.S., F.A.C.S.

Pp. x+320+Index. 226 Illustrations.

65s. net, by post 1/5 extra.

The new Series reviews a number of new topics of contemporary interest in the light of recent advances, while certain subjects have been re-assessed in greater detail, in the context of changing techniques.

MODERN TRENDS IN BLOOD DISEASES

Edited by JOHN F. WILKINSON, M.D., M.Sc., Ph.D., F.R.C.P.,
F.R.I.C.


Pp. vi+341+Index. 92 illustrations, 2 colour plates.

65s. net, by post 1/5 extra.

"... essential to the physician interested in diseases of the blood and of great importance to laboratory haematologists and general physicians." *Medicine Illustrated.*

88 KINGSWAY, LONDON, W.C.2

Showroom : 11-12 Bell Yard, Temple Bar, London, W.C.2.



Fourfold Control

in Peptic Ulcer and Hyperchlorhydria



Packs and Prices to Pharmacists:

Bottle of 50,
2/11 plus 10½d. P.T.
Bottle of 250,
12/6 plus 3/9d. P.T.
Bottle of 500,
23/9 plus 7/1½d. P.T.

ALOCOL COMPOUND is a new preparation formularized to provide comprehensive management of causal and symptomatic disturbances in the treatment of hyperchlorhydria and its manifestations, including gastric and duodenal ulcer.

Formula each Tablet

'Alocol' (Coll. Alumin. Hydroxide)	11.58 gr.....	antacid protection
Ext. Belladon. Sicc. B.P.	0.075 gr.....	diminished secretion
Papaverine Hydrochlor. B.P.	0.31 gr.....	reduced motility
Benzocaine B.P.	0.31 gr.....	sensory anaesthesia

ALOCOL COMPOUND tablets effect

Alocol Compound thus provides the advantage of fourfold control—reduction of causal hyperacidic flow, and its neutralization; alleviation of symptomatic hypermotility and pain.

ALOCOL Compound



Professional sample on request from Medical Dept.

M.390

A. WANDER LIMITED,

42 UPPER GROSVENOR STREET, LONDON W.1



Cassell Medical Books

Now available : Volume One of

GREY TURNER'S MODERN OPERATIVE SURGERY

NEW FOURTH EDITION. Edited by the late Professor GREY TURNER, LL.D., D.CH., M.S., F.R.C.S., F.R.A.C.S., F.A.C.S., assisted by Professor LAMBERT CHARLES ROGERS, V.R.D., M.D., M.Sc., F.R.C.S., F.R.C.S.E., F.R.A.C.S., F.A.C.S.

Well balanced both in content and in outlook, the new edition of this work embodies what is best in British operative surgery. Most extensive revisions have been made ; many of the sections are entirely new, and the remainder have been carefully brought up to date. The contents are of a most practical nature and details of the workaday operations of general surgical practice are very fully described.

*Volume I : 1,232 pp., 2 plates and 476 illustrations 70/- net
Volume II : in preparation*

37/38 St. Andrew's Hill, London, E.C. 4

Important New Books

OUTLINE OF ORTHOPAEDICS

By J. CRAWFORD ADAMS, M.D., F.R.C.S.

432 pages.

347 illustrations.

32s. 6d.

Presenting the essentials of modern orthopaedics without unnecessary padding, this book is concise and easily readable yet authoritative and right up to date, and the text is clearly illustrated. It will prove invaluable to practitioners.

AN ATLAS OF REGIONAL DERMATOLOGY

By G. H. PERCIVAL, M.D., Ph.D., F.R.C.P., D.P.H.
and T. C. DODDS, F.I.M.L.T., F.I.B.P., F.R.P.S.

272 pages.

479 illustrations in full colour.

£5

The illustrations in this book, which are arranged regionally, have been carefully selected in order to provide the practitioner with an atlas easy of reference to assist him in the identification of all the common and less rare cutaneous disorders.

DISEASES OF THE NOSE, THROAT AND EAR

By ION SIMSON HALL, F.R.C.P., F.R.C.S. (Edin.)

Sixth Edition.

476 pages.

112 illustrations.

20s.

"An up-to-date and reliable guide to the speciality, this book contains a great amount of practical information. The more common operative procedures are described and many useful hints are given."—*Postgraduate Medical Journal*.

THE POCKET PRESCRIBER AND GUIDE TO PRESCRIPTION WRITING

By ALISTAIR CRUIKSHANK, F.R.C.P.E.

Sixteenth Edition.

304 pages.

522 prescriptions.

5s.

"Likely to retain its pre-eminent position as a *vade-mecum* for young practitioners this handy volume can be thoroughly recommended."—*British Medical Bulletin*.

E. & S. LIVINGSTONE LTD., EDINBURGH